# MARCH 2019 TO MAY 2019

# TOOLS & MACHINERY



## INDUSTRIAL BENCH GRINDERS



25mm width grinding

- wheels, 36 & 60 grit
- Durable cast iron body Vibration absorbing pads
- Heavy duty tool rests
- Part No. Inc. GST Wheel Ø TM400-150 370W 150mm TM400-200 200mm TM400-250 900W 250mm

### 150mm FABRICATED STEEL BENCH VICE

- Precision machined knurled jaws with V-Groove • Large diameter screw
- Extra heavy-duty Offset jaw
- Precise sliding jaw 25kg
- 150mm Jaw width (TM104-150)



• Drill set 19 piece • 1-10mm (UN308-010, valued at \$41.50)

### 220mm x 220mm CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60° Taiwanese made machine • Hydraulic down feed • 1.5HP
- 240V 1 Speed Round cut capacity: 90° : 227mm, 45° : 150mm (WP270SH-1)

Extra blade & cutting fluid





### 3/4" IMPACT WRENCH

• Max torque : 1900Nm (1400ft-lb)

- Noise level : 85dB
- Weight: 1.9kg (M7-NC6255Q)

(TM300-220 valued at \$45)



# 20m RETRACTABLE AIR HOSE REEL

ILIN

### Hybrid Polymer High Flex Hose Auto lock to any required

- length Auto track guided hose layering system Detachable 180° swivel
- mounting bracket
- Adjustable hose stopper
- 250 PSI maximum working pressure • Hi-visibility for safety (TM300-020)











# BENCH GRINDERS, BELT GRINDERS & PIPE NOTCHERS





### 150MM BENCH GRINDER

- 370W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (*TM400-150*)
- Stand to suit \$99 (TM403-010)



### **200MM BENCH GRINDER**

- 600W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (*TM400-200*)
- Stand to suit \$99 (TM403-010)



### 200MM BUFFING MACHINE

- 550W, 240V 14mm width mop wheels Durable cast iron body • Vibration absorbing pads (TM402-200)
- Stand to suit \$99 (TM403-010)



### 250MM BENCH GRINDER

- 900W, 240V 25mm width grinding wheels, 36 & 60 grit • Durable cast iron body • Vibration absorbing pads • Heavy duty tool rests (*TM400-250*)
- Stand to suit \$99 (TM403-010)

### **GRIMAX**

### **GRIMAX BELT GRINDERS**

• European made • Smooth, low vibration high output operation • Solid 5mm thick plate work rest with multiposition system • 2860rpm Belt speed enables fast & efficient metal removal • Simple & precise belt tracking adjustment • Durable 90 durometer rubber contact wheel • Emergency Stop NVR safety switch



• 3KW, 415V • 200 x 75mm Contact wheel • 540 x 75mm Platen surface • 86KG (GRIMAX75)

\$1895

• 3.6KW, 415V • 200 x 150mm Contact wheel • 540 x 150mm Platen surface • 110KG (GRIMAX150)

\$2950

### **GRIMAX**

### **GRIMAX PIPE NOTCHER**

• European made • Smooth, low vibration high output operation • Notches pipe & tubing between 30° & 90° angles • Platen grinding surface • Solid 5mm thick plate work rest with multi-position system • Simple & precise belt tracking adjustment • Durable 90 durometer rubber contact wheel • Emergency stop NVR safety switch • 3.6KW, 415V • 605 x 150mm Flat surface • 17 - 100mm Pipe O.D. capacity • 150KG (GRIMAX150BR)



### TRADEMASTER PIPE NOTCHER

 A fast, inexpensive & accurate way to notch pipe & tubing between 30° & 90° angles • Smooth, high output motor • Platen grinding surface • Low vibration running is achieved by the extra heavy duty robust construction, with sturdy workbase, & 14mm thick plate mainframe Stainless steel fastenings • Emergency stop NVR safety switch • Includes: Roller t/s 20, 25, 32, 40, 50mm N.B. Pipe • 2.2KW, 240V • 590 x 100mm Flat surface

• 17 - 70mm Pipe O.D. capacity • 170KG (TBN075)



\$3295

### **BENCH VICES** FORGED STEEL WELDING CLAMPS



### **FABRICATED STEEL BENCH VICES**

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw







### **WORKSHOP BENCH VICE**

- Hardened steel jaws Close grained cast iron body
- 100mm jaw width 7.0kg weight (TM098-100)



### **PROFESSIONAL MECHANICS BENCH VICES**

Jaw Width	Weight	Part No.	Price
75mm	7.5kg	TM100-075	\$75
100mm	10.0kg	TM100-100	\$105
125mm	15.5kg	TM100-125	\$150
150mm	18.0kg	TM100-150	\$179
200mm	31.0kg	TM100-200	\$275



### STANDARD DRILL PRESS VICES

• Cast iron body • Machined steel jaws • Great for machine shops, fabrication workshops & tool rooms

Jaw Width	Jaw Height	Capacity	Weight	Part No.	Price
102mm	21mm	105mm	3.2kg	VDP102	\$39
150mm	28mm	150mm	7.2kg	VDP150	\$65



### **HEAVY DUTY DRILL PRESS VICES**

• 3 Way vices

Jaw Width	Jaw Height	Capacity	Weight	Part No.	Price
100mm	30mm	92mm	6.75kg	VDPL100	\$65
150mm	36mm	140mm	13kg	VDPL155	\$95



100mm

125mm

150mm

200mm

22.6kg

37.0kg

TM102-150

TM102-200

### FORGED STEEL C CLAMPS

• Hardened Acme spindle • Swivel pad ensures even pressure is applied on angular workpieces • Tempered & hot forged steel . Nickel & chrome plating

Span x Depth	Clamping Force	Part No.	Price
100x50mm	900kg	EC-BC4	\$50.00
125x65mm	850kg	EC-BC5	\$54.50
150x75mm	1000kg	EC-BC6	\$63.00
200x100mm	1000kg	EC-BC8	\$79.00
250x115mm	1200kg	EC-BC10	\$98.00
300x125mm	1500kg	EC-BC12	\$125.00



### **GENERAL PURPOSE FORGED STEEL CLAMPS**

• For general purpose clamping applications • Swivel pad ensures even pressure is applied on angular workpieces

Span x Depth	Clamping	Part No.	Price
	Force		
160x80mm	300kg	EC-G16CS	\$36.00
200x100mm	450kg	EC-G20CS	\$46.00
250x120mm	550kg	EC-G25CS	\$57.50
300x140mm	670kg	EC-G30CS	\$69.90
400x175mm	1000kg	EC-G40CS	\$94.50
600x175mm	1000kg	EC-G60CS	\$108.00
800x175mm	1000kg	EC-G80CS	\$125.00



### HEAVY DUTY FORGED STEEL **CLAMPS**

- Larger rail sizes & acme spindle
- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1000mm span available

Span x Deptn	Force	Part No.	Price
300x140mm	1200kg	EC-GS30C	\$130
400x120mm	1200kg	EC-GS40C	\$140
500x140mm	1200kg	EC-GS50C	\$153
600x120mm	1200kg	EC-GS60C	\$162



### QUICK ACTION FORGED STEEL **CLAMPS**

• Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Span x Depth	Clamping Force	Part No.	Price
160x80mm	300kg	EC-G16L	\$75
200x100mm	350kg	EC-G20L	\$85
300x140mm	500kg	EC-G30L	\$119
400x120mm	550kg	EC-G40L	\$127
500x120mm	550kg	EC-G50L	\$133



## PIVOT HANDLE FORGED STEEL

• The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Span x Depth	Clamping Force	Part No.	Price
200x100mm	670kg	EC-REG20C	\$55
300x140mm	670kg	EC-REG30C	\$80
400x175mm	700kg	EC-REG40C	\$103
600x175mm	700kg	EC-REG60C	\$119



### EXTRA HEAVY DUTY FORGED STEEL **CLAMPS**

- Larger rail sizes & acme spindle
- For heavy duty applications
- Changeable clamping heads
- · Socket drive handle
- Up to 1500mm span available

Span x De	pth Clamp Forc		lo. Price
300x175r	nm 2200	kg EC-SS3	30C <b>\$219</b>
400x175r	nm 2200	kg EC-SS4	IOC \$235
500x175r	nm 2200	kg EC-SS5	OC \$249
600x175r	nm 2200	kg EC-SS6	60C <b>\$265</b>



# MAGNETIC BASE DRILLS SHARPENING MACHINES

### \$995

### **HOLEMAKER PRO 35**

 Quality, Compact & Robust European Made Machine · Lightweight, only 10kg! Ideal for onsite & overhead tasks • Capacity (diameter) 35mm • Capacity (depth) 52mm • Gravity feed coolant system with magnetically attached bottle • Comes complete in plastic carry





02 96045222

### **HOLEMAKER PRO 36AD**

- Ultra low profile, constant working height of 176mm
- Super lightweight, only 9.5kg!
   Capacity (diameter) 36mm • Capacity (depth) 30mm • Squeeze bottle coolant system • Comes complete in plastic metal case (HMPRO36AD)

### \$1495

### **HOLEMAKER PRO 40**

- Durable & Versatile, European Made Machine
- · Capacity (diameter) 40mm · Capacity (depth) 52mm
- Optional 13mm twist drill chuck • Through cutter coolant system • Comes complete in metal carry case • 12.5kg (HMPRO40)



### <sup>\$</sup>2199

case (HMPRO35)

### **HOLEMAKER PRO 50**

- Versatile & Multi-Purpose, European Made Machine
- Capacity (diameter) 52mm
- Capacity (depth) 52mm
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc.
- Powerful 1260W motor & 2 speed gearbox • 16.5kg (HMPRO50)



### \$3495

### **HOLEMAKER PRO 75**

• #3 Morse taper variable speed machine • Capacity (diameter) 75mm • Capacity (depth) 75mm (110mm with optional arbor) • 32mm #3MT drill bit capacity • 2 speed gearbox with electronic variable speed 80 to 160rpm; 210 to 420rpm • 1650W motor output • Motor soft start (HMPRO75)



### \$4259

### **HOLEMAKER PRO 110**

- Large Capacity #4 Morse Taper Heavy Duty Machine
- · Capacity (diameter)
- 110mm Capacity (depth) 75mm (110mm with optional arbor) • 47mm #4MT drill bit capacity • 4 speed heavy duty mechanical gearbox
- 1650W motor output (HMPRO110)






### **HOLEMAKER 35 PNEUMATIC**

- Pneumatic powered angle drive machine Capacity (diameter) 35mm • Capacity (depth) 25mm • Constant working height of 183mm • Certified ATEX II2G/D C IIC T6; T4 motor & body for areas with risk of explosion
- European made (HMP35AD-ATEX)

### \$8035

### **HOLEMAKER 45 PNEUMATIC**

• #2 Morse taper, pneumatic powered machine • Capacity (diameter) 45mm • Capacity (depth) 52mm • 23mm #2MT drill bit capacity • 2 speed 190 / 290rpm • Motor certified ATEX II2G/D C IIC T6; T4 motor for areas • with risk of explosion





Diameter	Depth	Part No.	Price
12mm	25mm	AT1225	\$48.50
14mm	25mm	AT1425	\$49.50
16mm	25mm	AT1625	\$53.50
18mm	25mm	AT1825	\$55.50
20mm	25mm	AT2025	\$58.90
22mm	25mm	AT2225	\$67.50
24mm	25mm	AT2425	\$72.50

### **HOLEMAKER GOLD** SERIES ANNULAR CUTTERS

 Available in 1 mm increments from 12 to 52mm diameter • Titanium nitride coating • M2AL high speed steel material • Step hardened process • Multi-cut geometry • Fully ground with internal relief • Universal shank • Available in sizes: 12 - 60mm diameter, 25 to 75mm depth of cut



### **DRILL DOCTOR XP DRILL BIT SHARPENER**

• 2.5mm to 13mm drill bit capacity • Creates & sharpens split point bits • 118° sharpening angle • Adjustable relief angle • 240V motor • 3 year warranty (DDXP)



### **DRILL DOCTOR 500X DRILL BIT SHARPENER**

- Tradesman model 2.5mm to 13mm drill bit capacity
- 118° or 135° sharpening angle Creates & sharpens split point bits • 3 year warranty (DD500X)

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST •



### **DRILL DOCTOR 750X DRILL BIT SHARPENER**

• Top of the line tradesman model • 2.5mm to 19mm drill bit capacity • 115° to 140° sharpening angle • Creates & sharpens split point bits • 3 year warranty (DD750X)

# BENCH & PEDESTAL DRILLS SHARPENING MACHINES



### **BELT DRIVE BENCH & PEDESTAL DRILLS**

· Quality casting, construction & componentry · Emergency stop NVR safety switch . Chuck safety guard . Drill chuck & arbor • Drill drift (on MT models)



13mm capacity • 13mm B16 chuck • 1/2HP, 240V motor • 5 speed • 680mm height • 27kg weight (TD1013)



- 16mm capacity 16mm B16 chuck • #2 MT Spindle
- 1/2HP, 240V motor 16 speed • 980mm height
- 50kg weight (TD1316)



16mm capacity • 16mm B16 chuck • #2 MT Spindle • 3/4HP, 240V motor • 16

speed • 1580mm height • 60kg weight (TD1316F)

**EXTRA HEAVY DUTY** 

**INDUSTRIAL BELT** 

PEDESTAL DRILLS

Quality Taiwanese machines with

heavy duty casting and construction

industrial workshops • Drill chuck &

• #2 MT Spindle • 1HP, 240V motor • 12 speed • 1010mm height

• 23mm capacity • 16mm #3 JT chuck

**DRIVE BENCH &** 

for proven lasting durability in

• 72kg weight (K1720HD)

arbor • Drill drift



20mm capacity • 20mm B22 chuck • #3 MT Spindle • 1HP. 240V motor • 12

speed • 1600mm height • 80kg weight (TD1420F)



- 25mm capacity 20mm B22 chuck • #3 MT Spindle • 2HP. 240V motor • 12
- speed 1710mm height
- 120kg weight (TD1825F)



- 32mm capacity 20mm B22 chuck • #4 MT Spindle
- 2HP, 240V motor 12 speed • 1710mm height

### • 145kg weight (TD2032F)

### DARIES

### **DAREX V391 DRILL BIT SHARPENER**

• 3mm - 19mm drill capacity . Custom point

- angles 118° 140° • Standard and split point
- styles 1/4hp, 240V motor
- Solid steel construction • 11kg weight (V391)



### DAJRIEX

### DAREX XT3000I

· Sharpens standard, and split point HSS & Cobalt drills • Large range of attachments available to sharpen a

range of cutting tools • Emerson 1/4hp motor - 3450 rpm • 118° - 150° point angles • 3 - 21mm diameter drill capacity (XT3000i)

\$6595

**HOLEMAKER ANNULAR CUTTER SHARPENER** 



- 1200w, 240v motor 2800rpm
- 125mm diamond wheel 12 52mm diameter cutter capacity (HMCS100-2)

nationalwelding.com.au



### **GEARED HEAD DRILLING MACHINE** QUALITY PRECISION

**MACHINE FOR DRILLING & TAPPING** 

- #4 Morse taper spindle
- · Micro feed precision
- · Geared head tilts 90° right & left • Forward and reverse operation • Accessories include arbor, drill chuck, drill sleeves • 40mm capacity
- 1.5HP motor, 6 speed
- gearbox 1770mm height • 320kg weight • 240V

(TGD400-1) or 415V (TGD400-3)

\$3150



(TGMD400-3)

### **GEARED HEAD DRILLING & MILLING MACHINE**

 All the features of the TGD400 combined with: Milling table, Recirculating coolant system • 240V (TGMD400-1) or 415V

• 1.2HP, 240V motor • 12

speed • 1752mm height

• 158kg weight (K2532)

• 1HP, 240V motor • 12

speed • 1600mm height

• 78kg weight (K1720HFD)

\$1449

### **METAL CUTTING SAWS**



• Swivel vice enables 0° to 45° mitre cuts • Taiwanese made machine • Hydraulic downfeed • 1HP, 240V • 4 speed belt drive

Round cut capacity: 90°: 180mm, 45°: 110mm (UE712A)



02 96045222

Swivel head 0° to 60°

· Taiwanese made machine

· Hydraulic down feed · Round cut

• 1HP, 240V, 1 spd • 1HP, 415V, 2 spd • 1HP, 240V, variable (WP210SH-3) (WP210SH-1)

spd (WP210SHV-1)



 Swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed . Round cut capacity: 90°: 227mm, 45°: 150mm

• 1.5HP, 240V, 1 • 1.5HP, 415V, 2

spd (WP270SH-1) spd (WP270SH-3) spd (WP270SHV-1)

• 1.5HP, 240V, variable



### 220MM X 220MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

• 2 way swivel head 0° to 60° • Taiwanese made machine • Hydraulic

down feed • Round cut capacity : 90° : 227mm, 45° : 150mm • 1.5HP, 240V, 1 • 1.5HP, 415V, 2 • 1.5HP, 240V, varia • 1.5HP, 240V, variable spd (WP275DS-1) spd (WP275DS-3) spd (WP275DSV-1)

\$AA9H



### 310MM X 210MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

• 2 way swivel head 0° to 60° • Taiwanese made machine • Hydraulic down feed • 2HP, 415V • 2 speed • Round cut capacity : 90° : 250mm, 45° : 200mm (WP310DS-3)



#### 350MM X 220MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

• 2 way swivel head 0° to 60° • Taiwanese made machine

Hydraulic down feed • 2HP, 415V • 2 speed • Round cut capacity : 90° : 270mm, 45° : 240mm (WE350DS-3)



#### 350MM X 220MM CAPACITY SEMI-AUTO SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine
- Semi-auto operation 2HP, 415V 2 Speed Remote safety stop switch • Round cut capacity : 90° : 270mm, 45°R : 240mm (WE350DSA-3)





### 250MM X 155MM CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60°
- · Taiwanese made machine
- · Remote safety stop switch
- Round cut capacity: 90°: 220mm, 45°: 160mm
- 1.5HP, 240V, 1 speed (MB-280CSO-1)



• 1.5HP, 415V, 2 speed (MB-280CSO-3)

\$5195



### 330MM X 220MM

#### **CAPACITY 2 WAY** INDUSTRIAL SWIVEL HEAD **BANDSAW**

- Italian made quality 2 way swivel head 0° to 60°
- · Hydraulic down feed
- · Round cut capacity : 90°: 260mm, 45°: 225mm
- 1.5HP, 240V, 1 speed (MB-330CSO-1)



 1.5HP, 415V, 2 speed (MB-330CSO-3)

\$**899**5







330MM X 220MM **CAPACITY 2 WAY** INDUSTRIAL SWIVEL HEAD **BANDSAW** 

· 2 way swivel head 0° to 60° • Semi automatic operation • 1.5HP, 415V • 2 Speed . Round cut capacity: 90°: 260mm, 45°: 225mm (MB-330MS-3)





400MM X 200MM **CAPACITY 2 WAY SWIVEL HEAD BANDSAW** 

- Italian made quality 2 way swivel head 0° to 60° Hvdraulic down feed
- 2HP, 415V 2 speed
- Round cut capacity : 90° : 300mm, 45° : 240mm (MB-411CSO-3)



### 400MM X 200MM CAPACITY SEMI-AUTO SWIVEL HEAD BANDSAW

- Italian made quality
- · 2 way swivel head 0° to
- 60° Semi-auto operation • 2HP, 415V • 2 speed
- Round cut capacity: 90° : 300mm, 45° : 240mm (MB-411MS-3)



### **METAL CUTTING SAWS**





### 550MM X 400MM CAPACITY 2 WAY SWIVEL HEAD SEMI-AUTO BANDSAW

- 2 way swivel head 0° to 60° Semi automatic operation • 2HP 415V • 2 Speed • Round cut capacity : 90° : 400mm
- 2HP, 415V 2 Speed Round cut capacity : 90° : 400mm, 45° : 400mm (MB-420DI-3)



### 620MM X 450MM CAPACITY 2 WAY SWIVEL HEAD SEMI-AUTO BANDSAW

• Italian made quality • 2 way swivel head 0° to 60° • Semiauto operation • 2.95HP, 415V • Variable speed • Round cut capacity: 90° : 460mm, 45° : 450mm (MB-650DI-3)



### 320MM X 290MM CAPACITY FULLY AUTO SWIVEL HEAD CNC BANDSAW

- Italian made quality Swivel head 0° to 60° Digital control of quantity length Fully quarded version 2.15HP, 415V 2 speed
- Round cut capacity : 90° : 290mm, 45° : 265mm (MB-380AG-3)



#### 250MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- Double vice Round cut capacity : 90° : 70mm,
- 45°: 65mm 1.2HP, 240V, 1 speed (NEW250DV-1) or
- 1.75HP, 415V, 2 speed (NEW250DV-3)



### 300MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
  Round cut capacity: 90°: 90mm, 45°: 90mm
- 2HP, 240V, 1 speed (*TRS300-1*) or
- 3HP, 415V, 2 speed (TRS300-3)



#### 315MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right Double vice
- Round cut capacity : 90° : 90mm, 45° : 80mm
- 2HP, 240V, 1 speed (TRS315EDV-1) or
- 3HP, 415V, 2 speed (TRS315EDV-3)



#### 350MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- 3.2HP, 415V 2 Speed Round cut capacity : 90°: 110mm, 45°: 90mm (NEW350E-3)



#### 350MM SWIVEL HEAD COLDSAW

- Swivel head 45° left & right Double vice 3.2HP, 415V
- 2 Speed Round cut capacity : 90° : 110mm, 45° : 80mm (NEW350EDV-3)



- Italian made quality
- Semi-auto operation
- Swivel head 45° left & right
- Double vice 3.2HP, 415V
  2 Speed Round cut
- 2 Speed Round cut capacity : 90° : 110mm, 45° : 80mm (*NEW350S-3*)







#### 315MM SEMI-AUTO VERTICAL COLDSAW

• Italian made quality • Semi-auto operation • Swivel head 45° left & 60° right • Trigger switch operation • 2.5HP, 415V • 2 Speed • Includes blade and stand • Round cutting capacity : 90° : 100mm, 45° : 100mm (NTS315-3)





### 350MM COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm
- Offers an accurate, fast & clean cold cut 3HP, 240V motor Single speed 1450rpm 90° 45° swivel vice
- Supplied with T.C.T. mild steel blade (S14)



- Italian made quality Swivel head 45° left & right
- Trigger switch operation Quick locking vice 7.4HP, 415V, single speed 3800rpm Round cutting capacity : 90° : 130mm, 45° : 120mm Blade not included (TV400-3)



# CONVEYORS, PRECISION MEASURING TOOLS & WELDING CARRIAGES



RS300X3 & 3x RS300 **CONVEYORS** 

Image shows 1x

Roller Width	Length	Part No.	Price
300mm	1500mm	RS300X15	\$225
300mm	3000mm	RS300X3	\$444
450mm	1500mm	RS450X15	\$290
450mm	3000mm	RS450X3	\$580

• 3 stands required per conveyor

Width	Adjustable Height	Part No.	Price
300mm	715mm - 1050mm	RS300	\$92
450mm	715mm - 1050mm	RS450	\$109



### SINGLE ROLLER CONVEYORS

Roller Width	Adjustable Height	Number of Rollers	Part No.	Price
352mm	580 - 980mm	1	RS-002	\$155
128mm	560 - 960mm	2	RS-005	\$155

### 🔷 GROZ



### **150MM VERNIER CALIPERS**

- Metric & imperial stainless steel rule
- Suitable for inside, outside, depth & step measurements • Lower resolution: 0.02mm (GZ-16043)





### 150MM DIGITAL **CALIPERS**

- · Hardened stainless steel design delivers accurate readings of inside, outside & step depth measurements • Resolution : 0.01mm (0.0005") • Accuracy : 20 micron
- Comes with SR44 battery (GZ-16023)





### OUTSIDE MICROMETERS

- Carbide anvil with 0.000024" (0.6 mircron) flatness • Accuracy : 4 micron (0.00015")
- Resolution : 0.01mm

Size	Part No.	Price
0 - 25mm	GZ-16104	\$55
25 - 50mm	GZ-16105	\$68
50 - 75mm	GZ-16106	\$75
75 - 100mm	GZ-16107	\$85

### 🔷 GROZ



### **IP54 DIGITAL MICROMETERS**

- · Chrome plated frame with heat shield
- Metric and imperial digital readout on LCD screen • Resolution : 0.001 mm (0.00005")

Size	Part No.	Price	
0 - 25mm	GZ-16122	\$249	
25 - 50mm	GZ-16123	\$295	





### **GECKO FILLET WELDING CARRIAGE**

- 4 wheel drive with magnetic base allows for vertical welding torch holder mechanism for different types of MIG / MAG torches with diameters of 16 - 22mm • Constant and repeatable travel speed with closed loop stabilization system enables weld bead geometery that is exact to the required specifications
- (WA-GECKO)

 Battery powered (Can be adapted \$///0 to 240V) (WA-GECKO-18V)



#### LIZARD PROGRAMMABLE **FILLET WELDING CARRIAGE**



• 4 wheel drive with magnetic base for vertical welding • Accepts MIG / MAG torches with diameters of 16 - 22mm • Closed loop speed control system • 0 - 1200mm/min horizontal speed (WA-LIZARD)





#### **RAIL BULL TRACK MOUNTED** FILLET WELDING CARRIAGE

- · Produce butt and fillet welds with or without oscillation
- Uses rigid or semi-flexible track for use on ferromagnetic and non-ferromagnetic materials . Accepts MIG / MAG torches with diameters of 16 - 22mm • Closed loop speed control system • 0 - 1200mm/min horizontal speed • 5000mm minimum pipe concave or convex radius • Very wide range of tracks & accessories available to customise the machine to the job • Some • components shown in image are sold separately, see website for list of included components: Trademastertools.com (WA-RAILBULL)

### **RAIL BULL 2 TRACK MOUNTED** FILLET WELDING CARRIAGE

• All the features of WA-RAILBULL but with remote pendant control and modular upgrade design • Produces consistent high quality welds and cuts in a fraction of the time required by manual operations • Very wide range of tracks & accessories available to customise the machine to the job . Optional ring tracks allowing use on pipe 200mm OD to 3050mm OD • Optional programmable automatic seam trackers . Some components shown in image are sold separately, see website for list of included components: Trademastertools.com (WA-RAILBULL2)



### **BEVELLING MACHINES**







### **BM16 PORTABLE BEVELLER**

• Plate & pipe beveller • Produces burr free angled or radius bevels quickly and easily • For milling steel, aluminium, brass or plastic • 22.5 to 65° working range and R2 to R5 radius edging depending on milling head (available separately) • 16mm maximum bevel width • 2200W 240V motor • 1800 - 5850rpm • 40mm countersinking min diameter • 10kg • Milling heads sold separately (BM16)

# **BM20 PLUS BEVELLER** • 2 Rotary milling heads each holding 5 4-sided carbide inserts • 15 to 60° working range • 1600W induction motor

### **BM21 BEVELLER PLATE & PIPE BEVELLING MACHINE**

- Newly designed single milling head with 10 square inserts which is fast & easy to set up • Low vibration model • 0 to 60° working range • Universal guide system bevels plate & pipe Ø150 - 300mm • 1600W induction
- motor 21mm maximum bevel width • 2800rpm • 21kg (BM21)



**PLATE & PIPE** 

**BEVELLING MACHINE** 

• 21mm maximum bevel width • 3340rpm • 20.5kg (BM20+)

**\$2320** 



### **ABM14 BEVELLER PLATE** & PIPE BEVELLING MACHINE

- · Bevel plates and pipes made of mild steel, alloy steel, stainless steel or aluminum alloys • Auto feed on large plates with optional trolley • Max bevel speed: 2.6 m/min • Maximum bevel width is 14mm
- Minimum pipe ID: 100mm Motor: 2200W
- Low noise: 70dB Weight: 65kg (ABM14)



### \$26995

### **ABM-50 DOUBLE SIDED PLATE BEVELLER**

· Auto-feed portable beveller · Bevel width up to 50mm at 45° • 180° inversion allows for creation of a double-sided beve - no need to rotate or flip heavy material reduces material handling costs and improves shop safety • Variable spindle speed for work on a variety of steel grades and thicknesses • Versatile and transportable on its own trolley • Equipped with milling head including 8 replaceable inserts • Maximum bevel width : 50mm • Motor : 6500W

• Weight: 320kg (ABM-50)



### PORTABLE PIPE BEVELLER

- · European made pipe bevelling machine designed for portable use in pipe machining operations • Standard pipe machining range 32mm to 114mm pipe capacity. Up to 140mm with optional accessories • The selfcentering expandable mandrels provide quick and correct alignment to pipe prior to machining operations
- Simultaneously perform 3 of the following operations - internal bevel, external bevel, j-groove bevel, face off,
- chamfer and counterbore Available with pneumatic motor or high torque electric motor
- · Pneumatic motor 800W, 90RPM, 1600L/MIN, 10kg (PRO5PBA)



<sup>\$</sup>5695

### **PORTABLE PIPE BEVELLER**

• European made pipe bevelling machine designed for portable use in pipe machining operations • The self-centering expandable mandrels provide quick and correct alignment to pipe prior to machining operations · Simultaneously perform 3 of the following operations - internal bevel, external bevel, j-groove bevel, face off, chamfer and counterbore • Standard pipe machining range 84mm to 269mm I.D. 38mm to 392mm I.D. with optional accessories • Maximum wall thickness up to 20mm • Available with pneumatic

motor or high torque electric motor



 Pneumatic motor 1.5KW, 20RPM, 1750 L/MIN, 32kg (PRO10PBA)

2 speed gearbox 12-28 & 41-96RPM, 36kg (PRO10PBE)

· Electric motor 1.8KW,



### **CUTTING TOOLS**

### **CARBIDE BURRS - DOUBLE CUT**



- Cylindrical end cut
- · Cylindrical radius end
- Tree shape radius end (CB-SET-03)



### 5 PIECE 3/8" CARBIDE **BURR SET**

- Cylindrical end cut
- Cylindrical radius end
- Ball shape Tree shape radius end
- Cylindrical aluminium cut (CB-SET-01)



02 96045222

#### CYLINDRICAL **END CUT**

Size	Part No.	Price
1/4"	CB-SB1	\$29.50
3/8"	CB-SB3	\$38.90
1/2"	CB-SB5	\$59.90
5/8"	CB-SB6	\$109.00



Size	Part No.	Price
1/4"	CB-SC1	\$31.50
3/8"	CB-SC3	\$39.90
1/2"	CB-SC5	\$61.90
5/8"	CB-SC6	\$92.50



#### CYLINDRICAL SQUARE END

Size	Part No.	Price
1/4"	CB-SA1	\$28.50
3/8"	CB-SA3	\$37.90
1/2"	CB-SA5	\$56.50
5/8"	CB-SA6	\$99.00



### **BALL SHAPE**

Size	Part No.	Price
1/4"	CB-SD1	\$27.50
3/8"	CB-SD3	\$33.50
1/2"	CB-SD5	\$44.10
5/8"	CB-SD6	\$54.50





### \$149

### **GENERAL ENGINEERING HOLESAW SET**

• Set includes: 16, 19, 22, 25, 32, 35, 38, 44, 51, 57, 64. 76mm holesaws • 11/32" & 7/16" arbors • Arbor extension • 12" extension bar (UN108-100)

### T.C.T. HOLESAWS 4.5MM DEPTH OF CUT Available from 14mm to 150mm

 Suitable for drilling steel, stainless steel, aluminium, FRP, PVC, plastics

& fibreglass.

Diameter	Depth of Cut	Part No.	Price
16mm	4.5mm	MCS16	\$52.50
20mm	4.5mm	MCS20	\$52.50
22mm	4.5mm	MCS22	\$59.90
25mm	4.5mm	MCS25	\$59.90
32mm	4.5mm	MCS32	\$68.50
40mm	4.5mm	MCS40	\$75.50
50mm	4.5mm	MCS50	\$89.50



### T.C.T. HOLESAWS 25MM DEPTH OF CUT

- Available from 14mm to 120mm
- Suitable for drilling steel plate, stainless steel, A.C. sheeting, aluminium, FRP, PVC, fibreglass & concrete coated pipes

Diameter	Depth of Cut	Part No.	Price
16mm	25mm	MCTR16	\$78.50
20mm	25mm	MCTR20	\$78.50
22mm	25mm	MCTR22	\$78.50
25mm	25mm	MCTR25	\$78.50
32mm	25mm	MCTR32	\$102.90
40mm	25mm	MCTR40	\$115.00
50mm	25mm	MCTR50	\$125.00



• Includes 6 holesaws • 16, 20, 22, 25, 32, 40mm diameter (MCS-SET1)

\$439

### T.C.T. HOLESAW SET 25<sub>MM</sub> DEPTH OF CUT

• Includes 6 holesaws • 16, 20, 22, 25, 32, 40mm diameter (MCTR-SET1)



T.C.T. HOLESAW SET 35<sub>MM</sub> DEPTH OF CUT

 Includes 6 holesaws • 20, 22, 25, 32, 40, 50mm diameter (MCTN-SET2)

### **JOBBER DRILL SETS**

### **13 PCE METRIC SET**

• 1.5mm to 6.5mm

• 0.5mm rises (UN308-008)

### 19 PCE METRIC SET

• 1.0mm to 10.0mm

• 0.5mm rises (UN308-010)

#### 25 PCE METRIC SET

- 1.0mm to 13.0mm
- 0.5mm rises (UN308-020)



### **ANNULAR CUTTER SETS**

• 25mm depth of cut

3 CUTTER SET \$155 • Set includes : 14, 18, 22mm diameter cutters & Pilot pin (ASSET-Z)

### 5 CUTTER SET S7

 Set includes : 14, 16, 18, 20, 22mm diameter cutters & Pilot pin (ASSET-A)





### **CUTTING TOOLS PUNCHES**





### **COUNTERSINK SET**

3MM TO 20.5MM SET

• 3 piece set including: 3 to 8.4mm, 3 to 12.4mm, 3 to 20.5mm • 3 flute 90° high speed steel (STSET-05)



### **COUNTERSINK SET**

3MM TO 25MM SET

• 3 piece set including: 3 to 10.4mm, 3 to 16.5mm, 3 to 25mm • 3 flute 90° high speed steel (STSET-03)



### **COUNTERSINK SET**

3MM TO 20.5MM SET

• 6 piece set including: 3 to 6.4mm, 3 to 8.4mm, 3 to 10.4mm, 3 to 12.4mm, 3 to 16.5mm, 3 to 20.5mm • 3 flute 90° high speed steel (STSET-01)



### **COUNTERSINK SET**

2MM TO 25MM SET

• 5 piece set including: 2 to 5mm, 5 to 10mm, 10 to 15mm, 15 to 20mm, 20 to 25mm • Cross hole (SWSET-05)

### STEP DRILLS SPIRAL FLUTE

• Titanium Nitride Coated

Sizes Inc.	Part No.	Price
4 to 20mm	SD4-20MM	\$36.75
5 to 25mm	SD5-25MM	\$56.90
6 to 30mm	SD6-30MM	\$99.50
7 to 40.5mm	SD7-40.5MM	\$165.00



### STEP DRILLS STRAIGHT FLUTE

• Titanium Nitride Coated

Sizes Inc.	Part No.	Price
4 to 12mm	SDST4-12MM	\$33.50
4 to 20mm	SDST4-20MM	\$36.90
5 to 25mm	SDST5-25MM	\$56.90
6 to 30mm	SDST6-30MM	\$99.00





**STRAIGHT FLUTE** 

• 4 to 12mm • 5 to 25mm • 6 to 30mm (SDSTSET-1)



STEEL PUNCHES

**NUMBER STAMPS** 



		74.00
Size	Part No.	Price
3mm	GZ-25902	\$12
4mm	GZ-25903	\$13
5mm	GZ-25904	\$17
6mm	GZ-25905	\$22
8mm	GZ-25906	\$30
10mm	GZ-25907	\$36
12mm	GZ-25908	\$65



### **HOLLOW & ARCH PUNCH SETS**

For punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic & other soft material.



#### **HOLLOW PUNCH SET**

• 6 piece set including 5, 6, 8, 10, 11, 12mm (GZ-26391)



### **ARCH PUNCH SET**

• 7 piece set: 6, 10, 12, 16, 19, 22, 25mm (GZ-26441)





**PIN PUNCH SET ♦** GROZ

· Hardened and tempered carbon steel • 6 piece set : 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)



12mm GZ-26108

### EXTRA LONG PIN 🔶 GROZ **PUNCH SET**

• 200mm OAL • 5 piece set : 3mm (1/8"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16"), 9.5mm (3/8") (GZ-25655)





- Centre Punches: 5/64", 5/32", 1/4"
- Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
- Starting Punches: 1/16", 1/8", 5/32", 3/16", 3/16", 1/4", 5/16" (GZ-33003)

今 GROZ



### PARTS CABINETS

### **PARTS CABINETS**

· Highest quality & heavy duty, robust parts cabinets designed for industrial use • Metal frame construction using 0.8mm galvanised steel • Large range of sizes and styles • Drawers come with dividers & contents description slip • Additional dividers available in packs of 10

Description	Part No.	Price
10x A4 Series Dividers	PB-A4DIVIDER	\$3.20
10x A5 Series Dividers	PB-A5DIVIDER	\$2.80
10x A6 Series Dividers	PB-A6DIVIDER	\$3.85
10x A7 Series Dividers	PB-A7DIVIDER	\$2.80
10x A8 Series Dividers	PB-A8DIVIDER	\$2.80
10x HD Series Dividers	PB-HDDIVIDER	\$4.25



### **A8 SERIES**

- 60 drawers 10kg capacity per drawer Slots for 3x dividers • 1x divider supplied per drawer
- 586W x 222D x 937H (PB-A8560)




### **ST2 SERIES**

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)



### ST1 SERIES


• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)



### **A5 SERIES**

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer





PB-A5336 **36 DRAWERS** 586Wx290Dx937H



### **A6 SERIES**

• 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer







### **A7 SERIES**

• Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer



PB-A6330H

**30 DRAWERS** 

533Wx265Dx937H



PB-A7448 **48 DRAWERS** 586Wx222Dx937H



# FANS, VENTILATORS & WORKSHOP STORAGE



### PORTABLE VENTILATOR SETS

• Suitable for air/fume extraction or blowing fresh air • Ideal ventilation for workshops and confined areas • Includes 5 metre expandable ducting • Large capacity motor creating a very high flow rate • Specially designed axial propeller • High static pressure



- 25m3/min Flow Rate
- 200mm 150W Motor (TPV200SET)
- 300mm 550W Motor
- 60m3/min Flow Rate (TPV300SET)
- 400mm 1500W Motor
- 128m3/min Flow Rate (TPV400SET)
- 500mm 1500W Motor
- 138m3/min Flow Rate (TPV500SET)
- 600mm 2200W Motor
- 290m³/min Flow Rate (TPV600SET)

### INDUSTRIAL WORKSHOP **SHELVING**

- · Robust industrial workshop shelving. Boltless construction makes assembly and shelf reorganising quick and efficient.
- 4 reinforced wire mesh shelves Heavy steel construction
- · Corrosion resistant hammertone finish · Diagonal support arms for extra strength • Shelf loading capacity: 400kg each
- 1955mm W x 600mm D x 1800mm H (RS19600)

### **WORKSHOP SHELVING**

- Workshop shelving available as a complete pre-configured package including 4 shelves and 2 uprights. Available in 2 different widths 2.0m & 2.2m.
- Individual components including cross beams, uprights & steel shelves also available



1800 2000mm / 2200mm

• 2000mm Shelving width (PB-WSP2000x4)

• 2200mm Shelving width (PB-WSP2200x4)

### **INDUSTRIAL WORKSHOP FANS**

 Quality robust construction designed for everyday use in industrial workshops • Zinc coated mesh • Powder coated steel frame • High output & quiet running • 3 speed motor • Oscillating function



Pedestal fan • 600mm diameter (TPF24)

Pedestal fan • 750mm diameter (TPF30)

• Wall fan • 750mm diameter (TWF30)

### **HB SERIES PARTS BIN MOBILE STAND**

- 690W x 560D x 1460H
- · Double sided, heavy duty design • 4x Swivel castors, 2 locking • Can be expanded with more small & medium sized parts bins • Optional punched panel available for storage of other items on peg hooks (PB-HP068630) Includes: 1x Mobile Stand

(PB-MS630), 20x Small Parts Bins (PB-HB1218), 20x Medium Parts Bins, (PB-HB1525) (colours may vary), 9x Parts Bin Hang Panels (PB-MSHP06-5) (PB-MS201215)





#### **LOUVRE PANEL**

TO SUIT HB SERIES PARTS BINS

Metal construction

Width x Height	Part No.	Price	
455mm x 455mm	PB-LP455455	\$15.50	
455mm x 610mm	PB-LP455610	\$20.90	
455mm x 914mm	PB-LP455914	\$30.90	

Parts bins not included



### **HB SERIES PARTS BINS**

- Holds up to 100kg when stacked with raiser columns
- Blue colour Includes: 1x Indication label, Back to

back linker, 4x haiser columns					
Width x Depth x Height	Part No.	Price			
121 x 180 x 84mm	PB-HB1218B	\$3.30			
150 x 265 x 121mm	PB-HB1525B	\$5.50	8x yellow		
308 x 353 x 155mm	PB-HB2035B	\$10.50	PB-HB1218 shown with		
300 x 480 x 178mm	PB-HB3045B	\$19.50	columns (inc		



### AIR IMPACT WRENCHES



### 3/8" IMPACT WRENCH

- Butterfly style 0.8KG Weight 92.1DB Noise level • 159mm length • 100Nm (75ft-lb) Max torque • 10mm
- Bolt capacity 2.5 CFM Air consumption (M7-NC3410)



02 96045222

**m7** 

### 1/2" MINI **IMPACT WRENCH**

• Lightweight - Only 1.6KG! • Low noise level - Only 85DB! • Compact size - Only 115.5mm length! • Powerful - 500ft-lb Max torque! • 16mm Bolt capacity • 4.4 CFM Air consumption (M7-NC4610Q)





### \$365

### **1/2" IMPACT WRENCH**

- Lightweight Only 1.7KG!
- Powerful 1650Nm (1200ft-lb) Max Torque! • Value For Money
- High quality & specs 25mm Bolt capacity • 4.8 CFM Air consumption
- Magnesium composite body
   New patented EZ grease anvil (M7-NC4255QH)



(M7-NC3610Q)

### \$420

### **1/2" IMPACT WRENCH**

- Lightweight Only 1.8KG!
- Compact size Only 141mm length!

Max torque! • 13mm Bolt capacity

4.4 CFM Air consumption

- torque! 25mm Bolt capacity
- 5.1 CFM Air consumption
- Extra heavy duty twin hammer (M7-NC4256Q)





### \$585

### **COMPACT METAL BODY 3/4" IMPACT** WRENCH

- Lightweight Only 2.68KG!Low noise level Only 83DB!
- Powerful 1650Nm (1200ftlb) Max torque! • Compact
- Only 171mm length 25mm Bolt capacity • 5.5 CFM Air consumption (*M7-NC6236Q*)



**M7** 

20m Air hose with couplers (TM300-220 valued at \$45)



### COMPACT 3/4" **IMPACT WRENCH**

· Lightweight composite body - Only 1.9KG! • Low noise level -Only 85DB! • Powerful - 1900Nm (1400ft-lb) Max torque! • Compact

Only 198mm Length • 25mm Bolt capacity • 4.8 CFM Air consumption (M7-NC6255Q)





### \$899

### **SUPER DUTY 3/4" IMPACT** WRENCH

- Lightweight Only 3.0KG!
- Low noise level Only 88DB!
- Powerful 2000Nm (1500ftlb) Max torque! • Super Duty -Designed for the commercial tyre industry • 30mm Bolt capacity
- 5.9 CFM Air consumption (M7-NC6266)







### 3/4" IMPACT WRENCH

- 2000Nm (1500ft-lb) Max torque! 27mm Bolt capacity
- 6.34 CFM Air consumption 320mm Overall length
- 5.7KG 106dB Sound pressure (M7-NC6218)



<u>m7</u> **\$2015** 1" IMPACT WRENCH

• 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world • Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity • 15.9 CFM Air consumption • 370mm Overall length • 100dB Sound pressure • 11KG (M7-NC8382)



### 1" IMPACT WRENCH

• 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world • Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity • 15.9 CFM Air consumption • 570mm Overall length • 100dB Sound pressure • 12.5KG (M7-NC8382-8)

### AIR RATCHET WRENCHES, SAND RAMMERS & AIR ANGLE GRINDERS





capacity • 19.7kg Weight • 104.5 dBA Noise • Available with 8" anvil (M7-NC9223)





### MINI RATCHET WRENCHES

• Max torque at 5 seconds : 30Nm (22 ft-lb) • Net weight: 0.5kg • Overall length: 125mm





### RATCHET WRENCHES

• Max torque at 5 seconds : 80Nm (60 ft-lb) • Net weight : 1.22kg • Overall length : 265mm





### <sup>\$795</sup>

### SAND RAMMER

• Rubber butt diameter : 40mm • Stroke : 60mm • Length : 337mm • Weight : 2.1kg (B00A)





### SAND RAMMER

- Rubber butt diameter : 70mm Stroke : 120mm
- Length: 1134mm Weight: 9.0kg (F2)





### 75MM AIR CORNER **CUT OFF TOOL**

Cutting wheel not included

Free speed: 20000 RPM • Net weight: 0.8kg • Motor : 0.9 HP • Excellent for cutting rusted bolts, nuts, motor exhaust clamps or hangers, sheet metal, fibreglass etc. (M7-QC213)

### **M7**

### **EXTRA HEAVY DUTY AIR ANGLE GRINDERS**

• Free speed: 11000 RPM • Net weight: 1.81kg • Available with imperial or metric spindle sizes • Safety lever throttle • 1.3 HP motor for stall resistance • Reversible flange suitable for use with thin cut off wheels • One piece housing reduces maintenance costs • Heavy duty air cooled spiral gears and double bearings for durability



Grinding wheel not included

**M7** 

### LEVER THROTTLE AIR ANGLE GRINDERS

• Free speed: 11000 RPM • Spindle size: 3/8"-24 • Net weight: 1.81kg • Safety lever throttle • 0.78HP motor for stall resistance

365



Grinding wheel not included





M14x2.0 spindle version also available M7-QB197QM

> Grinding wheel not included

### **180MM AIR ANGLE GRINDER**

- Free speed : 7000 RPM Spindle size : 5/8"-11 Net weight: 3.1kg • Extra heavy duty • Safety lever throttle
- 2.2HP motor Extra quiet 77 dBA (M7-QB197Q)



### 75MM AIR WET GRINDER

• Free speed: 4500 RPM • Spindle size: 5/8"-11 • Water hose length: 3m • Air hose length: 3m • Net weight: 2.2kg • Valve throttle type (M7-QB603)



### **50MM MINI AIR ANGLE GRINDER**

• Free speed : 19000 RPM • Rated power : 0.4 HP • Net weight: 0.52kg • Mini size, only 160mm length • Comes with sanding pad (M7-QB623)

### National Welding and Industrial Supplies 02 96045222 AIR HYDRAULIC RIVETERS AIR DRILLS



### \$749

### **AIR HYDRAULIC RIVETER**

- Traction power: 2303 lbf
- Alloy rivet : 3/16" Steel rivet
- : 3/16" Stainless rivet : 5/32" • Stroke length: 16mm • Net
- weight: 1.5kg (M7-PA301)



**M7** 

### \$559 **AIR HYDRAULIC**

- Traction power : 3534 lbf Alloy rivet : 1/4" • Steel rivet : 1/4"
- Stainless rivet : 3/16" Stroke length: 14mm • Net weight: 1.8kg (*M7-PA201*)



**M7** 

### AIR HYDRAULIC RIVETER

- Traction power: 3748 lbf
- Alloy rivet : 1/4" Steel rivet :
- 1/4" Stainless rivet: 1/4"
- Stroke length : 18mm Net weight : 1.75kg (*M7-PA211*)





### \$909

### **AIR HYDRAULIC RIVET NUT TOOL**

- Traction power: 3638 lbf
- Stroke length : 9mm Net weight: 1.5kg • Comes with mandrel sizes: M4, M5, M6, M8 & M10 • Suitable for use with:

Steel M4 - M10, Stainless steel M4 - M8 (*M7-PB2402*)





M7

### \$95

### **RIVETER ATTACHMENT**

• Nose Piece : 3/32" (2.4mm), 1/8" (3.2mm), 5/32" (4.0mm), 3/16" (4.8mm) • Net Weight: 0.3kg • Hex Shank: 1/4" • For use with 3/8" cordless drills (M7A-PA9048P)



\$145

m7

### **RIVET NUT ATTACHMENT**

- Nose Piece: M3, M4, M5, M6 • Net Weight: 0.28kg • Hex
- Shank: 1/4" For use with 3/8" cordless drills • (M7A-PB9006P)



### **AIR BELT SANDER 20 X 520MM**

• Free speed : 16000 RPM • Net weight : 1.40g (M7-QB322)



### AIR HAMMER SET

• Blows per minute: 3200 BPM • Shank: Round 10.2mm • Air hammer (M7-SC211C) • 5pcs Chisel kit • Spring retainer (M7-SC0517C)

Chisels supplied separately Blade chisel (M7A-SN9201) \$38.90 Point chisel (M7A-SN9203) \$38.90

### AIR CHIPPING HAMMERS

• Hex shank • Shank size : 0.58" (15mm) • Forged steel body provides industrial level quality and durability

Blows Per	Stroke	Overall	Part No.	Price
Minute	Length	Length		
2300	78mm	373mm	M7-SN3222	\$869
1900	119mm	419mm	M7-SN3223	\$935
1700	142mm	142mm	M7-SN3224	\$1195



nationalwelding.com.au





<u>m7</u>

### **AIR SAW SET**

- Stroke length: 10mm Quick change saw blade holder
- 5 piece file set and 12 saw blades are included
- · Adjustable guard / guide controls depth of cut precisely
- Air saw tool 6x 24T saw blades 6x 32T saw blades • Allen key: 4mm, 3mm • File set • Mini oiler 1/4" (M7-QD291N)

(M7-QE831)

: 83DB • Net weight : 1.7kg • Quiet

operation • Keyless chuck

• Reversible (M7-QE841)

# AIR DIE GRINDERS, CLEANING GUNS & CAULKING GUNS







#### MINI AIR DIE GRINDER

- Free speed: 25000 RPM Rated power: 0.3 HP
- Length: 155mm Net weight: 0.38kg

M7-QA111A Collets: 6mm & 3mm

M7-QA111B Collets: 1/4" & 1/8" **M7** 



### **AIR DIE GRINDER**

- Collets: 1/4" & 1/8" Free speed: 20000 RPM Rated power: 0.9 HP • Length: 190mm • Net weight: 0.65kg
- Heavy duty model (M7-QA211B)
- Die grinder with 6mm collet also available



### 90° ANGLE HEAD **AIR DIE GRINDER**



• Collets: 1/4" & 1/8" • Head height: 73mm • Free speed: 19000 RPM • Rated power : 0.3 HP • Net weight : 0.51kg (M7-QA611B)



#### **EXTENDED AIR DIE GRINDER**

• Length: 235mm • Collets: 1/4" & 1/8" • Free speed: 25000 RPM • Rated power: 0.3 HP • Net weight: 0.58kg (M7-QA313B)



### EXTENDED AIR DIE GRINDER

• Length : 280mm • Collets : 1/4" & 1/8" • Free speed : 25000 RPM • Rated power : 0.3 HP • Net weight : 0.63kg (*M7-QA315B*) M7



#### AIR ENGRAVING PEN

• Blows per minute: 13000 BPM • Net weight: 0.23kg (M7-QA511)

M7 **CLEANING GUN** - FLEXIBLE HOSE

• Capacity: 1L • Net weight: 0.47kg • Suitable for applying degreasant and cleaning agents • Lance with adjustable nozzle with cone (M7-SX3202)

### **ENGINE CLEANING GUN**

• Cup capacity : 1L • Net weight : 0.5kg • Composite body (M7-SX1615)



### **GRIT BLASTING GUN**

• Capacity: 1L • Net weight: 0.57kg • For removing rust, old paint and ingrained dirt etc. • Adjustable nozzle • Hanger hook (M7-SX3101)



- Vacuum level: 7.5mmHg Net weight: 0.67kg
- Can be used as blow gun or air vacuum gun Use for suction of dust, wood chips, metal shavings, glass etc. • 6 piece set (M7-WG202)



\$259

### AIR SAUSAGE CAULKING GUN

· Capacity: 600ml sausage · Net weight: 1.21kg (M7-SK1131)

AIR CAULKING GUN

• Net weight : 1.1kg • Ergonomic design for comfortable

operation (M7-SK1010)



# NEEDLE SCALERS, GREASE GUNS & SPRAY GUNS



### AIR NEEDLE SCALER

- Blows per minute: 5500 BPM Net weight: 1.3kg
- Needle size : 3 x 123mm (12 per set) Overall length : 290mm (M7-SN1288)



### CHISEL ATTACHMENT

• For use with M7-SN1288 Air Needle Scaler • Includes nut, chisel and spring (M7A-SN1288CHKIT)



: 2.8kg • Needle size : 3 x 180mm (19 per set) • Overall length: 330mm (M7-SN2110)





### **AIR FLUX CHIPPER**

• Blow per minute : 4000 BPM • Shank size : Square 0.510" (13mm) • Net weight : 1.33kg (M7-SN1032)



- Blows per minute : 4000 BPM Net weight : 3.6kg
- Needle size : 3 x 180mm (24 per set) Springless design for superior performance (M7-SN2124)



• Blows per minute: 3500 BPM • Net weight: 2.8kg Needle size : 3 x 180mm (28 per set) • Springless design for superior performance (M7-SN2128)



### SPIRAL SPRING BALANCERS

Features a sturdy metal casing

Todal of a starty motal sasing				
Capacity	Travel	Cable	Part No.	Price
	Length	Diamater		
5 - 9kg	1.3m	4.0mm	M7-SP3090	\$439
9 - 15kg	1.3m	4.0mm	M7-SP3150	\$479
15 - 22kg	1.5m	4.8mm	M7-SP3220	\$945
22 - 30kg	1.5m	4.8mm	M7-SP3300	\$1019
30 - 40kg	1.5m	4.8mm	M7-SP3400	\$1539
40 - 50kg	1.5m	4.8mm	M7-SP3500	\$1625
50 - 60kg	1.5m	4.8mm	M7-SP3600	\$1735
60 - 70kg	1.5m	4.8mm	M7-SP3700	\$1869







### **AIR GREASE GUN MANUAL PULSE TYPE**

• Capacity: 450g cartridge or 500g bulk • Net weight: 1.46kg • Bulk & cartridge type (M7-SG500)



### **AIR GREASE GUN** CONTINUOUS FULLY AUTOMATIC TYPE

- Capacity: 450g cartridge or 500g bulk Working pressure: 40 - 90psi • Output volume: 288ml/min
- Net weight : 1.6kg Bulk & cartridge type Heavy duty cast aluminium body for maximum durability
- Includes 305mm flexible hose (M7-SG501)

<u>m7</u>

#### SPRING BALANCERS

 The spring balancers will retract when released and tension will be higher the longer the wire is dragged out. The balancer is equipped with an automatic safety drum lock in case of spring failure.

Capacity	Travel Length	Cable Diamater	Part No.	Price
0.3 - 0.85kg	1.6m	2.5mm	M7-SP101	\$58.50
0.6 - 1.5kg	1.6m	2.5mm	M7-SP102	\$58.50
1.0 - 2.0kg	1.6m	2.5mm	M7-SP103	\$58.50
1.5 - 3.0kg	1.5m	3.2mm	M7-SP104	\$89.50
3.0 - 5.0kg	1.5m	3.2mm	M7-SP105	\$108.00



### Star<sup>®</sup>

### S770-S SERIES

• Pot size : 1000ml • Includes : Gun, pot, stainless steel nozzle and needle • A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional For applications such as automotive spraying

			_
Nozzle Size	Spray Pattern	Part No.	Price
1.5mm	235mm	S770-11S	\$149
1.7mm	245mm	S770-21S	\$149
2.0mm	260mm	S770-31S	\$149
2.5mm	275mm	S770-41S	\$149
3.0mm	275mm	S770-51S	\$195



### **GRAVITY FEED SPRAY GUN**

· Pot size : 600ml · Includes : Gun, pot, stainless steel nozzle and needle • Provides constant paint flow at lower pressures, and extremely fine atomisation for suitable professional applications

applications						
Nozzle Size	Spray Pattern	Part No.	Price			
1.4mm	250mm	S106-141G	\$175			
2.0mm	270mm	S106-201G	\$175			
2.5mm	270mm	S106-251G	\$189			
2.8mm	270mm	S106-281G	\$189			



M7

### **AIR BRUSH SET**

- 0.2mm nozzle bore 7.0 c.c. colour cup capacity
- · Spray controlled with needle adjustor · Contents: Air brush, Copper cup, Mix bottle, PU air hose 4x1850mm, Pipette, 1/4" Air adaptor, M5x0.4P, Spanner, Storage bottle (M7-SR1101)

# AIR SANDERS, AIR HOSES & AIR HOSE REELS











# **M7**



### **RANDOM ORBITAL AIR SANDER**

• Self generated vacuum • Pad diameter : 150mm • Orbit : 5mm • Free speed : 10000 RPM • Net weight : 0.68kg (M7-QB55602)

### RANDOM ORBITAL AIR SANDER

• Pad diameter : 150mm • Orbit : 9.5mm • Free speed : 10000 RPM • Net weight : 0.91kg (M7-QB49602)

### • Free speed: 2500 RPM • Spindle: 5/8" UNC • Net weight: 2.04kg (M7-QP317)



### **PVC AIR HOSE - UNFITTED**

- Durable PVC Grease, oil & abrasion resistant
- Non-marking Max pressure: 300 PSI
- Hose I.D.: 10mm (3/8")

Length	Part No.	Price
20M	TM300-120	\$37
30M	TM300-130	\$52



### **PVC AIR HOSE - FITTED**

- Durable PVC Grease, oil & abrasion resistant
- Nitto style fittings Max pressure : 300 PSI
- Hose I.D.: 10mm (3/8")

(M7-QP213)

	•	•
Length	Part No.	Price
10M	TM300-210	\$30
20M	TM300-220	\$45
30M	TM300-230	\$60





### **HIGH-FLEX AIR HOSES**

• Hybrid polymer High-Flex hose • Anti-kink technology, the hose will not kink when under pressure • Superior all weather flexibility -5°C to 65°C • 300PSI maximum working pressure • Hi-visibility for safety • Hose I.D.: 10mm (3/8")

ı	Length	Part No.	Price
ľ	15M	TM300-315	\$49
ľ	30M	TM300-330	\$79



### 15M HOSE REEL

• Reinforced PVC air hose • Auto retractable • Auto lock to any length • Auto track guided hose laying system • Hose length: 15m • Hose I.D.: 10mm (3/8") (TM300-015)



### 20M HOSE REEL

• Hybrid high-flex air hose • Anti-kink technology • Auto lock to any length • Auto retractable • Hose length: 20m • Hose I.D.: 9.5mm • Hi-visibility for safety (TM300-020)



### 30M HOSE REEL

• Braided PU hose • Manual rewind • Heavy duty steel frame • Kink-proof collar on hose • Hose length: 30m • Hose I.D.: 8mm (TM300-030)



### PROFESSIONAL AIR TOOL RANGE



### **IMPACT WRENCH** 1/2" **DRIVE**

- Heavy duty twin hammer 3 torque settings • Max torque: 680 Nm (500 ft-lb) • Free speed: 7000rpm (TM340-135)



### RATCHET WRENCHES

• Compact design • Rear 4 speed regulator • Max torque: 85 Nm (60 ft-lb) • Free speed: 160rpm (3/8" Drive, TM340-225) (1/2" Drive, TM340-235)



#### HYDRAULIC RIVETER

· Sets rivets up to 6.4mm steel and 4.8mm stainless steel • Traction Power: 3,086lb (1400kg) • Stroke Length: 16mm (TM340-802)



### **DIE GRINDER**

 Compact design • Rear 4 speed regulator • Length: 173mm • Free speed: 25000rpm (TM340-312)



#### **CUT OFF TOOL**

- Cutting wheel: 75mm (3") Free speed: 20000rpm (TM340-502)



#### ANGLE HEAD DIE GRINDER

- Compact design Rear 4 speed regulator Compact design Rear 4 speed regulator
  - Length: 180mm Free speed: 20000rpm (TM340-322)



- · Heavy duty metal construction Blows per minute: 2800 • Stroke:
- 24mm Length: 315mm (TM340-414)

\$qq



• Includes 5pce chisel kit • Blows per minute: 3000rpm • Stroke: 66mm (TM340-404)



### **AIR DRILL 3/8" DRIVE**

- · Quick change keyless chuck
- Adjustable auxiliary handle Free speed: 2200rpm (TM340-724)



### **AIR DRILL 1/2" DRIVE**

• Quick change keyless chuck • Adjustable auxiliary handle • Free speed: 700rpm (TM340-734)



### **DUAL ACTION SANDER**

- Toolless pad release system Dual action pad • Sanding pad: 150mm (6")
- Free speed: 10000rpm (TM340-602)



### PALM SANDER

- 2 in 1 central & non-vacuum • Rear exhaust • Sanding pad:
- 150mm (6") Free speed: 10000rpm (TM340-614)

Products imported and distributed nationally by Industrial Tool & Machinery Sales, Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 31st May 2019

