





**JM SMASH REPAIR EQUIPMENT**  
MANUFACTURING CLAMPS SINCE 1971



|   |  |
|---|--|
|    | <p><b>Mini Clamp K210</b></p> <ul style="list-style-type: none"> <li>• Rated to 3T (Complies AS4991)</li> <li>• Weighs 2.5KG</li> <li>• 45mm jaw width</li> <li>• Fast self clamping</li> <li>• Machined teeth and high clamping load on jaws</li> </ul> |
|   | <p><b>Maxi Clamp K211</b></p> <ul style="list-style-type: none"> <li>• Rated to 5T (Complies AS4991)</li> <li>• Weighs 4.5KG</li> <li>• 70mm jaw width</li> <li>• Fast self clamping</li> <li>• Large clearance behind jaws</li> </ul>                   |
|  | <p><b>Two Way Puller K212</b></p> <ul style="list-style-type: none"> <li>• Rated to 7T</li> <li>• Weighs 3.5KG</li> <li>• 100mm jaw width</li> <li>• Pull tightening</li> <li>• Two way pulling</li> </ul>   |
|  | <p><b>Flat Clamp K213</b></p> <ul style="list-style-type: none"> <li>• Rated to 5T</li> <li>• Weighs 2.3KG</li> <li>• 45mm jaw width</li> <li>• Pull tightening</li> <li>• Thinnest nose available</li> </ul>  |

## JM SMASH REPAIR EQUIPMENT





MANUFACTURING CLAMPS SINCE 1971



|   |   |
|---|---|
|    | Wedge Clamp K214  |
|   | <ul style="list-style-type: none"><li>• Rated to 10T</li><li>• Weighs 4.5KG</li><li>• 80mm jaw width</li><li>• Fast self clamping</li></ul>   |
|  | Chain Lock K215   |
|   | <ul style="list-style-type: none"><li>• Rated to 7T</li><li>• Weighs .8KG</li><li>• Does not fall off chain</li></ul>   |
|  | Super Knocker K216  |
|   | <ul style="list-style-type: none"><li>• 11KG weight largest on the market</li><li>• No vibration</li><li>• Double handled for maximum force</li><li>• Saves time, no need to mount car on bench</li></ul> |
|  | Tower Puller K217   |
|   | <ul style="list-style-type: none"><li>• Rated to 7T</li><li>• Weighs 11KG</li><li>• No need to remove strut</li></ul>   |

**JM SMASH REPAIR EQUIPMENT**  
MANUFACTURING CLAMPS SINCE 1971



|   |   |
|---|---|
|    | <p><b>Tower Puller Attachment K217.5</b></p> <ul style="list-style-type: none"> <li>• Rated to 7T</li> <li>• Weighs 6KG</li> <li>• Machined flanges</li> <li>• Easy angle selection</li> </ul>      |
|   | <p><b>Tower Puller Hook K217H</b></p> <ul style="list-style-type: none"> <li>• Rated to 7T</li> <li>• Weighs 5KG</li> <li>• Multi angle selection</li> <li>• Multi chain position</li> </ul>        |
|  | <p><b>Curved Clamp K218</b></p> <ul style="list-style-type: none"> <li>• Rated to 5T</li> <li>• Weighs 2.5KG</li> <li>• 45mm jaw width</li> <li>• Pull tightening</li> <li>• Slim design</li> </ul> |
|  | <p><b>Handy Hook K219</b></p> <ul style="list-style-type: none"> <li>• Rated to 4T</li> <li>• Weighs 4KG</li> <li>• Swivel fittings makes easy to get in tight location</li> </ul>                  |

# JM SMASH REPAIR EQUIPMENT

MANUFACTURING CLAMPS SINCE 1971



|   |  |
|---|--|
|    | <p><b>1/2 Curved Clamp K220</b></p>  |
|   | <ul style="list-style-type: none"> <li>• Rated to 5T</li> <li>• Weighs 2.5KG</li> <li>• 45mm jaw width</li> <li>• Pull tightening</li> <li>• Slim Design</li> </ul>  |
|   | <p><b>Pinch Clamp K221</b></p>   |
|   | <ul style="list-style-type: none"> <li>• Rated to 6T</li> <li>• Weighs 2.2KG</li> <li>• 28mm jaw width</li> <li>• Pull tightening</li> <li>• Good for chassis rails</li> </ul>   |
|  | <p><b>Universal Clamp K222</b></p>   |
|   | <ul style="list-style-type: none"> <li>• Rated to 6T</li> <li>• Weighs 2.6KG</li> <li>• 55mm jaw width x length</li> <li>• Pull tightening</li> <li>• Thin nose design</li> <li>• Parallel pulling only one like it available in the market</li> </ul> |
|  | <p><b>Floor Pot K223</b></p>   |
|   | <ul style="list-style-type: none"> <li>• Rated to 9T</li> <li>• Weighs 3KG</li> <li>• Swivel multi chain location</li> </ul>   |

# JM SMASH REPAIR EQUIPMENT

MANUFACTURING CLAMPS SINCE 1971



## 10mm Chain & Hook K224

- G70
- Weighs 6KG
- 2.5 Meters



## Floor Hook K225

- Rated to 6T
- Weighs 2KG



## Smart Clamp K226

- Rated to 2.5T
- Weighs 1.2KG
- 35mm jaw width
- Two way pulling
- Pull tightening
- Spring loaded
- Good for pulling on tacked plates
- Good to use with slide hammer because of its light weight









## Med Slide Hammer K227

- 5KG weight
- No vibration
- Long slide for more force

**JM SMASH REPAIR EQUIPMENT**  
MANUFACTURING CLAMPS SINCE 1971



|   |   |
|---|---|
|    | 10mm Chain  |
|   | <ul style="list-style-type: none"> <li>• G70</li> </ul> |
|    | 8mm Chain   |
|   | <ul style="list-style-type: none"> <li>• G70</li> </ul> |
|  | 10mm Grab Hook  |
|   | <ul style="list-style-type: none"> <li>• G70</li> </ul> |
|  | 8mm Grab Hook   |
|   | <ul style="list-style-type: none"> <li>• G70</li> </ul> |
|  | Hinge Bender K227                                       |
|  | Door Aligner K228                                       |