

MCMILLAN

Air Compressors *Since 1954*

Product Catalogue

Edition 0306

————— *“Celebrating 52 Years”* —————

Tel: (03) 9532 9720
Fax: (03) 9532 9721
E-mail: sales@mcmillanair.com.au

649 – 651 Glen Huntly Road
Caulfield South, Victoria 3162
ABN 73 952 479 957

MCMILLAN

Air Compressors *Since 1954*

Telephone 03) 9532 9720

Sales Enquiries 03) 9532 9720

Accounts - Enquiries 03) 9532 9136

Service / Technical Enquiries 03) 9532 9084

E-mail sales@mcmillanair.com.au

Fax 03) 9532 9721

Address 649-651 Glen Huntly Road
Caulfield South
Victoria, 3162

McMILLAN

Air Compressors *Since 1954*



C Series

Our **C Series**, is designed and built in Australia, provides reliability and efficiency using quality heavy duty slow rewing cast iron pumps, in V-twin and W-triple configurations.



AF Series

AF Series, also built in Australia with the professional in mind, so as to ensure the supply of reliable and efficient air supply.



The **AirLiner™** series is our economy range of belt and direct drive compressors.



McMillan Air Compressors only use genuine Honda engines on their range of petrol powered compressors.



Air Compressor Pumps

We have been the Australasian agent for **ABAC** Air Compressors of Italy for over 20 years. ABAC is committed to producing quality, efficient and reliable products for the world market, offering both single and two stage compressor pumps.



Air Compressor Pumps

Used exclusively on our **C Series** range, this heavy duty cast iron pump is available in 2 cylinder and 3 cylinder design, available in both 240 volt, 415 volt and petrol machines.



Air Compressor Pumps

FU SHENG Air Compressor Pump - Proven to be reliable & long lasting with a 30 year association with McMillan Air Compressors.



McMillan Air Compressors Pty Ltd is proud to be a founding member of the Compressed Air Association of Australasia (**C.A.A.A.**), the industry association comprising the major air compressor companies in Australia and New Zealand. C.A.A.A. is committed to the encouragement and monitoring of industry standards (e.g. Protocol 2000).

Pricing Policy

In our Price List we have three levels of pricing.

1. Unit Price - your nett wholesale cost price.
2. \$1,500 Order - your price for this item when included in a mixed order for more than \$1,500.
3. \$3,000 Order - your price for this item when included in a mixed order for more than \$3,000.

Value of order excludes GST and freight charges.

Freight Policy

All prices are ex-warehouse.

Interstate freight rates are per pallet to metropolitan areas of Capital cities:

Sydney	\$90
Canberra	\$90
Adelaide	\$90
Brisbane	\$120
Perth	\$150
Tasmania	\$180

Darwin \$90 to Adelaide plus on forward

Delivery to Transport Depots in Melbourne metropolitan - P.O.A.

Trading Terms

All prices are plus GST.

All prices are ex-warehouse.

Pricing does not include insurance cover on transport damage or loss.

Claims for incorrect deliveries should be made within forty eight (48) hours from receipt of goods.

Payment of credit account is required in full by the end of the month following the month of invoice - "30 day account".

Claims for freight damage should be directed to your insurance company.

Monthly account statements are only issued on request.

In case of manufacturing defect all products are covered by manufacturer's warranty.

If a suspected warranty claim arises, please contact our sales staff. Appropriate paperwork must accompany any product returns.

Minimum invoice value of \$50.00 excluding GST and freight.

Product Range

Index

Portable Compressors	Electric 240 volt	Belt Drive	C Series	page 1		
			AF Series	page 2		
			Fu Sheng	page 3		
			AirLiner	page 4		
		Direct Drive	AirLiner	page 9		
			AF Series	page 10		
Stationary Compressors	Electric 415 volt	Belt Drive	C Series	page 5		
			AF Series	page 6		
			Duplex	page 12		
Petrol Driven Compressors	Honda	Belt Drive	Fu Sheng	page 3		
			C-Series	page 7		
			AF-Series	page 8		
Low Noise Compressor	Electric	Belt Drive	C Series	page 12		
Components	Compressor Pumps	ABAC	Single & Two Stage	page 13		
		McMillan	Cast Iron	page 13		
		Fu Sheng	Cast Iron	page 14		
	Electric Motors	Teco	Single Phase		page 14	
	Tank Fittings		Pressure Switches		page 15	
					Gauges	page 16
					Filter Regulators	page 17
					Safety Valves	page 18
					Brass Fittings	page 18
Miscellaneous	page 19					

C-Series™ – Cast Iron Pumps

Belt Drive – 240 Volt

Built in Australia.

Features heavy duty cast iron pumps in V-twin and W-triple configurations.

- ◆ Rated to Protocol 2000.
- ◆ Includes filter/regulator.
- ◆ Heavy duty “close grain” cast iron construction.
- ◆ Featuring highly efficient reed valves.
- ◆ Fully balanced flywheel with large cooling blades.
- ◆ Guarding meets Occupational Health and Safety standards.
- ◆ Powder coated 58 Litre tank.
- ◆ Removable wheels & handle.
- ◆ Teco motor with overload protection.
- ◆ Supported by TECO National Service Network.
- ◆ Capacitor start/Capacitor run.
- ◆ Full range of spare parts.
- ◆ Warranty.
 - 3 years on pump.
 - 5 years on tank.
 - 1 year motor and fittings.



C12

Includes Filter/Regulator



C16/T



C16

Product Code	Displacement CFM	L/min	Free Air Delivery CFM	L/min	Motor Hp	Tank Litres	Power Supply	Pump Model	Cylinders	Price
C 10	10.0	283	6.0	170	2.2	58	10 amp	LB 20	V-Twin	\$
C 12	12.3	348	8.4	238	2.2	58	10 amp	LB 30	V-Twin	\$
C 16	16.0	453	11.6	328	3.0	58	15 amp	LB 40	W-Triple	\$
C 16/L	16.0	453	11.6	328	3.0	120	15 amp	LB 40	W-Triple	\$
C 16/T	16.0	453	11.6	328	3.0	58 x 2	15 amp	LB 40	W-Triple	\$

* 240 volt High Pressure 2 stage - also available.

CFM x 28.3 = Litres per minute

Displacement & FAD calculated at 100psi.

3.0 Hp motors must only be used with 15 amp power outlet.

Specifications/configuration may change without notice.

AF-Series – ABAC™ Pumps

Belt Drive – 240 Volt


**Built in Australia,
featuring the world famous ABAC
pump. Built for professional
applications, not just a price.**

- ◆ Rated to Protocol 2000.
- ◆ GAV filter/regulator - Made in Italy.
- ◆ Light weight for portability.
- ◆ Cast iron cylinder.
- ◆ Condor German made pressure switch.
- ◆ Adjustable cut in/cut out differential.
- ◆ Aftercooler.
- ◆ ABAC Pump, made in Italy.
- ◆ TECO motor with overload protection.
- ◆ Supported by TECO National Service Network.
- ◆ Capacitor start/Capacitor run.
- ◆ 58 Litre powdercoated tank.
- ◆ Removable handle and axle.
- ◆ Fan forced cooling.
- ◆ Warranty.
 - 3 years on pump.
 - 5 years on tank.
 - 1 year on motor and fittings.



AF12

Includes Filter/Regulator



AF12 Ute Pack



AF16

Product Code	Displacement CFM	Displacement L/min	Free Air Delivery CFM	Free Air Delivery L/min	Motor Hp	Tank Litres	Power Supply	Pump Model	Cylinders	Price
AF 12	11.7	331	8.4	238	2.2	58	10 amp	B2800	Twin	\$
AF 16	16.4	464	12.3	348	3.0	58	15 amp	B3800	Twin	\$
AF 16/L	16.4	464	12.3	348	3.0	120	15 amp	B3800	Twin	\$
AF 12 Ute	11.7	331	8.4	238	2.2	45	10 amp	B2800	Twin	\$

* AF 12 Ute L-760 W-710 H-460

* 240 volt High Pressure 2 stage - also available.

Fu Sheng™ Industrial Series

Belt Drive – 240 Volt & Petrol

Fu Sheng™ Cast iron heavy duty pumps made for industry since 1953. MC models are built in Australia by McMillan for the requirements of Australian industry.

- ◆ Rated to Protocol 2000.
- ◆ Fu Sheng heavy duty cast iron industrial pump.
- ◆ TECO Australia twin capacitor compressor motor supported by national service network.
- ◆ MCP models use Honda Petrol engines.
- ◆ Filter/regulator supplied with MC12 & MC15.
- ◆ 58 litre powder coated tank with Australian design approval.
- ◆ Removable handle and wheels.
- ◆ Precision machined and honed cast iron cylinders.
- ◆ Swedish steel disc valves give high lift and maximum efficiency.
- ◆ Balanced flywheel assures smooth operation.
- ◆ Individual cylinders, V-twin or W-triple, ensure increased cooling and reduced service costs.
- ◆ Constant speed unloading option available for very high load applications or where power supply is unreliable, e.g. generators
- ◆ Spare parts for all Fu Sheng models available.
- ◆ Warranty.
 - 5 years on pump.
 - 5 years on tank.
 - 1 year on motor and fittings.



MC 12



MC 15

Includes Filter/Regulator

Fu Sheng 3 phase available



Product Code	Displacement CFM	Displacement L/min	Free Air Delivery CFM	Free Air Delivery L/min	Motor Hp	Tank Litres	Power Supply	Pump Model	Cylinders	Price
MC 12	11.5	325	6.9	195	2.2	58	10 amp	VA65	V-Twin	\$
MC 15	16.5	467	10.4	294	3.0	58	15 amp	TA65	W-Triple	\$
Petrol Models										
MCP 12	11.7	331	7.0	198	5.5	55	Petrol	VA65	V-Twin	\$
MCP 15	17.4	492	10.8	306	5.5	55	Petrol	TA65	W-Triple	\$

* MCP models use Honda GX160 petrol motor, auto idle & auto unload.

CFM x 28.3 = Litres per minute.

Displacement & FAD calculated at 100psi.

3.0 Hp motors must only be used with 15 amp power outlet.

Specifications/configuration may change at any time without notice.

AIRLINER™ Series

Electric Belt Drive – 240 Volt

AirLiner™ Series are designed and built under the exacting control requirements of European engineers featuring ABAC-made compressor pumps. These fully imported compressors are targeted at the market where price is a major consideration.

- ◆ Protocol 2000 rated.
- ◆ Filter/regulator included.
- ◆ 50 Litre tank to Australian Std. AS1210.
- ◆ Aftercooler on AL 1450 & AL 1650.
- ◆ Auto start/stop.
- ◆ Full range of spare parts.
- ◆ Warranty.
 - 3 years on pump.
 - 5 years on tank.
 - 1 year on motor and fittings.



AL 1650

Includes Filter/Regulator

Product Code	Displacement		Free Air Delivery		Motor Hp	Tank Litres	Pump Model	Cylinders	Price
	CFM	L/min	CFM	L/min					
AL 1250	7.6	215	5.0	142	2.2	50	B2800-I	Twin	\$
AL 1450	9.2	260	6.3	178	2.2	50	B2800	Twin	\$
AL 1650	12.2	345	9.2	260	3.0	50	B3800	Twin	\$

CFM x 28.3 = Litres per minute
 Displacement & FAD calculated at 100psi.
 3.0 Hp motors must only be used with 15 amp power supply.
 Specifications/configuration may change without notice.

C-Series – Cast Iron Series

Stationery – 415 Volt

Built in Australia.

This industrial range of air compressors use only Australian made air receivers to the Australian Standard AS1210 as required by the Department of Occupational Health and Safety.

- ◆ Heavy duty cast iron pumps.
- ◆ V-twin or W-triple cylinder configuration.
- ◆ Fully balanced flywheel with large cooling blades.
- ◆ Low pump speed.
- ◆ Single stage pump.
- ◆ Auto stop/start pressure switch.
- ◆ Motor overload protection.
- ◆ Totally enclosed fan cooled motor.
- ◆ Forklift feet.
- ◆ Warranty.
 - 12 months.

Fu Sheng 3 phase available



C40



C75

Product Code	Displacement		Free Air Delivery		Motor Hp	Tank Litres	Pump Model	Cylinders	Price
	CFM	L/min	CFM	L/min					
C 40	19.6	555	13.3	376	4.0	120	LB 40	W-Triple	\$
C 50	23.6	668	16.3	461	5.5	140	LB 50	V-Twin	\$
C 75	33.0	934	21.5	609	7.5	140	LB 75	W-Triple	\$
C 100	41.0	1160	29.0	821	10.0	220	UB 75B	V-Twin	\$
CT 100	52.0	1471	36.4	1030	10.0	270	MT 100	W-Triple	\$

* Heavy Duty Anti Vibration Pads available for stationary units.

AF & AB Series – ABAC™ Pumps

Stationary – 415 Volt

Our industrial range of stationary air compressors available from 4 to 20 H.p. Using pumps from the world’s largest air compressor manufacturer, ABAC SpA, offering reliable, affordable units with full after sales service. Air compressor tanks made to Australian Standards AS1210. ABAC two stage Air Compressor pumps are far more efficient than single stage pumps where required pressure is 100 psi and above.

- ◆ Cast iron cylinder and crankshaft.
- ◆ Efficient two stage, Italian made ABAC pump.
- ◆ Less power usage - cheaper to run.
- ◆ Guard design for fan forced cooling.
- ◆ Condor auto stop/start pressure switch.
- ◆ Motor overload protection.
- ◆ Two stage 160 psi if required.
- ◆ Intercooler & aftercooler for cooler, dryer air.
- ◆ Full range of spare parts available.
- ◆ AB Series supplied in wooden case on pallet base.
- ◆ Warranty.
 - 12 months.



AF 60/L

Product Code	Displacement		Free Air Delivery		Motor Hp	Tank Litres	Pump Model	Cylinders	Price
	CFM	L/min	CFM	L/min					
AB 49	18.0	509	14.8	419	4.0	100	B4900	2 Stage	\$
AB 59	23.0	651	18.4	521	5.5	150	B5900	2 Stage	\$
AB 60	29.2	826	23.3	659	7.5	150	B6000	2 Stage	\$
AF 60/L	29.2	826	23.3	659	7.5	200	B6000	2 Stage	\$
AF 70	42.7	1208	34.2	968	10.0	220	B7000	2 Stage	\$
AB 70	42.7	1208	34.2	968	10.0	200	B7000	2 Stage	\$

C-Series – Cast Iron Series

Honda Petrol


Built in Australia.

Features heavy duty cast iron pumps in V-twin and W-triple configurations, auto idle control and Honda petrol engine.

- ◆ Rated to Protocol 2000.
- ◆ Heavy duty “close grain” cast iron construction.
- ◆ Featuring highly efficient reed valves.
- ◆ Honda petrol engine.
- ◆ Oil alert engine shut down.
- ◆ Honda National Service Network.
- ◆ Auto idle control.
 - increases fuel efficiency.
 - increases compressor life.
 - reduction in noise level.
 - cooler pump operating temperature.
- ◆ 10” pneumatic wheels - CP16/18/20
- ◆ Anti vibration rubber pads.
- ◆ Removable axle and handle.
- ◆ Heavy duty base plate.
- ◆ Anti vibration stainless steel glycerine gauge.
- ◆ Full range of spare parts.
- ◆ Warranty.
 - 1 year on pump, tank & fittings.
 - 2 years on Honda engine.



CP18



AFP 38 Ute



Product Code	Displacement CFM	L/min	Free Air Delivery CFM	L/min	Motor Hp	Honda Motor	Tank Litres	Pump Model	Cylinders	Price
CP 16	15.0	425	10.2	289	5.5	GX160	55	UB30B	V-Twin	\$
CP 18	17.4	487	12.0	340	5.5	GX160	55	LB40	W-Triple	\$
CP 20	19.2	543	12.9	365	6.5	GX200	70	LB40	W-Triple	\$
CP 50	25.0	708	16.3	461	9.0	GX270	120	LB50	V-Twin	\$
CP 75	33.0	934	21.5	609	11.0	GX340	120	LB75	W-Triple	\$
AFP 38 Ute	16.8	475	12.6	357	5.5	GX160	40	B3800	Twin	\$

* Electric start option available (Battery, battery bracket and leads not included)

* Fu Sheng petrol models available - see page 3

CFM x 28.3 = Litres per minute

Displacement & FAD calculated at 100psi.

Specifications/configuration may change without notice.


AF-Series – ABAC™ Pumps

Honda Petrol

Built in Australia.

Features the world famous ABAC pump and Honda petrol engine with auto idle control. Widely used by the professional in the tyre service trade and agricultural industry, where high pressure may be required.

- ◆ Two stage 160psi if required.
- ◆ ABAC Italian pump.
- ◆ Intercooler and aftercooler for cool dry air.
- ◆ Cast iron cylinder and crankshaft.
- ◆ Honda petrol engine.
- ◆ Oil alert engine shut down.
- ◆ Auto idle control.
 - increase fuel efficiency.
 - increase in compressor life.
 - reduction in noise and temperature.
 - cooler pump operation.
- ◆ Australian made tank to AS1210.
- ◆ Heavy duty baseplate.
- ◆ Anti vibration stainless steel glycerine gauge.
- ◆ 10" pneumatic wheels - AFP38/49.
- ◆ Forklift feet on stationary units.
- ◆ Honda National Service Network.
- ◆ Warranty.
 - 1 year on pump, tank & fittings.
 - 2 years on Honda engine.



AFP38



AFP59



Product Code	Displacement CFM	L/min	Free Air Delivery CFM	L/min	Motor Hp	Honda Motor	Tank Litres	Pump Model	Cylinders	Price
AFP 38	16.8	475	12.6	357	5.5	GX160	55	B3800	Twin	\$
AFP 49	18.0	509	14.8	419	6.5	GX200	70	B4900	2 Stage	\$
AFP 49/L	18.0	509	14.8	419	6.5	GX200	120	B4900	2 Stage	\$
AFP 59	23.0	651	18.4	521	9.0	GX270	120	B5900	2 Stage	\$
AFP 60	29.2	826	23.3	659	11.0	GX340	120	B6000	2 Stage	\$
AFP 70	42.7	1208	34.2	968	13.0	GX390	150	B7000	2 Stage	\$

* Electric start option available (Battery, battery bracket and leads not included)

* Heavy Duty Anti Vibration Pads available for stationary units.

CFM x 28.3 = Litres per minute

B3800 - Single stage pump.

Specifications/configuration may change without notice.

AIRLINER™ Series

Direct Drive – 240 Volt

AirLiner™ direct drive are a compact range of air compressors designed and priced for home workshop, hobby and priced for intermittent professional requirements. For continuous heavy duty contracting work we recommend our AF Series of direct drive air compressors - see page 10.

- ◆ Rated to Protocol 2000.
- ◆ Tanks approved to AS1210.
- ◆ Cast iron cylinder.
- ◆ Oil lubricated.
- ◆ Fan forced cooling.
- ◆ Outlet regulator with gauge and tap.
- ◆ Thermal overload protection.
- ◆ Auto stop/start.
- ◆ Low power consumption.
- ◆ Warranty.
 - 12 months.



AL 24



AL 40

Product Code	Displacement		Free Air Delivery		Motor Hp	Tank Litres	Pump Model	Cylinders	Price
	CFM	L/min	CFM	L/min					
AL 24	7.1	200	3.2	91	2.0	24	FC2	Single	\$
AL 40	8.2	232	3.7	105	2.5	40	FC2.5	Single	\$

CFM x 28.3 = Litres per minute
 Displacement & FAD calculated at 100psi.
 Specifications/configuration may change without notice.

AFD Series Tradesman Series


240 Volt

AFD Series featuring Italian made direct drive pumps and motors. This versatile series incorporates a range of models to suit a wide variety of professional use, where portability and reliability are paramount.

- ◆ Rated to Protocol 2000.
- ◆ Pumps and motor – made in Italy.
- ◆ Fan forced cooling.
- ◆ Aftercooler on AFD24, AFD40 & AFD-UTE.
- ◆ AFD complete with hose and duster gun.
- ◆ Filter Regulator on AF 12 Ute Pack
- ◆ Outlet air regulator.
- ◆ Thermal overload protection.
- ◆ Auto start/stop (except AFD).
- ◆ 10 amp power supply.
- ◆ Full range of spare parts.
- ◆ Warranty.
 - 12 months.




AFD 40



AFD Ute Pack



AFD 6



AF12 Ute Pack

Product Code	Displacement		Free Air Delivery		Motor Hp	Tank Litres	Pump Model	Cylinders	Price
	CFM	L/min	CFM	L/min					
AFD 6	5.6	160	2.6	74	1.5	-	OL-200	Single	\$
AFD 24	10.1	285	5.7	161	2.5	24	F1-310	Single	\$
AFD 40	10.1	285	5.7	161	2.5	40	F1-310	Single	\$
AFD Ute	10.1	285	5.7	161	2.5	24	F1-310	Single	\$
AF 12 Ute	11.7	331	8.4	238	2.2	40	B2800	Twin	\$

CFM x 28.3 = Litres per minute
 Displacement & FAD calculated at 100psi.
 Specifications/configuration may change without notice.

McMillan – Airbrush Compressors

Low Noise – 240 Volt

Low noise compressors are ideal for airbrushing and small air tools, home workshop and sporting clubs.

- ◆ Made in Taiwan.
- ◆ Quiet - low noise.
- ◆ Light and portable.
- ◆ Carry handle.
- ◆ Oil free.
- ◆ Maintenance free.
- ◆ Warranty.
 - 12 months.

- ◆ PT 310
 - hose and fittings.
 - ideal for inflating footballs, basketballs etc...

- ◆ MA 25
 - auto start/stop.
 - hose and fittings.
 - designed for air brush.

- ◆ MA 25T
 - auto start/stop.
 - outlet regulator.
 - 2.5 litre tank.
 - ideal for the serious artist.

- ◆ MA 40T
 - auto start/stop
 - 3.5 litre tank
 - outlet Regulator.
 - ideal for the serious artist.

Air Brushes - also available



PT 310



MA 25



MA 25T



MA 40T

Product Code	Displacement		Max Pressure	Tank Litres	Pump Model	Price
	CFM	L/min				
PT 310	2.0	56	30	–	Diaphragm	\$
MA 25	1.0	28	60	–	Piston	\$
MA 25T	1.0	28	60	2.5	Piston	\$
MA 40T	2.0	56	60	3.5	Piston	\$

* MA 25K - Complete Kit suitable for Spray-on Tanning Solution.

McMillan – Low Noise Series

- ◆ Very Quiet.
- ◆ Piston Compressor Pump.
- ◆ 240 Volts & 415 Volts.
- ◆ Easily serviced.
- ◆ Low maintenance costs.
- ◆ Available with or without tank.
- ◆ Warranty.
 - 12 months.



Silent LN10

Product Code	Displacement		Free Air Delivery		Motor Hp	Decibel Rating	Voltage	Price
	CFM	L/min	CFM	L/min				
LN 2.5	10.0	283	7.5	212	2.5	66	240	\$
LN 5.5	25.0	708	18.8	529	5.5	71	415	\$
LN 10	45.0	1274	33.6	951	10.0	73	415	\$

McMillan – Duplex Series

- ◆ ABAC Pump - Made in Italy.
- ◆ Two stage, 160psi (if required).
- ◆ Run one or two pumps.
- ◆ Warranty.
 - 12 months.



AF 33

Product Code	Displacement		Free Air Delivery		Motor Hp	Tank Litres	Pump Model	Cylinders	Price
	CFM	L/min	CFM	L/min					
AF 28	28.2	798	21.7	614	3.0 x 2	140	B3800 x 2	Twin	\$
AF 68	67.7	1910	52.6	1489	5.5 x 1 10.0 x 1	520	B5900 x 1 B7000 x 1	2 Stage	\$
AF 90	85.4	2417	68.4	1936	10.0 x 2	520	B7000 x 2	2 Stage	\$

ABAC™ Pumps

Made in Italy

- ◆ Aftercooler on all pumps for reduced discharge temperature.
- ◆ Cast iron cylinders.

Product Code	Displacement		Maximum Hp	Cylinders	Price
	CFM	L/min			
B 2800	12	340	3.0	Twin	\$
B 3800	17	480	4.0	Twin	\$
B 4900	19	540	5.5	2 Stage	\$
B 5900	23	650	5.5	2 Stage	\$
B 6000	29	820	7.5	2 Stage	\$
B 7000	42	1200	10.0	2 Stage	\$



McMillan Pumps

Made in Italy

- ◆ Suits ABAC B3000 & B4000 & Ingersol Rand EN3 & EN4
- ◆ Aluminium valve plate assembly & aluminium sump plate.
- ◆ Fitted with aftercooler.

Product Code	Displacement		Maximum Hp	Cylinders	Price
	CFM	L/min			
N3	12	340	3.0	Twin	\$
N4	19	540	4.0	Twin	\$



McMillan Pumps

Cast Iron

- ◆ Heavy duty “close grain” cast iron construction.
- ◆ V-twin or W-triple for more efficient cooling.

Product Code	Displacement		Maximum Hp	Cylinders	Price
	CFM	L/min			
LB 02	4	113	1.0	Single	\$
LB 20	10	283	2.5	V-Twin	\$
LB 30	13	368	3.0	V-Twin	\$
LB 40	20	566	4.0	W-Triple	\$
LB 50	25	708	5.5	V-Twin	\$
LB 75	35	991	7.5	W-Triple	\$
LB 75B	42	1189	10.0	V-Twin	\$
MV 65	13	368	3.0	V-Twin	\$
MT 65	20	566	4.0	W-Triple	\$
MV 80	25	708	5.5	V-Twin	\$
MT 80	35	991	7.5	W-Triple	\$
MV 100	42	1189	10.0	V-Twin	\$
MT 100	52	1471	10.0	W-Triple	\$
MT 120	82	2320	15.0	W-Triple	\$



Bare Pump Warranty - 3 months.

Pumps not suitable for breathable air.

All spares readily available.

Specifications/configuration may change without notice.

Fu Sheng Pumps

Cast Iron

- ◆ Heavy duty quality since 1953.
- ◆ Spare parts available.

Product Code	Displacement		Maximum Hp	Cylinder	Price
	CFM	L/min			
VA 65	11.5	325	2.5	V-Twin	\$
TA 65	16.5	467	3.0	W-Triple	\$
VA 80	20.2	572	5.5	V-Twin	\$
TA 80	30	849	7.5	W-Triple	\$
VA 100	36	1019	7.5	V-Twin	\$
TA 100	52	1470	10.0	W-Triple	\$
TA 120	72	2038	15.0	W-Triple	\$

* Pumps not suitable for breathable air.

* Bare Pump Warranty - 3 months.



Motors

Single Phase 240 Volt

- ◆ TAC – supplied by Teco Australia P/L.
- ◆ Drip proof – IP22.
- ◆ 3 Phase motors available.

Product Code	Power		Frame Size	Power Supply	Shaft Diameter	Price
	Hp	kW				
EMT 2.2	2.2	1.65	B56	10.0	3/4"	\$
EMT 3.0	3.0	2.2	B56	15.0	3/4"	\$



Guards

Guard Sets

- ◆ Specifically designed moulded plastic.
- ◆ Critical for airflow and pump cooling.

Product Code	Description	Compatible	Price
G 2500	2 Piece	ABAC / SIP / I.R.	\$
G 2800	2 Piece	ABAC / B2800	\$
G 3800	2 Piece	ABAC / B3800	\$
G 3900	3 Piece	ABAC / SIP / I.R.	\$
G 4900	2 Piece	ABAC / SIP / I.R.	\$
G 5/6000	3 Piece	ABAC / SIP / I.R.	\$
G 7000	3 Piece	ABAC / SIP / I.R.	\$



Condor Pressure Switches

Single Phase 240 Volt

- ◆ Genuine Condor with differential adjustment.
- ◆ Includes unloader and glands.

Product Code	Ports	Thread BSP	Price
MDR 2	4	1/4"	\$
MDR 2/1	1	1/4"	\$



Condor Pressure Switches

Three Phase 415 Volt

- ◆ Price includes Relay, EV5 Unloader and Glands.

Product Code	Amp Range	Thread BSP	Price
MDR 3/10	6-10	1/4"	\$
MDR 3/16	11-16	1/4"	\$
MDR 3/20	17-20	1/4"	\$
MDR 5/7	4-7	1/4"	\$
MDR 5/10	6.1-10.3	1/4"	\$
MDR 5/14	9-14	1/4"	\$
MDR 5/18	11-18	1/4"	\$
SK 5	Contact Block		\$
EV 5	Bleeder Valve		\$
MDR 5-K	Switch Cover		\$



NEMAC Pressure Switches

Single Phase 240 Volt

- ◆ Featuring "soft start" unloader.

Product Code	Differential	Ports	Thread BSP	Price
Nemac 4	2 Bar	4	1/4"	\$
Nemac 1	2 Bar	1	1/4"	\$



Pressure Gauges

- ◆ Solid, high quality construction.
- ◆ Steel case & chrome bezel.
- ◆ Copper bourdon tube.
- ◆ Dual calibration - metric & imperial.
- ◆ Suitable for compressed air only.

Product Code	Diameter mm	Mount	Thread BSP	Max Pressure bar	psi	Price
GFR 40	40	Rear	1/8"	10	150	\$
GR 50	50	Rear	1/4"	16	240	\$
GR 63	63	Rear	1/4"	16	240	\$
GB 63	63	Base	1/4"	16	240	\$
GB 100	100	Base	1/2"	16	240	\$



Pressure Gauges

Glycerine filled

- ◆ Stainless steel, high quality construction.
- ◆ Minimises the effect of vibration.
- ◆ Protects and lubricates the gauge mechanism.
- ◆ Copper bourdon tube.
- ◆ Dual calibration - metric & imperial.
- ◆ Suitable for compressed air only.

Product Code	Diameter mm	Mount	Thread BSP	Max Pressure bar	psi	Price
GBG 63	63	Base	1/4"	16	240	\$
GRG 63	63	Rear	1/4"	16	240	\$
GBG 100	100	Base	1/2"	16	240	\$



Filter Regulators – Bracket Mount

- ◆ Sintered bronze filter element.
- ◆ Gauge included.

Product Code	Airflow CFM	Thread BSP	Maximum psi	Height mm	Width mm	Price
FR 102	14	1/4"	130	180	80	\$
FR 802	20	1/4"	130	230	90	\$
FR 804	35	1/2"	130	300	100	\$



Filter Regulators – Tank Mount

- ◆ Made in Italy.
- ◆ Twin 1/4" BSP outlet tap.
- ◆ Sintered bronze filter element.
- ◆ German made pressure gauge.
- ◆ Self draining.

Product Code	Airflow CFM	Thread BSP	Maximum psi	Height mm	Width mm	Price
Midi	12	3/8"	100	165	80	\$
Maxi	20	1/2"	100	210	90	\$



Regulator

- ◆ 40 mm pressure gauge.
- ◆ Complete with outlet tap.
- ◆ Control of discharge air pressure.

Product Code	Airflow CFM	Thread BSP	Maximum psi	Height mm	Width mm	Price
Mini	8	1/4"	100	85	75	\$



Filter – Moisture Separator

- ◆ Compact size ideal for coupling to regulator on direct drive compressors.
- ◆ Clear bowl for viewing water level.

Product Code	Airflow CFM	Thread BSP	Height mm	Width mm	Price
F 1000	8	1/4"	100	40	\$



Safety Valves

- ◆ Approved to Australian Safety Standard AS1271.
- ◆ Larger sizes available.
- ◆ Made in Italy - Brass construction.

Product Code	Airflow CFM	Thread BSP	Pressure Bar	Price
SV 1/4-1	22	1/4"	9.9	\$
SV 1/4-2	22	1/4"	11.0	\$
SV 1/4-3	22	1/4"	13.0	\$
SV 1/2-1	63	1/2"	11.6	\$
SV 1/2-2	63	1/2"	12.0	\$



Relief Valve

- ◆ Made in Italy – Brass construction.
- ◆ Adjustable pressure relief valve.

Product Code	Airflow CFM	Thread BSP	Range psi	Price
RV 1/4	22	1/4"	60–150	\$



Check Valves

- ◆ Brass construction.
- ◆ Made in Italy.
- ◆ Repair kits available.

Product Code	Inlet Thread BSP	Outlet Thread BSP	Inlet Connection	Price
NRV 1/2	1/2"M	1/2"M	Compression	\$
NRV 3/4-S	1/2"M	3/4"M	Flat	\$
NRV 3/4	3/4"M	3/4"M	Compression	\$
NRV 1	1"M	1"M	Compression	\$
NUT 1/2	1/2"		Compression	\$
NUT 3/4	3/4"		Compression	\$
NUT 1	1"		Compression	\$



Drain Valves

- ◆ Brass construction.

Product Code	Thread BSP	Price
DC 1/8	1/8"	\$
DC 1/4	1/4"	\$
DC 1/2	1/2"	\$



Air Filter Assembly

- ◆ Suits many brands.

Product Code	Thread BSP	Size mm	Material	Element	Price
FA 3/8	3/8"	65ø	Plastic	Foam	\$
FA 1/2	1/2"	90ø	Plastic	Cartridge	\$
FA 3/4	3/4"	135ø	Plastic	Cartridge	\$
FA 1	1"	150ø	Metal	Cartridge	\$
2881000	-	110x65	Plastic	Foam	\$



FA 1/2



2881000

Discharge Hose

- ◆ Fully flexible.
- ◆ Different lengths available.


Product Code	Thread BSP	Length mm	Material	Price
FMH 1/2	1/2"	325	Stainless	\$



Outlet Taps

- ◆ Lever style for air outlet control.

Product Code	Thread BSP	Port	Material	Price
TAP 1/8	1/8"	M&F	Z/P Steel	\$
TAP 1/4	1/4"	M&F	Brass	\$
TAP 1/2	1/2"	F&F	Brass	\$



Wheels

- ◆ High quality.
- ◆ Heavy duty.

Product Code	Diameter mm	Width mm	Bore mm	Tyre Material	Price
W 175	175	45	20	Rubber	\$
W 10	250	80	20	Pneumatic	\$



MCMILLAN
Air Compressors *Since 1954*

————— *“Celebrating 52 Years”* —————

Tel: (03) 9532 9720
Fax: (03) 9532 9721
E-mail: sales@mcmillanair.com.au

649 – 651 Glen Huntly Road
Caulfield South, Victoria 3162
ABN 73 952 479 957