

Holemaker*

HOLEMAKER PRO 35

MAGNETIC BASE DRILL

- · Quality, Compact & Robust European Made Machine • Lightweight, only 10kg! Ideal for onsite & overhead tasks
- · Capacity (diameter) 35mm
- · Capacity (depth) 52mm (HMPRO35)

*TOP *
SELLER



TRADEMASTER.

350mm COLD CUT T.C.T. SAW

• Uses Tungsten Carbide Blade to cut through RHS steel up to 120mm x 120mm • Offers an accurate, fast & clean cold cut • 3HP, 240V motor • Single speed 1450rpm • 90° - 45° swivel vice • Supplied with T.C.T. mild steel blade (S14)

\$695 PRICE



M7

1/2" IMPACT WRENCH

Max torque: 1650Nm (1200ft-lb)

 Noise level: 85 dBA · Light weight: 1.7kg

· New patented EZ grease anvil (M7-NC4255QH)

• 1/2" Impact socket set

• 17, 19, 21mm (M7-MA4030, valued at \$49)



AIR DIE **GRINDER**

• Free speed: 20000 RPM

• Rated power : 0.9 HP • Length : 190mm • Net weight: 0.65kg

• Collets: 1/4" & 1/8" • Heavy duty model (M7-QA211B)

• 3/8" Carbide Burr Set • 3 piece (CB-SET-03, valued at \$79)



TRADEMASTER.

PEDESTAL DRILL

• 16mm capacity • 16mm B16 chuck • #2 MT Spindle • 3/4HP, 240V motor • 16 speed • 1580mm height • 60kg weight (TD1316F)

• Drill set 25 piece • 1-13mm (UN308-020, valued at \$89)



TRADEMASTER.

PORTABLE BEVELLING MACHINE

• Plate & pipe beveller • Produces burr free angled or radius bevels quickly and easily

• For milling steel, aluminium, brass or plastic

 22.5 to 65° working range and R2 to R5 radius edging depending on milling head (available separately) • 16mm maximum bevel width • 2200W 240V motor • 1800 - 5850rpm

• 40mm countersinking min diameter • 10kg

Milling heads sold separately (BM16)



STEEL FABRICATION * AIR TOOLS * WORKSHOP TOOLS



METAL CUTTING SAWS



- Swivel vice enables 0° to 45° mitre cuts Taiwanese made
- machine Hydraulic downfeed 1HP, 240V 4 speed belt drive Round cut capacity: 90°: 180mm, 45°: 110mm (*UE712A*)



- capacity: 90°: 170mm, 45°: 120mm
- 1HP, 240V, 1 spd 1HP, 415V, 2 spd 1HP, 240V, variable (WP210SH-1) (WP210SH-3)

spd (WP210SHV-1)

TRADEMASTER 220MM X 220MM CAPACITY SWIVEL **HEAD BANDSAW** Swivel head 0° to 60° • Taiwanese made machine • Hydraulic

down feed • Round cut capacity: 90°: 227mm, 45°: 150mm

• 1.5HP. 240V. 1 spd (WP270SH-1) spd (WP270SH-3)

• 1.5HP, 415V, 2

• 1.5HP, 240V, variable spd (WP270SHV-1)





220MM X 220MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine Hydraulic down feed . Round cut capacity: 90°: 227mm, 45°: 150mm
- 1.5HP, 415V, 2 • 1.5HP, 240V, variable • 1.5HP, 240V, 1 spd (WP275DS-1) spd (WP275DS-3) spd (WP275DSV-1)

\$///ሀት



310MM X 210MM CAPACITY **2 WAY SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 2HP, 415V 2 speed Round cut capacity : 90° : 250mm, 45° : 200mm (WP310DS-3)



350MM X 220MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60° Taiwanese made machine
- Hydraulic down feed 2HP, 415V 2 speed Round cut capacity : 90° : 270mm, 45° : 240mm (WE350DS-3)



SWIVEL HEAD BANDSAW

 2 way swivel head 0° to 60°
 Taiwanese made machine • Semi-auto operation • 2HP, 415V • 2 Speed • Remote safety stop switch • Round cut capacity : 90° : 270mm, 45°R : 240mm (WE350DSA-3)





250MM X 155MM TO CAPACITY SWIVEL **HEAD BANDSAW**

- Swivel head 0° to 60°
- · Taiwanese made machine
- · Remote safety stop switch
- · Round cut capacity: 90°: 220mm, 45°: 160mm
- 1.5HP, 240V, 1 speed (MB-280CSO-1)



• 1.5HP, 415V, 2 speed (MB-280CSO-3)



330MM X 220MM CAPACITY 2 WAY SWIVEL HEAD

- **BANDSAW** · Italian made quality • 2 way swivel head 0° to 60°
- · Hydraulic down feed
- · Round cut capacity : 90°: 260mm, 45°: 225mm
- 1.5HP, 240V, 1 speed (MB-330CSO-1)



(MB-330CSO-3)







330MM X 220MM **CAPACITY 2 WAY INDUSTRIAL** SWIVEL HEAD **BANDSAW**

• 2 way swivel head 0° to 60° • Semi automatic operation • 1.5HP, 415V • 2 Speed . Round cut capacity : 90°: 260mm, 45°: 225mm (MB-330MS-3)







400MM X 200MM CAPACITY 2 WAY SWIVEL HEAD BANDSAW

- Italian made quality 2 way swivel head 0° to 60°
- Hydraulic down feed
- 2HP, 415V 2 speed
- · Round cut capacity: 90° : 300mm, 45° : 240mm (MB-411CSO-3)





400MM X 200MM **CAPACITY SEMI-AUTO SWIVEL HEAD BANDSAW**

- · Italian made quality
- · 2 way swivel head 0° to 60° • Semi-auto operation
- 2HP, 415V 2 speed
- Round cut capacity: 90° : 300mm, 45° : 240mm (MB-411MS-3)



METAL CUTTING SAWS





550MM X 400MM CAPACITY 2 WAY SWIVEL HEAD SEMI-AUTO BANDSAW

• 2 way swivel head 0° to 60° • Semi automatic operation • 2HP, 415V • 2 Speed • Round cut capacity: 90°: 400mm, 45°: 400mm (MB-420DI-3)



620MM X 450MM CAPACITY 2 WAY SWIVEL HEAD SEMI-AUTO BANDSAW

• Italian made quality • 2 way swivel head 0° to 60° • Semiauto operation • 2.95HP, 415V • Variable speed • Round cut capacity: 90°: 460mm, 45°: 450mm (MB-650DI-3)



320MM X 290MM CAPACITY FULLY **AUTOMATIC SWIVEL HEAD CNC BANDSAW**

• Italian made quality • Swivel head 0° to 60° • Digital control of quantity length • 2.15HP, 415V • 2 speed • Round cut capacity : 90°: 290mm, 45°: 265mm (*MB-380A-3*)



250MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- Double vice Round cut capacity: 90°: 70mm, 45°: 65mm • 1.2HP, 240V, 1 speed (NEW250DV-1) or
- 1.75HP, 415V, 2 speed (NEW250DV-3)



300MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- Round cut capacity: 90°: 90mm, 45°: 90mm
- 2HP, 240V, 1 speed (TRS300-1) or • 3HP, 415V, 2 speed (TRS300-3)



315MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right Double vice
- · Round cut capacity: 90°: 90mm, 45°: 80mm
- 2HP, 240V, 1 speed (TRS315EDV-1) or
- 3HP, 415V, 2 speed (TRS315EDV-3)



350MM SWIVEL HEAD COLDSAW

- Italian made quality Swivel head 45° left & right
- 3.2HP, 415V 2 Speed Round cut capacity 90°: 110mm, 45°: 90mm (NEW350E-3)



350MM SWIVEL HEAD COLDSAW

- Swivel head 45° left & right Double vice 3.2HP, 415V
- 2 Speed Round cut capacity: 90°: 110mm, 45°: 80mm (NEW350EDV-3)











315MM SEMI-AUTO **VERTICAL COLDSAW**

· Italian made quality · Semi-auto operation • Swivel head 45° left & 60° right • Trigger switch operation • 2.5HP, 415V • 2 Speed • Includes blade and stand . Round cutting capacity: 90° 100mm, 45°: 100mm (NTS315-3)



^{\$695}

350MM COLD CUT T.C.T. SAW

- Cuts through RHS steel up to 120mm x 120mm
- Offers an accurate, fast & clean cold cut 3HP, 240V motor • Single speed 1450rpm • 90° - 45° swivel vice
- Supplied with T.C.T. mild steel blade (S14)





400MM FRICTION SAW

- Italian made quality Swivel head 45° left & right
- Trigger switch operation Quick locking vice 7.4HP, 415V, single speed 3800rpm . Round cutting capacity: 90°: 130mm,
- 45°: 120mm Blade not included (TV400-3)

Image shows 1x RS300X3 & 3x RS300

CONVEYORS

-			
Part No.	Roller Width	Length	Price
RS300X15	300mm	1500mm	\$225
RS300X3	300mm	3000mm	\$444
RS450X15	450mm	1500mm	\$290
RS450X3	450mm	3000mm	\$580



• 3 stands required per conveyor

Part No.	Width	Adjustable Height	Price
RS300	300mm	715mm - 1050mm	\$92
RS450	450mm	715mm - 1050mm	\$109



SINGLE ROLLER CONVEYORS

	_		_	_
Part No.	Roller	Adjustable	Number of	Price
	Width	Height	Rollers	
RS-002	352mm	580 - 980mm	1	\$155
RS-005	128mm	560 - 960mm	2	\$155

FABRICATED STEEL BENCH VICES

• Precision machined knurled jaws with V-Groove • Large diameter screw • Extra heavy-duty • Precise sliding jaw



\$475

JAN			
Width	Weight	Price	
)mm	10.5kg	\$130	
5mm	18.5kg	\$225	
Omm	22.6kg	\$259	

OFFSET	T JAW			
Part No.	Jaw Width	Weight	Price	
TM104-100	100mm	11.2kg	\$135	618
TM104-125	125mm	20.3kg	\$259	
TM104-150	150mm	25.0kg	\$279	
TM104-200	200mm	60.0kg	\$699	

TRADEMASTER TRADEMASTER.



WORKSHOP BENCH VICE

- Hardened steel jaws Close grained cast iron body
- 100mm jaw width 7.0kg weight (TM098-100)



PROFESSIONAL MECHANICS BENCH VICES

Part No.	Jaw Width	Weight	Price
TM100-075	75mm	7.5kg	\$75
TM100-100	100mm	10.0kg	\$105
TM100-125	125mm	15.5kg	\$150
TM100-150	150mm	18.0kg	\$179
TM100-200	200mm	31.0kg	\$275

TRADEMASTER.

TM102-200 200mm 37.0kg



STANDARD DRILL PRESS VICES

• Cast iron body • Machined steel jaws • Great for machine shops, fabrication workshops & tool rooms

	' '				
Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDP102	102mm	21mm	105mm	3.2kg	\$39
VDP150	150mm	28mm	150mm	7 2ka	\$65

TRADEMASTER

HEAVY DUTY DRILL PRESS VICES

3 Way vices

Part No.	Jaw Width	Jaw Height	Capacity	Weight	Price
VDPL100	100mm	30mm	92mm	6.75kg	\$65
VDPL155	150mm	36mm	140mm	13kg	\$95



150MM VERNIER CALIPERS

- Metric & imperial stainless steel rule
- Suitable for inside, outside, depth & step measurements • Lower resolution: 0.02mm (GZ-16043)

今 GROZ



150MM DIGITAL **CALIPERS**

- · Hardened stainless steel design delivers accurate readings of inside, outside & step depth measurements • Resolution : 0.01mm (0.0005") • Accuracy : 20 micron
- Comes with SR44 battery (GZ-16023)

♦ GROZ



OUTSIDE MICROMETERS

- Carbide anvil with 0.000024" (0.6 mircron) flatness • Accuracy : 4 micron (0.00015")
- Resolution : 0.01mm

Part No.	Size	Price		
GZ-16104	0 - 25mm	\$55		
GZ-16105	25 - 50mm	\$68		
GZ-16106	50 - 75mm	\$75		
G7-16107	75 - 100mm	\$85		

🔆 GROZ



IP54 DIGITAL MICROMETERS

- · Chrome plated frame with heat shield
- Metric and imperial digital readout on LCD screen • Resolution : 0.001 mm (0.00005")

Part No.	Size	Price
GZ-16122	0 - 25mm	\$249
G7-16123	25 - 50mm	\$295

BENCH & PEDESTAL DRILLS VENTILATORS



TRADEMASTER

BELT DRIVE BENCH & PEDESTAL DRILLS

• Quality casting, construction & componentry • Emergency stop NVR safety switch • Chuck safety guard • Drill chuck & arbor • Drill drift (on MT models)



• 13mm capacity • 13mm B16 chuck • 1/2HP, 240V motor • 5 speed • 680mm height • 27kg weight (TD1013)



- 16mm capacity 16mm B16 chuck • #2 MT Spindle
- 1/2HP, 240V motor 16 speed • 980mm height
- 50kg weight (TD1316)



 Drill set 25 piece • 1-13mm (LIN308-020 valued at \$89)

\$499

- 16mm capacity • 16mm B16 chuck
- #2 MT Spindle 3/4HP,
- 240V motor 16 speed
- 1580mm height 60kg weight (TD1316F)



- 20mm capacity 20mm B22 chuck • #3 MT Spindle
- 1HP, 240V motor 12
- speed 1600mm height • 80kg weight (TD1420F)



EXTRA HEAVY DUTY INDUSTRIAL BELT **DRIVE BENCH &** PEDESTAL DRILLS

TRADEMASTER.

 Quality Taiwanese machines with heavy duty casting and construction for proven lasting durability in industrial workshops • Drill chuck & arbor • Drill drift

- 23mm capacity 16mm #3 JT chuck
- #2 MT Spindle 1HP, 240V motor
- 12 speed 1010mm height
- 72kg weight (K1720HD)







TRADEMASTER. **GEARED HEAD**

DRILLING MACHINE QUALITY PRECISION **MACHINE FOR DRILLING & TAPPING**

- #4 Morse taper spindle
- Micro feed precision Geared head tilts 90° right & left
- Forward and reverse operation Accessories include arbor, drill chuck, drill sleeves • 40mm capacity • 1.5HP motor, 6 speed gearbox • 1770mm height
- 320kg weight 240V (TDG400-1) or 415V (TDG400-3)

\$3150





MILLING MACHINE All the features of the TGD400 combined with: Milling table, Recirculating coolant system



• 240V (TGMD400-1) or 415V (TGMD²400-3)

PORTABLE VENTILATOR SETS

 Suitable for air/fume extraction or blowing fresh air • Ideal ventilation for workshops and confined areas • Includes 5 metre expandable ducting • Large capacity motor creating a very high flow rate • Specially designed axial propeller

• 23mm capacity • 16mm #3

JT chuck • #2 MT Spindle

• 78kg weight (K1720HFD)

• 1HP, 240V motor • 12

speed • 1600mm height



- 25m3/min Flow Rate (TPV200SET)
- 300mm 550W Motor

• 32mm capacity • 16mm #3


JT chuck • #3 MT Spindle

• 1.2HP, 240V motor • 12

speed • 1752mm height

• 158kg weight (K2532)

- 60m³/min Flow Rate (TPV300SET)
- 128m³/min Flow Rate (TPV400SET)





- #3 MT Spindle 2HP. 240V motor • 12 speed
- 1710mm height 120kg weight (TD1825F)

- 20mm B22 chuck
- #4 MT Spindle 2HP. 240V motor • 12 speed
- 1710mm height 145kg weight (TD2032F)



MAG BASE DRILLS

Holemaker*

MAGNETIC BASE DRILLING MACHINES | CUTTING TOOLS www.holemaker.com

Holemaker

\$**995**

HOLEMAKER **PRO 35**

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg! Ideal for onsite & overhead tasks • Capacity (diameter) 35mm • Capacity (depth) 52mm • Gravity feed coolant system with magnetically attached bottle • Comes complete in plastic carry



Holemaker

\$2079



HOLEMAKER PRO 36AD

 Ultra low profile, constant working height of 176mm · Super lightweight, only 9.5kg! · Capacity (diameter) 36mm • Capacity (depth) 30mm • Squeeze bottle coolant system • Comes complete in plastic metal case (HMPRO36AD)

Holemaker

\$1495

HOLEMAKER **PRO 40**

- Durable & Versatile. European Made Machine
- Capacity (diameter) 40mm
- Capacity (depth) 52mm
- · Optional 13mm twist drill chuck • Through cutter coolant system • Comes complete in metal carry case • 12.5kg (HMPRO40)



Holemaker

case (HMPRO35)

HOLEMAKER PRO 50

- Versatile & Multi-Purpose, European Made Machine
- · Capacity (diameter) 52mm
- Capacity (depth) 52mm • #2 Morse taper spindle, for
- use with drill chucks, taper shank drills, reamers etc. • Powerful 1260W motor &
- 2 speed gearbox 16.5kg (HMPRO50)

Holemaker

\$3495

HOLEMAKER PRO 75

• #3 Morse taper variable speed machine • Capacity (diameter) 75mm • Capacity (depth) 75mm (110mm with optional arbor) • 32mm #3MT drill bit capacity • 2 speed gearbox with electronic variable speed 80 to 160rpm; 210 to 420rpm • 1650W motor output • Motor soft start (HMPRO75)



Holemaker

HOLEMAKER PRO 110

- Large Capacity #4 Morse Taper Heavy Duty Machine
- Capacity (diameter)
- 110mm Capacity (depth) 75mm (110mm with optional arbor) • 47mm #4MT drill bit capacity • 4 speed heavy duty mechanical gearbox
- 1650W motor output (HMPRO110)



Holemaker



HOLEMAKER 35 PNEUMATIC


- · Pneumatic powered angle drive machine · Capacity (diameter) 35mm • Capacity (depth) 25mm • Constant working height of 183mm • Certified ATEX II2G/D C IIC T6; T4 motor & body for areas with risk of explosion
- European made (HMP35AD-ATEX)

Holemaker

\$8035

HOLEMAKER 45 PNEUMATIC

• #2 Morse taper, pneumatic powered machine • Capacity (diameter) 45mm • Capacity (depth) 52mm • 23mm #2MT drill bit capacity • 2 speed 190 290rpm • Motor certified ATEX II2G/D C IIC T6; T4 motor for areas • with risk of explosion





Holemaker

Part No.	Diameter	Depth	Price
AT1225	12mm	25mm	\$48.50
AT1425	14mm	25mm	\$49.50
AT1625	16mm	25mm	\$53.50
AT1825	18mm	25mm	\$55.50
AT2025	20mm	25mm	\$58.90
AT2225	22mm	25mm	\$67.50
AT2425	24mm	25mm	\$72.50

HOLEMAKER GOLD SERIES ANNULAR CUTTERS

 Available in 1 mm increments from 12 to 52mm diameter • Titanium nitride coating • M2AL high speed steel material • Step hardened process • Multi-cut geometry • Fully ground with internal relief • Universal shank • Available in sizes : 12 - 60mm diameter, 25 to 75mm depth of cut





DRILL DOCTOR XP DRILL BIT SHARPENER

• 2.5mm to 13mm drill bit capacity • Creates & sharpens split point bits • 118° sharpening angle • Adjustable relief angle • 240V motor • 3 year warranty (DDXP)





DRILL DOCTOR 500X DRILL BIT SHARPENER

- Tradesman model 2.5mm to 13mm drill bit capacity
- 118° or 135° sharpening angle Creates & sharpens split point bits • 3 year warranty (DD500X)





\$549

DRILL DOCTOR 750X DRILL BIT SHARPENER

• Top of the line tradesman model • 2.5mm to 19mm drill bit capacity • 115° to 140° sharpening angle • Creates & sharpens split point bits • 3 year warranty (DD750X)

^{\$269}

SHARPENING MACHINES **CUTTING TOOLS**



Holemaker^{*}

CARBIDE BURRS - DOUBLE CUT



- Cylindrical end cut
- Cylindrical radius end
- Tree shape radius end (CB-SET-03)



5 PIECE 3/8" CARBIDE **BURR SET**

- Cvlindrical end cut
- Cylindrical radius end
- Ball shape Tree
- shape radius end
- Cylindrical aluminium cut (CB-SET-01)



CYLINDRICAL **END CUT**

Part No.	Size	Price	
CB-SB1	1/4"	\$29.50	
CB-SB3	3/8"	\$38.90	
CB-SB5	1/2"	\$59.90	
CB-SB6	5/8"	\$109.00	



HADIUS EIND				
Part No.	Size	Price		
CB-SC1	1/4"	\$31.50		
CB-SC3	3/8"	\$39.90		
CB-SC5	1/2"	\$61.90		
CB-SC6	5/8"	\$92.50		



CYLINDRICAL SQUARE END

Part No.	Size	Price
CB-SA1	1/4"	\$28.50
CB-SA3	3/8"	\$37.90
CB-SA5	1/2"	\$56.50
CB-SA6	5/8"	\$99.00



NADIUS EIND				
Part No.	Size	Price		
CB-SC1	1/4"	\$31.50		
CB-SC3	3/8"	\$39.90		
CB-SC5	1/2"	\$61.90		
CB-SC6	5/8"	\$92.50		



BALL SHAPE

Part No.	Size	Price
CB-SD1	1/4"	\$27.50
CB-SD3	3/8"	\$33.50
CB-SD5	1/2"	\$44.10
CB-SD6	5/8"	\$54.50



Holemaker°

\$149

GENERAL ENGINEERING HOLESAW SET

• Set includes: 16, 19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 76mm holesaws • 11/32" & 7/16" arbors • Arbor extension • 12" extension bar (UN108-100)

Holemaker

T.C.T. HOLESAWS

4.5MM DEPTH OF CUT

- Available from 14mm to 150mm
- Suitable for drilling steel, stainless steel, aluminium, FRP, PVC, plastics & fibreglass.

Diameter	Depth of Cut	Price
16mm	4.5mm	\$52.50
20mm	4.5mm	\$52.50
22mm	4.5mm	\$59.90
25mm	4.5mm	\$59.90
32mm	4.5mm	\$68.50
40mm	4.5mm	\$75.50
50mm	4.5mm	\$89.50
	16mm 20mm 22mm 25mm 32mm 40mm	16mm 4.5mm 20mm 4.5mm 22mm 4.5mm 25mm 4.5mm 32mm 4.5mm 40mm 4.5mm



Holemaker

T.C.T. HOLESAWS 25MM DEPTH OF CUT

- Available from 14mm to 120mm
- · Suitable for drilling steel plate, stainless steel, A.C. sheeting, aluminium, FRP, PVC, fibreglass & concrete coated pipes

Part No.	Diameter	Depth of Cut	Price
MCTR16	16mm	25mm	\$78.50
MCTR20	20mm	25mm	\$78.50
MCTR22	22mm	25mm	\$78.50
MCTR25	25mm	25mm	\$78.50
MCTR32	32mm	25mm	\$102.90
MCTR40	40mm	25mm	\$115.00
MCTR50	50mm	25mm	\$125.00



Holemaker T.C.T. HOLESAW SET

4.5_{MM} DEPTH OF CUT

• Includes 6 holesaws • 16, 20, 22, 25, 32, 40mm diameter (MCS-SET1)





T.C.T. HOLESAW SET

25_{MM} DEPTH OF CUT

• Includes 6 holesaws • 16, 20, 22, 25, 32, 40mm diameter (MCTR-SET1)



T.C.T. HOLESAW SET

35_{MM} DEPTH OF CUT

• Includes 6 holesaws • 20, 22, 25, 32, 40, 50mm diameter (MCTN-SET2)





DAREX V391

DRILL BIT SHARPENER

- 3mm 19mm drill capacity Custom point angles 118° - 140° • Standard and split point styles • 1/4hp, 240V
- motor Solid steel construction 11kg weight (V391)



KNIFE & TOOL SHARPENER

• 240V Electric knife sharpener • Very fast & easy to use • Flexible abrasive sharpening belts create a superior convex grind on the blade. The edge is stronger, cuts better and stays sharper longer! • Precision guides: 2 x

25° Outdoor knife guides & 2 x 20° Kitchen knife guides for precise repeatable results • Includes 3 abrasive belts (WSKTS-I)



KEN ONION EDITION

- KNIFE & TOOL SHARPENER
- 240V Electric knife sharpener The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife • The sharpening guide is fully adjustable in 1° increments from 15° to 30° • Variable speed control 6000 - 14000rpm (WSKTS-KO)



CUTTING TOOLS PARTS CABINETS

Holemaker



COUNTERSINK SET

3MM TO 20.5MM SET

• 3 piece set including: 3 to 8.4mm, 3 to 12.4mm. 3 to 20.5mm • 3 flute 90° high speed steel (STSET-05)

Holemaker[®]



COUNTERSINK SET

3MM TO 25MM SET

• 3 piece set including: 3 to 10.4mm, 3 to 16.5mm, 3 to 25mm • 3 flute 90° high speed steel (STSET-03)

Holemaker \$11**5**

COUNTERSINK SET

3MM TO 20.5MM SET

• 6 piece set including: 3 to 6.4mm, 3 to 8.4mm, 3 to 10.4mm, 3 to 12.4mm, 3 to 16.5mm, 3 to 20.5mm • 3 flute 90° high speed steel (STSET-01)



COUNTERSINK SET 2MM TO 25MM SET

• 5 piece set including: 2 to 5mm, 5 to 10mm, 10 to 15mm, 15 to 20mm, 20 to 25mm • Cross hole (SWSET-05)

Holemaker

STEP DRILLS SPIRAL FLUTE

• Titanium Nitride Coated

Part No.	Sizes Inc.	Price	ı
SD4-20MM	4 to 20mm	\$36.75	8
SD5-25MM	5 to 25mm	\$56.90	ı
SD6-30MM	6 to 30mm	\$99.50	
SD7-40.5MM	7 to 40.5mm	\$165.00	

Holemaker

STEP DRILLS STRAIGHT FLUTE

Titanium Nitride Coated

Part No.	Sizes Inc.	Price	n
SDST4-12MM	4 to 12mm	\$33.50	ı
SDST4-20MM	4 to 20mm	\$36.90	ı
SDST5-25MM	5 to 25mm	\$56.90	ı
SDST6-30MM	6 to 30mm	\$99.00	6



STEP DRILL SET

Holemaker

STRAIGHT FLUTE

• 4 to 12mm • 5 to 25mm • 6 to 30mm (SDSTSET-1)

TRADEMASTER




A4 SERIES

- 30 drawer Ideal for storing A4 documents
- Transparent drawers
- Slots for 3x dividers
- 1x divider supplied per drawer • 543W x 340D x 738H (PB-A4230P)



TRADEMASTER



HD SERIES

• 18 drawers • Transparent PS plastic window • Antidrop design for added safety • 25mm galvanised shelf for extra strength

TRADEMASTER

• 20kg capacity per drawer • Slots for 7x high impact dividers • 2x high impact dividers supplied per drawer • 550W x 400D x 880H (PB-HD318)







MOBILE PARTS CABINET

• 30 drawer • 980W x 400D x 1010H mm (PB-NHD530)

TRADEMASTER

HB SERIES PARTS BINS

 Holds up to 100kg when stacked with raiser columns

• Blue colour • Includes: 1x Indication label, Back to back

iiiikoi, 4x i lais	er columns		
Part No.	Width x Depth x Height	Price	
PB-HB1218B	121 x 180 x 84mm	\$3.30	
PB-HB1525B	150 x 265 x 121mm	\$5.50	8x yellow
PB-HB2035B	308 x 353 x 155mm	\$10.50	PB-HB1218Y shown with raiser
PB-HB3045B	300 x 480 x 178mm	\$19.50	columns (included)

TO SUIT HB SERIES **PARTS BINS** Metal construction

LOUVRE PANEL

Wiotai conoti	aotion		1
Part No.	Width x Height	Price	
PB-LP455455	455mm x 455mm	\$15.50	
PB-LP455610	455mm x 610mm	\$20.90	Parts bins
PB-LP455914	455mm x 914mm	\$30.90	not include

HB SERIES PARTS TRADEMASTER **BIN MOBILE STAND**

• 690W x 560D x 1460H

· Double sided, heavy duty design • 4x Swivel castors, 2 locking • Can be expanded with more small & medium sized parts bins . Optional punched panel available for storage of other items on peg hooks (PB-HP068630)

Includes: 1x Mobile Stand (PB-MS630), 20x Small Parts Bins (PB-HB1218), 20x Medium Parts Bins, (PB-HB1525) (colours may vary), 9x Parts Bin Hang Panels (PB-MSHP06-5) (PB-MS201215)



not included

TRADEMASTER PARTS BINS • TOOL CARTS WORKSHOP STORAGE

WWW.TRADEMASTERTOOLS.COM

ON

PARTS CABINETS

 Highest quality & heavy duty, robust parts cabinets designed for industrial use • Metal frame construction using 0.8mm galvanised steel • Large range of sizes and styles • Drawers come with dividers & contents description slip • Additional dividers available in packs of 10

Part No.	Description	Price
PB-A4DIVIDER	10x A4 Series Dividers	\$3.20
PB-A5DIVIDER	10x A5 Series Dividers	\$2.80
PB-A6DIVIDER	10x A6 Series Dividers	\$3.85
PB-A7DIVIDER	10x A7 Series Dividers	\$2.80
PB-A8DIVIDER	10x A8 Series Dividers	\$2.80
PB-HDDIVIDER	10x HD Series Dividers	\$4.25



A8 SERIES

TRADEMASTER

- 60 drawers 10kg capacity per drawer Slots for 3x dividers 1x divider supplied per drawer
- 586Wx222Dx937H (PB-A8560)

ST2 SERIES

TRADEMASTER.

• 60 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST2460)

ST1 SERIES


TRADEMASTER

• 75 drawer • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer • 586W x 222D x 937H (PB-ST1575)













5479



\$475

A5 SERIES

TRADEMASTER.

• Large capacity • Transparent PS plastic window • 10kg capacity per drawer • Slots for 5x dividers • 1x divider supplied per drawer

A6 SERIES

• 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer

A7 SERIES

TRADEMASTER.

 Transparent PS plastic window • 10kg capacity per drawer • Slots for 3x dividers • 1x divider supplied per drawer











TRADEMASTER







PB-A7448
48 DRAWERS
586Wx222Dx937H

\$395









BEVELLING MACHINES

TRADEMASTER

\$1995

BM7 COMPACT PLATE & PIPE BEVELLER

- Plate and pipe bevelling machine for bevelling steels and plastic, using carbide inserts
- 7mm maximum bevel width, 45 degree angle
- Optional milling head for 30 degree angle
- Optional radius insert sizes R2 to R5 5.8kg (BM7)



TRADEMASTER.



BM16 PORTABLE BEVELLER

• Plate & pipe beveller • Produces burr free angled or radius bevels quickly and easily • For milling steel, aluminium, brass or plastic • 22.5 to 65° working range and R2 to R5 radius edging depending on milling head (available separately) • 16mm maximum bevel width • 2200W 240V motor • 1800 - 5850rpm • 40mm countersinking min diameter • 10kg • Milling heads sold separately (BM16)

TRADEMASTER.



\$2320

BM20 PLUS BEVELLER

PLATE & PIPE BEVELLING MACHINE

- · 2 Rotary milling heads each holding 5 4-sided carbide inserts • 15 to 60°
- working range 1600W induction motor
- 21mm maximum bevel width
- 3340rpm 20.5kg (BM20+)



TRADEMASTER

BM21 BEVELLER PLATE & PIPE

BEVELLING MACHINE

• Newly designed single milling head with 10 square inserts which is fast & easy to set up . Low vibration model • 0 to 60° working range • Universal guide system bevels plate & pipe Ø150 - 300mm • 1600W induction motor • 21mm maximum bevel width • 2800rpm • 21kg (BM21)



TRADEMASTER.



ABM-28 AUTO-FEED PORTABLE BEVELLING **MACHINE**

• Plate thickness: 10mm to 35mm, 70mm with optional attachment • Machining angle - 60° to 60° • 20kg • 1600 Watt, 240V • 2800RPM (ABM28)



TRADEMASTER



ABM14 BEVELLER PLATE & PIPE BEVELLING MACHINE

· Bevel plates and pipes made of mild steel, alloy steel, stainless steel or aluminum alloys . Auto feed on large plates with optional trolley • Max bevel speed: 2.6 m/min • Maximum bevel width is 14mm • Minimum pipe ID: 100mm • Motor: 2200W

• Low noise : 70dB • Weight : 65kg (ABM14)



TRADEMASTER.

PORTABLE PIPE BEVELLER

- European made pipe bevelling machine designed for portable use in pipe machining operations • Standard pipe machining range 32mm to 114mm pipe capacity. Up to 140mm with optional accessories • The selfcentering expandable mandrels provide quick and correct alignment to pipe prior to machining operations
- · Simultaneously perform 3 of the following operations - internal bevel, external bevel, j-groove bevel, face off,
- chamfer and counterbore Available with pneumatic motor or high torque electric motor
- Pneumatic motor 800W, 90RPM, 1600L/MIN, 10kg (PRO5PBA)

• Electric motor 1100W, 90 / 300RPM, 11kg (PR05PBE)



TRADEMASTER. **PORTABLE PIPE BEVELLER**

· European made pipe bevelling machine designed for portable use in pipe machining operations • The self-centering expandable mandrels provide quick and correct alignment to pipe prior to machining operations • Simultaneously perform 3 of the following operations - internal bevel, external bevel, j-groove bevel, face off, chamfer and counterbore • Standard pipe machining range 84mm to 269mm I.D. 38mm to 392mm I.D. with optional accessories • Maximum wall thickness up to 20mm • Available with pneumatic motor or high torque electric motor



· Pneumatic motor 1.5KW, 20RPM, 1750 L/MIN, 32kg (PR10PBA)

1495

· Electric motor 1.8KW, 2 speed gearbox 12-28 & 41-96RPM, 36kg (PR10PBE)

\$6995

STATE SPRAY EQUIPMENT

WWW.STARSPRAYGUNS.COM

WELDING CARRIAGES SPRAY GUNS



Star

S770-S SERIES

Nozzle size: 2.0mm • Spray pattern: 260mm • Pot size: 1000ml • Air consumption : 8.83 CFM • Includes : Gun, pot, stainless steel nozzle and needle . A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional • For applications such as automotive spraying Other nozzle sizes available



Trave

GENERAL PURPOSE "SMP" SERIES

Nozzle size: 2.0mm • Spray pattern: 270 - 320mm • Pot size : 1000ml • Air consumption: 11.0 - 13.0 CFM (310 - 365 LPM) • Includes : Gun, pot, stainless steel nozzle and needle • Achieves large fan, premium finishing results, fast application speed and 65% transfer efficiency at 29PSI

· Ideal for car refinishing, high class furniture and industrial use • Other nozzle sizes available (SG-SMP106FS-020)



Star[®]

PROFESSIONAL "EVO T" SERIES

• Nozzle size : 2.0mm • Spray pattern: 230 - 270mm • Pot size 1000ml • Air consumption : 12.0 - 14.0 CFM (340 - 395 LPM) • Includes : Gun, pot, stainless steel nozzle and needle • EVO-T Patented air cap design providing ultra fine finish & excellent transfer efficiency exceeding 72% at 15PSI • Improved ergonomics providing perfect body balance & handling for manoeuverability • Stronger forged body • Other nozzle sizes available (SG-EVO106FS-020)



STEAN.

(S770-31S)

GRAVITY FEED SPRAY GUN

 Nozzle size: 1.4mm • Spray pattern: 250mm • Pot size 600ml • Includes : Gun, pot, stainless steel nozzle and needle • Provides constant paint flow at lower pressures. and extremely fine atomisation for suitable professional applications • Other nozzle sizes available (S106-141G)



GENERAL PURPOSE "SMP" SERIES

pattern: 280 - 330mm • Pot size 600ml • Air consumption 10.5 - 12.5 CFM (300 - 355 LPM) • 65% transfer efficiency • Includes Gun, pot, stainless steel nozzle and



PROFESSIONAL "EVO T" SERIES

 Nozzle size : 1.4mm • Spray pattern: 280 - 285mm • Pot size 600ml • Air consumption

11.5 - 13.5 CFM (325 - 380 LPM) • 72% transfer efficiency • Includes

: Gun, pot, stainless steel nozzle and needle • Other nozzle sizes available (SG-EVO106FG-014)





TRADEMASTER

GECKO FILLET WELDING CARRIAGE

 4 wheel drive with magnetic base allows for vertical welding torch holder mechanism for different types of MIG / MAG torches with diameters of 16 - 22mm • Constant and repeatable travel speed with closed loop stabilization system enables weld bead geometery that is exact to the required specifications

• 240V (WA-GECKO)

• Battery powered (Can be adapted to 240V) (WA-GECKO-18V)





· Programmable welding patterns & parameters such as weld length, distance, reverse fill, crater fill time and more, enabling weld bead geometry that is exact to the required specifications • Continuous and stitch weld capability • Oscillation attachment available

• 4 wheel drive with magnetic base for vertical welding • Accepts MIG / MAG torches with diameters of 16 - 22mm • Closed loop speed control system • 0 - 1200mm/min

horizontal speed (WA-LIZARD)

<u>TRADEMASTER</u>

LIZARD PROGRAMMABLE



TRADEMASTER.

RAIL BULL TRACK MOUNTED FILLET WELDING CARRIAGE

Produce butt and fillet welds with or without oscillation

• Uses rigid or semi-flexible track for use on ferromagnetic and non-ferromagnetic materials • Accepts MIG / MAG torches with diameters of 16 - 22mm • Closed loop speed control system • 0 - 1200mm/min horizontal speed • 5000mm minimum pipe concave or convex radius • Very wide range of tracks & accessories available to customise the machine to the job • Some . components shown in image are sold separately, see website for list of included components: Trademastertools.com (WA-RAILBULL)

TRADEMASTER

RAIL BULL 2 TRACK MOUNTED T **FILLET WELDING CARRIAGE**

· All the features of WA-RAILBULL but with remote pendant control and modular upgrade design • Produces consistent high quality welds and cuts in a fraction of the time required by manual operations • Very wide range of tracks & accessories available to customise the machine to the job . Optional ring tracks allowing use on pipe 200mm OD to 3050mm OD • Optional programmable automatic seam trackers . Some components shown in image are sold separately, see website for list of included components: Trademastertools.com (WA-RAILBULL2)



PUNCH & CHISEL SETS

Centre Punches

Pin Punches: 3/32", 1/8", 5/32", 3/16", 1/4", 3/8" Starting Punches:

• Drift Punches: 1/8", 3/16", 1/4"

Prick Punch: 5/32"

Measuring Tools • Engineers Tools • Machine Tooling

24 PIECE SET

AGREZ

Cold Chisels: 125 x 6mm, 125 x 8mm, 140 x 10mm, 175 x 19mm, 190 x 22mm

^{\$}135

- Centre Punches: 5/64", 5/32", 1/4'
- Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
- Starting Punches: 1/16", 1/8", 5/32", 3/16", 3/16", 1/4", 5/16"

GROZ

26 PIECE SET

• Cold Chisels: 125 x 6mm, 125 x 8mm, 175 x 19mm, 190 x 22mm, 200 x 25mm, 300 x 13mm \$180

(GZ-33004)

GROZ 16 PIECE SET





- Cold Chisels: 125 x 8mm, 150 x 13mm, 163 x 16mm, 175 x 19mm, 200 x 22mm
- Centre Punches: 1/8", 5/32",
- Pin Punches: 1/8", 3/16", 1/4"
- Drift Punches: 3/16", 1/4"
- **Starting Punches**: 1/8", 3/16", 1/4"

(GZ-33002)

STEEL PUNCHES

NUMBER

\$gg

🔷 GROZ

8 PIECE SET GROZ



- Cold Chisels: 150 x 13mm, 163 x 16mm, 175 x 19mm
- Pin Punches: 1/8", 3/16", 1/4"
- Starting Punches: 3/16"

(GZ-33000)

\$//

14 PIECE SET



- Cold Chisels: 140 x 10mm, 150 x 13mm, 163 x 16mm 175 x 19mm, 190 x 22mm
- Centre Punches: 5/32", 1/4"
- Pin Punches: 1/16", 1/8", 3/16"
- Drift Punches: 1/8", 5/32" Starting Punches:

🔿 GROZ

\$89

OCTAGONAL COLD CHISELS

1000	(M)	
Part No.	Dimensions	Price
GZ-32800	125 x 6mm	\$5
GZ-32801	125 x 8mm	\$5
GZ-32802	140 x 10mm	\$6
GZ-32803	150 x 13mm	\$6
GZ-32804	163 x 16mm	\$8
GZ-32805	175 x 19mm	\$10
GZ-32818	200 x 13mm	\$8
GZ-32825	200 x 19mm	\$10
GZ-32826	250 x 19mm	\$11
GZ-32812	300 x 19mm	\$12
GZ-32823	250 x 25mm	\$18
GZ-32814	300 x 25mm	\$22

今 GROZ

STAMPS A	GZ-25902
	GZ-25903
	GZ-25904
(A)	GZ-25905
	GZ-25906
	GZ-25907
	GZ-25908
W	
LETTER 🦃	D 1 N -
LETTER ST	Part No.
	GZ-26102
STAMPS	
	GZ-26102
	GZ-26102 GZ-26103
	GZ-26102 GZ-26103 GZ-26104
	GZ-26102 GZ-26103 GZ-26104 GZ-26105
	GZ-26102 GZ-26103 GZ-26104 GZ-26105 GZ-26106

Part No. Size 3mm 4mm 5mm 6mm 8mm 10mm 12mm \$65 Size Price 3mm \$35 4mm 5mm

6mm \$64 8mm 10mm 12mm

♦ GROZ



PIN PUNCH SET

♦ GROZ

· Hardened and tempered carbon steel • 6 piece set : 2.4mm (3/32"), 3mm (1/8"), 4mm (5/32"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16") (GZ-25612)

CENTRE PUNCH SET

Hardened and tempered carbon

steel, designed for demanding



今 GROZ

^{\$}15

\$52 EXTRA LONG PIN PUNCH SET

• 200mm OAL • 5 piece set : 3mm (1/8"), 5mm (3/16"), 6mm (1/4"), 8mm (5/16"), 9.5mm (3/8") (GZ-25655)

NAIL PUNCH SET

• Hardened and tempered high

(3/8") square head • 3 piece set

0.8mm (1/32"), 1.6mm (1/16"),

grade carbon steel • 9.5mm

2.4mm (3/32") (GZ-25366)

♦ GROZ

OCTAGONAL COLD **CHISELS WITH GRIP**

High quality forged alloy steel

· Available with polypropylene hand quards

Part No.	Dimensions	Price
GZ-32841	250 x 19mm	\$18
GZ-32843	300 x 19mm	\$25
GZ-32842	250 x 25mm	\$19
GZ-32844	300 x 25mm	\$29

🔷 GROZ



\$33

COLD CHISEL SET

• 6 pce • 125x6mm, 125x8mm, 140x10mm, 150x13mm, 163x16mm 175x19mm (GZ-32830)

BRICK BOLSTER

- High quality carbon steel
- · Accurately hardened to BS 3066







Part No.	Blade Width	Price
GZ-32621	75mm	\$36
GZ-32622	100mm	\$38

- specification 52 58 HRC cutting edge



i ditito.	Diado Wiatii	1 1100
GZ-32601	75mm	\$29
GZ-32602	100mm	\$33
DIOK F	OLOTER	`

BRICK BOLSTER WITH GRIP

Part No.	Blade Width	Price
GZ-32621	75mm	\$36
GZ-32622	100mm	\$38

HOLLOW & ARCH PUNCH SETS

For punching round holes in gasket material, leather, rubber, canvas, cardboard, plastic & other soft material.

♦ GROZ

HOLLOW PUNCH SET

• 6 piece set including 5, 6, 8, 10, 11, 12mm (GZ-26391)





ARCH PUNCH SET

• 7 piece set : 6, 10, 12, 16, 19, 22, 25mm (GZ-26441)



industrial use • 5 piece set : 2mm (5/64"), 3mm (1/8"), 4mm (5/32"), 6mm (1/4"), 9.5mm (3/8") (GZ-25205)

FORGED STEEL WELDING CLAMPS



TRADEMASTER



BAR CLAMP & SPREADER

- Durable plastic construction
- Removable rubber pressure pads
- lever • Head can be placed on opposite end to create a spreader

Part No.	Span x Depth	Spreading Capacity	Price
TC-6PT	150 x 85mm	167 - 350mm	\$24
TC-12PT	300 x 85mm	167 - 500mm	\$27
TC-18PT	450 x 85mm	167 - 650mm	\$29
TC-24PT	600 x 85mm	167 - 800mm	\$32

TRADEMASTER.



CAST ALLOY BAR CLAMPS MULTI **FUNCTION**

- Cast alloy construction 400KG clamping pressure • Head can be reversed to create a spreader
- Removable soft pads Spring loaded pressure jaw

Part No.	Span x Depth	Spreading Capacity	Price
EC-TC-6A	150x85mm	170x365mm	\$39.00
EC-TC-12A	300x85mm	170x515mm	\$42.00
EC-TC-18A	450x85mm	170x655mm	\$44.00
EC-TC-24A	600x85mm	170x815mm	\$48.50

TRADEMASTER



FORGED STEEL C CLAMPS

• Hardened Acme spindle • Swivel pad ensures even pressure is applied on angular workpieces • Tempered & hot forged steel • Nickel & chrome plating

Part No.	Span x Depth	Clamping Force	Price
EC-BC4	100x50mm	900kg	\$50.00
EC-BC5	125x65mm	850kg	\$54.50
EC-BC6	150x75mm	1000kg	\$63.00
EC-BC8	200x100mm	1000kg	\$79.00
EC-BC10	250x115mm	1200kg	\$98.00
EC-BC12	300x125mm	1500kg	\$125.00

TRADEMASTER.



DEEP THROAT FORGED STEEL C CLAMPS

• Features as per Forged Steel C Clamp, with increased depth capacity

Part No.	Span x Depth	Clamping Force	Price
EC-UC4	100x160mm	650kg	\$79
EC-UC5	125x200mm	700kg	\$105
EC-UC6	150x250mm	800kg	\$135
EC-UC8	200x350mm	850kg	\$205
EC-UC10	250x400mm	1000ka	\$269

TRADEMASTER



F SCREW CLAMPS

• Malleable cast jaws for strength and durability • Serrated slip resistant profiled rail • Rubber grip handle • Removable soft pads

Part No.	Span x Depth	Price
TC-F200120	200x120mm	\$17
TC-F250120	250x120mm	\$19
TC-F300120	300x120mm	\$19
TC-F500120	500x120mm	\$26
TC-F600120	600x120mm	\$29
TC-F800120	800x120mm	\$30

TRADEMASTER



GENERAL PURPOSE FORGED STEEL **CLAMPS**

 For general purpose clamping applications • Swivel pad ensures even pressure is applied on angular workpieces • Up to 1500mm span

Part No.	Span x Depth	Clamping Force	Price
EC-G16CS	160x80mm	300kg	\$36.00
EC-G20CS	200x100mm	450kg	\$46.00
EC-G25CS	250x120mm	550kg	\$57.50
EC-G30CS	300x140mm	670kg	\$69.90
EC-G40CS	400x175mm	1000kg	\$94.50
EC-G60CS	600x175mm	1000kg	\$108.00
FC-G80CS	800x175mm	1000ka	\$125.00

TRADEMASTER



QUICK ACTION FORGED STEEL CLAMPS

• Ratchet type lever prevents overloading & resists vibration • For high pressure, fast action clamping purposes

Part No.	Span x Depth	Clamping Force	Price
EC-G16L	160x80mm	300kg	\$75
EC-G20L	200x100mm	350kg	\$85
EC-G30L	300x140mm	500kg	\$119
EC-G40L	400x120mm	550kg	\$127
EC-G50L	500x120mm	550kg	\$133

TRADEMASTER



HEAVY DUTY FORGED STEEL CLAMPS

- Larger rail sizes & acme spindle For heavy duty applications • Changeable clamping heads • Socket drive handle
- Up to 1000mm span available

Span x Depth	Clamping Force	Price
300x140mm	1200kg	\$130
400x120mm	1200kg	\$140
500x140mm	1200kg	\$153
600x120mm	1200kg	\$162
	400x120mm 500x140mm	Force 300x140mm 1200kg 400x120mm 1200kg 500x140mm 1200kg

TRADEMASTER



EXTRA HEAVY DUTY FORGED STEEL **CLAMPS**

- Larger rail sizes & acme spindle For heavy duty applications • Changeable clamping heads • Socket drive handle
 • Up to 1500mm span available

Part No.	Span x Depth	Clamping Force	Price
EC-SS30C	300x175mm	2200kg	\$219
EC-SS40C	400x175mm	2200kg	\$235
EC-SS50C	500x175mm	2200kg	\$249
EC-SS60C	600x175mm	2200kg	\$265

TRADEMASTER



PIVOT HANDLE FORGED STEEL **CLAMPS**

 The comfortable pivot handle makes it easier to achieve maximum clamping pressure & allows faster clamping in restricted working areas

Part No.	Span x Depth	Clamping Force	Price
EC-REG20C	200x100mm	670kg	\$55
EC-REG30C	300x140mm	670kg	\$80
EC-REG40C	400x175mm	700kg	\$103
EC-REG60C	600x175mm	700ka	\$119

TRADEMASTER



BEAM FORGED STEEL CLAMPS

• U-Turn design is ideal for clamping H beam when welding • Changeable clamping heads • Socket drive handle

Part No.	Span x Depth	Clamping Force	Price
EC-H30U11	300x140mm	1100kg	\$178
EC-H50U11	500x140mm	1100kg	\$195
EC-H30U15	300x175mm	2200kg	\$299
EC-H40U15	400x175mm	2200kg	\$325
EC-H50U15	500x175mm	2200kg	\$339

TRADEMASTER

CLEARANCE SPECIAL WHILE STOCKS LAST



QUICK GEAR CLAMP

 Quick gear clamping & releasing mechanism • Removable pads • 80mmm depth • 300mm span (TC-QG12)

Regular price \$44



AIR IMPACT WRENCHES

117

MATIC TOOLS

LIGHTER | QUIETER | MORE POWERFUL

WWW.M7TOOLS.COM.AU

M7

\$165

3/8" IMPACT WRENCH

- Butterfly style 0.8KG Weight 92.1DB Noise level • 159mm length • 100Nm (75ft-lb) Max torque • 10mm
- Bolt capacity 2.5 CFM Air consumption (M7-NC3410)

<u>m7</u>

3/8" MINI IMPACT WRENCH

- Lightweight Only 1.5KG! Low noise level Only 85DB! Compact size - Only 115.5mm length!
- Powerful 470Nm (350ft-lb) Max torque! • 13mm Bolt capacity
- 4.4 CFM Air consumption (M7-NC3610Q)

 \mathbf{m}_{7}

\$335

1/2" MINI **IMPACT WRENCH**

- Super Compact 104mm Length
- Powerful 880Nm (650ft-lb) Max Torque! • Lightweight - Only 1.4KG! • 16mm Bolt capacity
- Jumbo hammer type
 4.69 CFM Air consumption (M7-NC4650)



M7

1/2" IMPACT **WRENCH**

- Lightweight Only 1.7KG!
- Powerful 1650Nm (1200ft-lb)
- Max Torque! Value For Money
- High quality & specs 25mm Bolt capacity • 4.8 CFM Air consumption
- Magnesium composite body New patented EZ grease anvil (M7-NC4255QH)
- 1/2" Impact socket set
- 17, 19, 21mm (M7-MA4030, valued at \$49)

M7



1/2" IMPACT **WRENCH**

- Lightweight Only 1.8KG!
- · Compact size Only 141mm length!
- Powerful 1500Nm (1100ft-lb) Max
- torque! 25mm Bolt capacity
- 5.1 CFM Air consumption · Extra heavy duty twin hammer (M7-NC4256Q)



M7

\$585 COMPACT **3/4" IMPACT**

WRENCH

- Lightweight Only 2.68KG!
- Low noise level Only 83DB!
- Powerful 1650Nm (1200ft-
- lb) Max torque! Compact - Only 171mm length • 25mm Bolt capacity • 5.5 CFM Air consumption (M7-NC6236Q)



\$585

COMPACT **3/4" IMPACT** WRENCH

- Lightweight Only 1.9KG!
- Low noise level Only 85DB!
- Powerful 1900Nm (1400ftlb) Max torque! • Compact
- Only 198mm Length 25mm
- Bolt capacity 4.8 CFM Air consumption (M7-NC6255Q)



\$899 SUPER DUTY **3/4" IMPACT** WRENCH

- Lightweight Only 3.0KG!
- Low noise level Only 88DB!
- Powerful 2000Nm (1500ft-
- lb) Max torque! Super Duty Designed for the commercial tyre
- industry 30mm Bolt capacity
- 5.9 CFM Air consumption (M7-NC6266)



M7



\$1379

3/4" IMPACT WRENCH

- 2000Nm (1500ft-lb) Max torque!
 27mm Bolt capacity
- 6.34 CFM Air consumption 320mm Overall length •
- 5.7KG 106dB Sound pressure (M7-NC6218)





• 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world • Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity • 15.9 CFM Air consumption • 370mm Overall length • 100dB Sound pressure • 11KG (M7-NC8382)



1" IMPACT WRENCH

 3650Nm (2710ft-lb) Max torque! • Lightest 2500+ ft-lb impact wrench in the world • Mighty spring in the cylinder increases the air efficiency • 39.7mm Bolt capacity • 15.9 CFM Air consumption • 570mm Overall length • 100dB Sound pressure • 12.5KG (M7-NC8382-8)

AIR ANGLE GRINDERS AIR RATCHET WRENCHES





• 4750Nm (3500ft-lb) Max torque! • 2" (50mm) Bolt capacity • 19.7kg Weight • 104.5 dBA Noise • Available with 8" anvil (M7-NC9223)



\$69

1/2" DRIVE IMPACT SOCKET SET

• 14 Pce • 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26, 27mm (M7-MB44014M)



3/4" DRIVE IMPACT SOCKET SET

• 8 Pce • 26, 27, 29, 30, 32, 33, 35, 36mm (M7-MB64008M)





MINI RATCHET WRENCHES

• Max torque at 5 seconds : 30Nm (22 ft-lb) • Net weight: 0.5kg • Overall length: 125mm





RATCHET WRENCHES

• Max torque at 5 seconds : 80Nm (60 ft-lb) • Net weight : 1.22kg • Overall length : 265mm

M7-NE432 1/2" drive





75MM AIR CORNER CUT OFF TOOL

Cutting wheel

• Free speed: 20000 RPM • Net weight: 0.8kg • Motor : 0.9 HP • Excellent for cutting rusted bolts, nuts, motor exhaust clamps or hangers, sheet metal, fibreglass etc.

M7

EXTRA HEAVY DUTY AIR ANGLE GRINDERS

• Free speed: 11000 RPM • Net weight: 1.81kg • Available with imperial or metric spindle sizes • Safety lever throttle • 1.3 HP motor for stall resistance • Reversible flange suitable for use with thin cut off wheels • One piece housing reduces maintenance costs • Heavy duty air cooled spiral gears and double bearings for durability



Grinding wheel not included

M7

LEVER THROTTLE AIR **ANGLE GRINDERS**

• Free speed : 11000 RPM • Spindle size: 3/8"-24 • Net weight: 1.81kg

• Safety lever throttle • 0.78HP motor for stall resistance

-QB114 mm Diameter Hiti

^{\$}365

Grinding wheel not included



180MM AIR ANGLE GRINDER

- Free speed: 7000 RPM Spindle size: 5/8"-11 Net weight: 3.1kg • Extra heavy duty • Safety lever throttle • 2.2HP motor • Extra quiet 77 dBA (M7-QB197Q)



75MM AIR WET GRINDER

• Free speed: 4500 RPM • Spindle size: 5/8"-11 • Water hose length: 3m • Air hose length: 3m • Net weight: 2.2kg • Valve throttle type (M7-QB603)



50MM MINI AIR ANGLE GRINDER

• Free speed: 19000 RPM • Rated power: 0.4 HP • Net weight : 0.52kg • Mini size, only 160mm length • Comes with sanding pad (M7-QB623)

AIR BLOW GUNS AIR SAND RAMMERS





STRAIGHT NOZZLE **AIR BLOW GUN**

- Air inlet: 1/4" metal fitting Net weight: 0.11kg
- Nozzle length: 100mm (M7-JC405L)



STRAIGHT NOZZLE AIR BLOW **GUN EXTENDED REACH**

- Air inlet: 1/4" metal fitting Net weight: 0.12kg
- Nozzle length : 250mm (M7-JC410L)

M7

zle length : 1016mm weight : 0.34kg

7-JC680 zzle length : 2032mm t weight : 0.64kg

SUPER AIR BLOW GUNS

• Air inlet: 1/4" metal fitting • Durable body



• Capacity: 1L • Net weight: 0.47kg • Suitable for applying degreasant and cleaning agents • Lance with adjustable nozzle with cone (M7-SX3202)



ENGINE CLEANING GUN

• Cup capacity : 1L • Net weight : 0.5kg • Composite body (M7-SX1615)



GRIT BLASTING GUN

• Capacity: 1L • Net weight: 0.57kg • For removing rust, old paint and ingrained dirt etc. • Adjustable nozzle • Hanger hook (M7-SX3101)



- Can be used as blow gun or air vacuum gun Use for suction of dust, wood chips, metal shavings, glass etc. • 6 piece set (M7-WG202)



\$795

SAND RAMMER

• Rubber butt diameter : 40mm • Stroke : 60mm • Length : 337mm • Weight : 2.1kg (B-00A)



SAND RAMMER

- Rubber butt diameter : 70mm Stroke : 120mm
- Length: 1134mm Weight: 9.0kg (F-2)

AIR HYDRAULIC RIVETERS AIR SANDERS & AIR DRILLS



<u>m7</u>

\$249 AIR HYDRAULIC RIVETER

- Traction power: 2303 lbf
- Alloy rivet : 3/16" Steel rivet
- : 3/16" Stainless rivet : 5/32" Stroke length: 16mm Net
- Stroke length: 16mm Net weight: 1.5kg (M7-PA301)



\$559

M7

AIR HYDRAULIC RIVETER

- Traction power : 3534 lbf Alloy rivet : 1/4" Steel rivet : 1/4"
- Stainless rivet : 3/16" Stroke length : 14mm Net weight : 1.8kg (*M7-PA201*)



\$929

M7

AIR HYDRAULIC RIVETER

- Traction power: 3748 lbf
 Alloy rivet: 1/4" Steel rivet: 1/4" Stainless rivet: 1/4"
- Stroke length : 18mm Net weight : 1.75kg (*M7-PA211*)



<u>m7</u>

\$909

AIR HYDRAULIC RIVET NUT TOOL

- Traction power: 3638 lbf
- * Stroke length: 9mm Net weight: 1.5kg Comes with mandrel sizes: M4, M5, M6, M8 & M10 Suitable for use with: Steel M4 M10, Stainless steel M4 M8 (M7-PB2402)





\$95

RIVETER ATTACHMENT

• Nose Piece : 3/32" (2.4mm), 1/8" (3.2mm), 5/32" (4.0mm), 3/16" (4.8mm) • Net Weight : 0.3kg • Hex Shank : 1/4" • For use with 3/8" cordless drills (M7A-PA9048P)



<u>m7</u>

\$145

RIVET NUT ATTACHMENT

Nose Piece: M3, M4, M5, M6
Net Weight: 0.28kg • Hex
Shank: 1/4" • For use with 3/8"
cordless drills • (M7A-PB9006P)



EDTE SOTE

AIR BELT SANDER 10 X 330MM

Free speed: 16000 RPM • Net weight: 0.95kg (M7-0B321)



\$385

AIR BELT SANDER 20 X 520MM

• Free speed : 16000 RPM • Net weight : 1.40g (*M7-QB322*)





\$599

M7

AIR BELT SANDER 30 X 540MM

• Free speed : 13000 RPM • Net weight : 2.40g (M7-QB313)



(M7-QE831)

\$9/10

1/2" AIR DRILL

- Chuck size : 1/2" Free speed : 800 RPM Air requirement : 4.0CFM
- Length : 210mm Sound pressure : 83DB • Net weight : 1.7kg • Quiet operation • Keyless chuck
- Reversible (M7-QE841)





AIR SAW SET

- Stroke length : 10mm Quick change saw blade holder
- 5 piece file set and 12 saw blades are included
- Adjustable guard / guide controls depth of cut precisely
- Air saw tool 6x 24T saw blades 6x 32T saw blades
- Allen key: 4mm, 3mm File set Mini oiler 1/4" (M7-QD291N)



AIR TOOLS & ACCESSORIES





AIR NEEDLE SCALER

- Blows per minute: 5500 BPM Net weight: 1.3kg
- Needle size : 3 x 123mm (12 per set) Overall length : 290mm (M7-SN1288)



CHISEL ATTACHMENT

• For use with M7-SN1288 Air Needle Scaler • Includes nut, chisel and spring (M7A-SN1288CHKIT)





AIR FLUX CHIPPER

• Blow per minute: 4000 BPM • Shank size: Square 0.510" (13mm) • Net weight : 1.33kg (M7-SN1032)





MINI LUBRICATOR

• Thread size: 1/4" • Oil capacity: 8 c.c. • Inline oiler to provide automatic lubrication of the air tool (M7A-SW1214)





\$39.90

LUBRICATION GREASE KIT

• Includes applicator • 100ml (M7-SG101)



AIR TOOL OIL

- · Specially formulated lubricant with anti wear additives • For use in all air tools • High resistance to water contamination
- · Contains no zinc additives
- Light viscosity (ISO 10) for max performance

Part No.	Size	Price
M7-S01005	500ml	\$11.90
M7-S01010	1L	\$17.50
M7-S01050	5L	\$73.50
M7-S01200	20L	\$205.00







AIR SHEAR - STRAIGHT TYPE

• Sheet cut capacity: Aluminium: 1.6mm, Mild steel : 1.2mm, Stainless steel : 1.0mm • Net weight : 1kg (M7-QG102)





AIR NIBBLER

- Sheet cut capacity : Aluminium : 1.6mm, Steel : 1.2mm
- Net weight : 1kg Strengthened punch Pull type cutting head for durability (M7-QG103)

M7

SPRING BALANCERS

• The spring balancers will retract when released and tension will be higher the longer the wire is dragged out. The balancer is equipped with an automatic safety drum lock in

case of spring failure.			b	
Part No.	Capacity	Travel Length	Cable Diamater	Price
M7-SP101	0.3 - 0.85kg	1.6m	2.5mm	\$58.50
M7-SP102	0.6 - 1.5kg	1.6m	2.5mm	\$58.50
M7-SP103	1.0 - 2.0kg	1.6m	2.5mm	\$58.50
M7-SP104	1.5 - 3.0kg	1.5m	3.2mm	\$89.50
M7-SP105	3.0 - 5.0kg	1.5m	3.2mm	\$108.00



AIR HAMMER SET

- Blows per minute: 3200 BPM Shank: Round 10.2mm
- Air hammer (M7-SC211C) 5pcs Chisel kit Spring retainer (M7-SC0517C)



Chisels supplied separately Blade chisel (M7A-SN9201) \$38.90 Point chisel (M7A-SN9203) \$38.90

AIR CHIPPING HAMMER **HEX SHANK**

• Shank size: 0.58" (15mm) • Blows per minute : 2300BPM • Net weight : 7.8kg • Forged steel body provides industrial level quality and durability (M7-SN3222)



AIR BRUSH SET

- 0.2mm nozzle bore 7.0 c.c. colour cup capacity
- · Spray controlled with needle adjustor · Contents: Air brush, Copper cup, Mix bottle, PU air hose 4x1850mm, Pipette, 1/4" Air adaptor, M5x0.4P, Spanner, Storage bottle (M7-SR1101)

AIR GREASE GUNS AIR DIE GRINDERS







Capacity: 450g cartridge or 500g bulk • Working pressure: 40 - 90psi • Output volume: 288ml/min • Net weight: 1.6kg • Bulk & cartridge type • Heavy duty cast aluminium body for maximum durability • Includes 305mm flexible hose (M7-SG501)



\$259 AIR SAUSAGE CAULKING GUN

• Capacity : 600ml sausage • Net weight : 1.21kg (M7-SK1131)



• Net weight : 1.1kg • Ergonomic design for comfortable operation (M7-SK1010)



MINI AIR DIE GRINDER

• Free speed: 25000 RPM • Rated power: 0.3 HP

• Length: 155mm • Net weight: 0.38kg

M7-QA111A Collets : 6mm & 3mm \$110 M7-QA111B Collets: 1/4" & 1/8" \$110



\$145 AIR DIE GRINDER

• Collets: 1/4" & 1/8" • Free speed: 20000 RPM • Rated power: 0.9 HP • Length: 190mm • Net weight: 0.65kg

(CB-SET-03

valued at \$79)

• Heavy duty model (M7-QA211B)

• Die grinder with 6mm collet also available

M7



\$215

EXTENDED AIR DIE GRINDER

• Length : 235mm • Collets : 1/4" & 1/8" • Free speed : 25000 RPM • Rated power : 0.3 HP • Net weight : 0.58kg (M7-QA313B)





\$229

EXTENDED AIR DIE GRINDER

• Length : 280mm • Collets : 1/4" & 1/8" • Free speed : 25000 RPM • Rated power : 0.3 HP • Net weight : 0.63kg (M7-QA315B)





M7-QA151A Collet : 6mm \$515 M7-QA151B Collet: 1/4" \$515

AIR DIE GRINDER

• Free speed : 18000 RPM • Rated power : 0.9 HP

• Net weight : 0.8kg • Extra heavy duty model

• Roll throttle • Side exhaust



90° ANGLE HEAD AIR DIE GRINDER

Collets: 1/4" & 1/8" • Head height: 73mm • Free speed: 19000 RPM • Rated power: 0.3 HP • Net weight: 0.51kg (M7-QA611B)



97° ANGLE HEAD DIE GRINDER

• Head height : 100mm • Free speed : 22000 rpm • Rated power : 0.4 HP • Net weight : 0.5kg • Straight drive air motor in head with no gears to wear • Safety lever throttle



• Blows per minute : 13000 BPM • Net weight : 0.23kg (M7-QA511)



AIR SANDERS



HIGH SPEED MINI AIR SANDER

- Pad diameters : 50mm & 75mm
- Free speed : 18000 RPM Net weight: 0.5kg (M7-QP212)



M7 \$145

RANDOM ORBITAL AIR SANDER

• Pad diameter: 150mm • Orbit: 9.5mm • Free speed: 10000 RPM • Net weight: 0.91kg (M7-QB49602)





\$255

RANDOM ORBITAL AIR SANDER

• Self generated vacuum • Pad diameter : 150mm • Orbit : 5mm • Free speed: 10000 RPM • Net weight: 0.68kg (M7-QB55602)



RANDOM ORBITAL AIR SANDER

• Central vacuum • Pad diameter : 150mm • Orbit : 5mm • Free speed: 10000 RPM • Net weight: 0.78kg (M7-QB54602)



- Self generated vacuum Heavy duty, high output model
- Includes vacuum bag Pad diameter : 150mm Orbit : 5mm • Free speed : 10000 RPM • Net weight : 0.78kg (M7-QB56602)



M7

178MM AIR ANGLE POLISHER

• Free speed: 2500 RPM • Spindle: 5/8" UNC • Net weight: 2.04kg (M7-QP317)



(M7-QB625) • 50mm & 75mm backing pads • 50mm & 75mm #80 - #300 discs (12 pcs) • Spanner wrench

• Oil bottle • Air regulator • Adaptor (M7-QB0618)

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. OFFER VALID TO 31st January 2019

