



See back page for store locations

WWW.TRADESMART.NET.AU

1ST MAY 2020 - 31ST JULY 2020



TAX TIME \$AVING\$

P/N: FF70

FAN FORCED DIESEL SPACE HEATER

P/N: SGMT22210 14 PCE METRIC RING & OPEN END SPANNER SET

WELDING GOGGLES (AUTO DARKENING)

TradeSmart



- Fan forced diesel heater (21KW, 70000 BTU)
- Heating area capacity 160m2 (approx.)
- Fuel tank capacity 19lt.
- Diesel consumption 2.1 LPH (9 hrs)
- Thermostat control for maximum efficiency



Lifetime Warranty

Metric sizes from 6mm to 19mm

Bonus - Imperial sizes from 1/4" to 1"





GREAT BUY!

- MIG / TIG / ARC / PLASMA OXY CUTTING & GRINDING applications.
- Ideal for confined space work / mobile welding.
- Bump cap for head protection. Fire retardant hood for protection.
- Soft Silicone lined goggles for user comfort.
- Detachable mask.
- Comes with its' own carry bag.



WHEN HEAVY DUTY MATTERS!

POWER TOOLS



Nothing but **HEAVY DUTY.**





















POWER TOOLS



















M12 FUEL™ 3/8" STUBBY



M18 FUEL™ 2 PIECE POWER PACK 2A2





*Terms and Conditions apply, see website for details. *Offers valid during the promotional period 1st April 2020 - 30th June 2020. *Online redemption must be claimed by 14th July 2020. *Please allow up to 8 weeks for delivery.

M18

CUTTING/DRILLING

suttontools Tool Deals You NEED



25 Pce Blue or Bright Drill Set + BONUS Shaviv Mango II Deburring Handle

Drill Sizes: 1.0 – 13.0mm × 0.5mm BONUS Shaviv Mango II Handle

The most recommended handle for comfort and control in deburring Deburrs Steel, Aluminium, Copper, Brass, Cast Iron and Plastics.

Blue Drills

\$14900 P/N: D102 SM3MG0 Bright Drills

\$14900 P/N: D101 SM3M60





25 Pce Silver Bullet Metal Drill Set -Metric

■ 1.0 - 13.0mm × 0.5

\$16900 P/N: DIOT MTLSM3







8 Pce Reduced Shank Drill Set

- Precision ground flute, bright cutting edge with blue flute
- 14 25mm x 12.5mm shanks

\$39900 P/N: D188 SM8R





HSS Step Drill

For use in sheet metal, aluminium, plastic and fibreglass. During drilling, the next step deburrs the previously drilled hole.

Size	Steps	ltem #	Price Inc. GST
1/8"-1/2"	13	D504 31313	\$39.95
4-12	5	D504 41205	\$34.95
4-12	9	D504 41209	\$27.95
4-20	9	D504 42009	\$54.95
4-22	10	D504 42210	\$79.00
4-30	14	D504 43014	\$119.00
3/16"-1/2"	6	D504 51306	\$34.95
5-35	13	D504 53513	\$155.00
6-18	7	D504 61807	\$49.95
1/4"-3/4"	9	D504 61909	\$58.95
6-36	11	D504 63611	\$169.00



6 Pce Electrician Heavy Duty Bi-Metal Holesaw Set

Holesaw sizes: 16, 20, 25, 32, 40 & 51mm





11 Pce Maintenance Heavy Duty Bi-Metal Holesaw Set

 Holesaw sizes: 19, 22, 25, 32, 35, 38, 44, 51, 57, 63 & 76mm





10 Pce Easy-Out Screw Extractor Set

- Sizes: #1 #5
- Includes left hand cobalt jobber drills: 2.0, 3.0, 4.0, 5.5, 7.5mm





10 Pce Bolt Extractor Insert Set

- 8, 9, 10, 11 & 12mm inserts suits 14mm wrench
- 13, 14, 15, 16 & 17mm inserts suits 19mm wrench



SHOP SMART - BUY SMART!

CUTTING/DRILLING













FLEXOVIT MEGA-LINE Cut Off Wheel



66253371090 125 x 1.0 x 22.23mn

- · Ultra thin cutting of steel & stainless
- . Fast straight cutting & long life

NORTON MM Diamond Blade



70184602109 125 x 22.23/20.0mm

- · Used on angle grinders
- · For cutting steel, stainless, masonry, aluminium, PVC, tiles and rubber

FLEXOVIT ION CORDLESS UTG DC Grinding Wheel



66253371769 125 x 3.0 x 22.23mm

- · Formulated for cordless angle grinders
- . Offering comfort, stability & precision

NORTON QUANTUM UT Turbo Diamond Blade



70184601303 125 x 1.2 x 22.23mm

Ideal for cutting concrete, masonry, stone, paying

FLEXOVIT MM UTG DC Grinding Wheel



66253371768 125 x 3.0 x 22.23mm

· Premium grade for grinding stainless steel, metal, masonry, aluminium, PVC, tiles and rubber

NORTON ESSENTIAL Turbo Diamond Blade



70184601091 230 x 2.6 x 10 x 25.4/22.2mm

- · Fast and smooth cutting of concrete, slate, bricks,
- · pavers, tiles, plastic pipes, granite etc.



BEAR GRIZZLY Gaffer Tape



63642548168 50mm x 9 metre - Black 63642548169 50mm x 9 metre - Silver

- For use in multiple applications
- · Sticks like...no other

Flexovit, Norton and Bear are registered trademarks of Saint-Gobain Abrasives, Pty. Ltd.

TOOLS









Ideal knife replacement tool featuring quality

stainless steel, giving them a constant sharp

edge and corrosion resistance in industrial

10 PCE IMPACT BIT SET





4 PIECE | MULTI-TOOL BLADE SET



STEP DRILL | 3 PIECE SET

\$5995 BTWSD-SET3



BLACK PANTHER GEN II INDUSTRIAL SNIPS



 Ideal for various applications including: Wire aluminium, sheet metal, carpet, leather, rubber, gardening, food prep, camping and more



LILLITIAX EASYREAD TAPE MEASURE

5M

- Easyread blade printing
- Double sided blade printing
 High impact resistant ABS casing with non-slip grip
 Reinforced 4 rivet dual-hook

CODE	DESCRIPTION	PRICE (inc GS1
TMXE5019	5m x 19mm Metric Easyread	\$9.95
TMXE8025	8m x 25mm Metric Easyread	\$15.95

LILLITION TAPE MEASURE



- Premium rubber grip Double sided blade printing
- High impact resistant ABS casing with non-slip grip Reinforced 4 rivet dual-hook

CODE	DESCRIPTION	PRICE (inc GST)
TMX8025	8m x 25mm Metric	\$15.95
TMX1025	10m x 25mm Metric	\$24.95

A family business built upon TRUST INNOVATION QUALITY & RELIABILITY







HEAVY DUTY
CONTRACTORS BAG
SCMT50005

\$69.00 Great Value!



SIDCHROME 38 PCE METRIC 1/4" DRIVE NANO SOCKET SET SCMT12120

> \$**94**.00 Great value!



68 PCE 3/8"
DRIVE TOOL SET
SCMT13115

\$279^{.00}



24 PCE METRIC/ AF 1/2" DRIVE SOCKET SET SCMT14110

\$139.00 Great Value!



32 PCE MATRIC/ AF 3/8" DRIVE SOCKET SET SCMT13105

\$179.00 Great Values



64 PCE METRIC/AF 1/4", 3/8", 1/2" DRIVE SOCKET SET SCMT19120

\$269^{.00}



SIDCHROME 7 PIECE METRIC 1/2" DRIVE INHEX SOCKET SET SCMT14274

\$**79**.00







14 PCE METRIC RING & OPEN END SPANNER SET SCMT22210 \$129^{.00}



13 PCE AF RING & OPEN END SPANNER SCMT22410

















WWW.TRADESMART.NET.AU

suttontools Tool Deals You NEED





3 Pce HSS **Countersink** Set

- For use in steel, cast iron, brass & aluminium.
- Contains: 8.3, 12.4 & 20.5mm





Outside Micrometer

- Measuring range: 0-25mm
- Graduations: 0.01mm
- Accuracy: ±0.004mm

\$6995

Thread Gauges

- Clamping screws for holding the blades
- Made with precision milled teeth



Description	Blades	Item #	Price Inc. GST
Metric (60°) & Pipe (BSP 55°)	30	268MG0030	\$24.95
Metric (60°) & Whitworth (55°)	52	268MW0052	\$24.95
UNC (60°) 4-64 TPI (22 Blades)	22	268UNC022	\$19.95
UNF (60°) 12-80 TPI (16 Blades)	16	268UNF016	\$18.95



Combination Square 3 in 1

- Size: 300mm
- Mitre square, spirit level, plumb level, 45° level, height gauge, steel rule, straight edge & scriber

\$9900



Auto Centre Punch

- Made from brass
- Spring loaded, no hammer required

\$1995



Engineer Squares

- Made from stainless steel
- Carbon steel handle
- Precision 90°
- 1mm graduations

Size	Item #	Price Inc. GST
100mm Graduated	267SG1004	\$22.95
150mm Graduated	267SG1006	\$32.95
200mm Graduated	267SG1008	\$42.95

LOCKJAW

One Hand **Aluminium Clamp**

Heavy duty design for industrial & professional application. Aluminium alloy clamp body to withstand great clamp pressure. Maximum clamping force up to 350kgs.

Diameter	Item #	Price Inc. GST
150 mm	L110 0150	\$45.95
300 mm	L110 0300	\$49.95
450 mm	L110 0450	\$54.95
600 mm	L110 0600	\$59.95





3 Pce Self-Adjusting Pliers

Contains: 175mm Curved Jaw, 250mm Curved Jaw & 200mm Needle Nose





Cutting Insulated

Insulated to 1000V, these pliers are ideal for electrical tradespeople.





Linesman's Insulated **Pliers**

NSULATED TO 1000V

Insulated to 1000V, these pliers are ideal for electrical tradespeople.

\$6495



EONDHUS

9 Pce Metric **Ball End** L-Wrench

 1.5. 2. 2.5. 3. 4. 5. 6, 8 & 10mm

\$3495





13 Pce Imperial **Ball End** L-Wrench

0.050 - 3/8¹

\$4195



Venom Cutting Lubricants

- Lowest torque required for higher performance
- Reduced friction for extremely high quality surface finish
- Extends tool life

Size	Item #	Price Inc. GST
Fluid 250ml	M800 0250	\$13.95
Paste 400g	M800 0400	\$29.95
Spray 300g*	M800 0300	\$17.95
*Min. order atu 6		

FOLLOW US ON FACEBOOK f

FACEBOOK!COM/TRADESMARTINDUSTRIAL

TOOLS





MADE ΙN JAPAN

HITBTW3

Crowbars

- Heavy duty crowbars suitable for all demolition, carpentry and construction work
- High-quality tool steel with black powder coated finish











Part No.	Edge	Tip	Length m	Weight Kg	PRICE
2731 1500	Curved Edge	Pointed Tip	1.5	7.95	\$165.00
2732 1500	Straight Edge	Pointed Tip	1.5	7.91	\$165.00
2734 1500	Curved Claw Edge	Pointed Tip	1.5	7.92	\$165.00
2735 1500	Straight Edge	Ball Tip	1.5	8.6	\$239.00

Belt Strap Wrenches


Nylon & Nylon Rubber Lined

- Strong woven nylon strap with special coating provides a strong grip even in oily conditions
- Suitable for use on steel, plastic and glass

pipes, PVC	conduit, and tapw	are				
Part No.	Strap Type	Handle Length mm	Belt Length mm	Capacity mm	Price	
HITBTW3	Nylon	300	400	15 - 75	\$59.95	
HITBTW6	Nylon	300	700	15 - 165	\$69.95	
HITBTW14	Nylon	300	1400	15 - 250	\$99.00	
HITBTW3G	Nylon & Rubber	300	400	15 - 75	\$76.95	
HITBTW6G	Nylon & Rubber	300	700	15 - 165	\$99.00	

Ratchet Pipe Cutters

- Easy cutting of PVC and other plastic pipes
- Ratchet shear permits smooth and easy operation
- HITVPC42 includes cutting guide for precise angle cuts







HEX IMPACT SOCKET SET

- 10 Hex Impact Sockets: 5, 6, 7, 8, 9, 10, 12, 14, 17, 19mm











REVERSIBLE GEAR SPANNER SET

• 8 METRIC 8 - 19mm







FOLLOW US ON FACEBOOK

FACEBOOK.COM/TRADESMARTINDUSTRIAL **WORKSHOP**







PROFESSIONAL HEAVY DUTY HACKSAW FRAME 300MM (12")

- GREAT VALUE
- High blade tension for accurate and exact kerf Can be used as a compass saw Alternative 55° blade mounting for flush cutting



4 PIECE REVERSIBLE RATCHET SPANNER SET Sizes in set 8, 9, 10, 11mm / 12, 13, 14, 15mm / 16, 17, 18, 19mm / 21, 22, 24,

\$129⁰⁰



SCREWDRIVER SET *PN: B219.005* 3 x Slotted - 3.0 x 75, 4.0 x 100, 5.5 x 125, 2x Phillips PH1 x 100, PH2 x 125 -BahcoFit

component handle • High performance

\$34⁹⁵ GREAT VALUE

3 PIECE ADJUSTABLE WRENCH SET PN: ADJUST 3-90

GREAT VALUE

YOUR NUMBER ONE CHOICE FOR WHEELS. CASTORS. AND MORE!



7 kVA 200 AMP WELDER GENERATOR

Honda GX390 engine • 200 Amp welder • 60%

duty cycle • 12 & 24V battery charger

600 X 450MM RUBBER DECK FURNITURE DOLLIE

Slip-resistant rubber deck . Rehound rubber wheels

\$8500 INC GST

HONDA DGWGH7S-2



700 X 500MM RUBBER DECK FURNITURE DOLLIE

· Slip-resistant rubber deck · Rebound rubber wheels



SAFETY STEP

YAMAHA 2.4 kVA INVERTER GENERATOR Safe for sensitive electronics • Independent fuel tap & fuel gauge • Silent operation • 4 years warranty

• 505 x 505 x 365mm dimensions

FF2400iS

250kg safe working load

\$7900 INC 65T P/N: SSR002

ROLLING SAFETY STEP INSERT

Spring loaded castors safely retract when weight is applied

\$3295 INC GST P/N: SSROO3



PRAM HANDLE TROLLEY WITH **PNEUMATIC** WHEELS

- Easy rolling
- 1300 x 540mm frame size

\$209 INC P/N: PRR125

PRAM HANDLE TROLLEY WITH **PUNCTURE PROOF**

- No more flats! Puncture proof whee prevent flat tyres
- 200kg capacity

\$219 INC

STANDARD YELLOW PALLET JACK

- 85mm min and 200mm max fork height
- · Easy access entry and exit rollers

P/N: PJROO1Y

- Strong, reinforced steel construction
- 680mm overall



2500KG SAFE **WORKING LOAD**

HIGH QUALITY HYDRAULICS

215MM STEEL CENTRE **PUNCTURE PROOF WHEEL**

- 55mm Tyre Width
- 2.50-4 Tyre Size
- 3/4" Axle

\$3595 INC GST P/N: PF8881-75



255MM STEEL CENTRE PUNCTURE PROOF WHEEL

- 83mm Tyre Width
- 4.10/3.50-4 Tyre Size
- 3/4" Axle





PUNCTURE PROOF WHEEL

- 93mm Tyre Width
- 4.00-8 Tyre Size
- 1" Axle







H







HOT DEALS | PRODUCT LAUNCHES | INDUSTRY UPDATES | HELPFUL HINTS

SAFETY

PARAMOUNT SAFETY PRODUCTS



PRATT

MEĐIO



9903 SAFETY GLASSES

- Medium Impact rated
- 99.9% UV protection for outdoor wear
- Anti-scratch lens coating



- Excellent protection in cold weather
- THERMOGRIP GLOVES & LINER Sand grip provides superior gripping power
- Sizes: 8, 9, 10, 11



FLAMMABLE LIQUID STORAGE **CABINET - 250L**

- Double walled 1.2mm galvanised steel
- 2 x sequential self closing doors



ZEOLITE FLOOR SWEEP - 15L

- All natural heat sterilised mineral
- Absorbs immediately on contact
- De-dusted to reduce surface bogging



7008

TYPHOON SAFETY GLASSES

- Medium Impact rated
- 99.9% UV protection for outdoor wear
- Anti-fog & anti-scratch lens coating



HHV92R-FO

V9 VENTED TYPE 2 HARD HAT

- Type 2 high temperature polycarbonate
- 6 point 25mm webbing ratchet harness Fits all head sizes: 53cm - 66cm



X-5512PSPH

CORROSIVE POLYETHYLENE STORAGE CABINET - 20L

- 19mm polypropylene plastic panels
- Small bench top design



FAMKS

INCIDENT READY KIT SOFT PACK

5 individually packed modules: Burns, Eye, Haemorrhage, Minor Wounds, Outdoor/ Snake/Spider



WT5LIN-(SIZE)

TAEKI5 LINER GLOVES

- High contact heat protection up to 250°C
- Stretchable & breathable material
- Sizes: 8, 9, 10, 11



LSO

LEADSAFE

Designed to keep leads, cables & electrical cords away from danger zones while you are using them

CLEANING

SLIPPERY WHEN WET

FSPYSWW



SE607

COMBO SHOWER - TRIPLE NOZZLE EYE & FACE WASH WITH BOWL & FOOT TREADLE



BP25B

2L HYDRATION BACKPACK

- Velcro tabbed protective cover
- 3 waterproof zip pockets
- Neoprene insulated hydration tube



BP25Y

3L HYDRATION BACKPACK

- Velcro tabbed protective cover
- Fully adjustable straps
- Neoprene insulated hydration tube



CGL41NSB-(SIZE)

RIGGAMATE COW SPLIT BACK GLOVES

- Premium cow grain leather palm
- Outstanding durability & comfort Sizes: S, M, L, XL, 2XL

FLOOR STANDS

A-frame self-standing

\$1295

GREAT VALUE!

FSPYCIP

Folds flat for easy storage 600mm high x 300mm wide

SAFETY

TAX TIME SAVINGS

PREMIUM HAND PROTECTION



Contego 🤝

PREMIUM EYEWEAR

NINJA HPT GRIPX GLOVES

Black Code: NIGRPXHPTBK

- Flouro Yellow Code: NIGRPXHPTFY
- Sizes XS-2XI
- Provides superior grip in wet & oily environments



NINJA HPT ICE COLD RESISTANT GLOVES

Black Code: NIICEFRZRBK Flouro Yellow Code: NIICEFRZRFY

- Sizes S-2XL
- Provides superior grip and dexterity in cold, wet & oily conditions







extra protection from impact & vibration

Extra

thumb crotch

MULTI-PURPOSE GLOVES Black Code: COVDEXMEKBK

CONTEGO VERSADEX

Grey Code: COVDEXMEKGY

- Sizes S-2XL
- Great tactility, water resistance & comfort
- Ideal for general handling



MACK **B-DOUBLE POLARISED** SAFETY GLASSES

- Smoke Lens Code: MKBDOUBLESM0000
- UV and glare resistant
- · Medium impact and scratch resistant



\$34⁹⁵

GRIPPAZ DISPOSABLE GLOVES

Black Code: GZGLVSKNSBK Orange Code: GZGLVSKNSOO

- Sizes: M-2XL
- Extra tough, latex & silicone free
- Provides excellent grip



MACK **DUO SAFETY GLASSES**

- Clear Lens Code: MKDUOSPECCR0000
- Smoke Lens Code: MKDUOSPECSM0000
- UV & medium impact resistant
 - Padded side arms and adjustable nose pads



FRONTIER TAKT NITRILE **FOAM GLOVES**

Code: FRMICRFMNBK

- Sizes S-2XL
- · Seamless nylon shell for enhanced movement
- · Excellent wet & dry grip



FRONTIER IGUANA CUT 5 NITRILE GLOVES

Black Code: FRIGUANC5BK

Flouro Yellow Code: FRIGUANC5FL

- Cut 5 protection & PU coat for excellent grip
- · Seamless shell for enhanced dexterity



FRONTIER CLARITY SAFETY **GOGGLE - CLEAR**

Code: FRCLARGGLCR0000

- · Chemical splash resistant
- Anti-fog & anti-scratch coatings
- Medium impact rated



FRONTIER VISION X SAFETY **GLASSES**

Clear Lens Code: FRVISXSPCCR0000

Smoke Lens Code: FRVISXSPCSM0000

- Ultra lightweight tough polycarbonate frame
- · Anti-fog & anti-scratch lenses



FRONTIER CLASS 5 OVERHEAD **EARMUFFS - 30dB YELLOW**

Code: FREARMUFFYY00C5

- · High quality robust protection
- · High noise use SPECIAL PRICE

FRONTIER CLASS 5 **UNCORDED FOAM EAR PLUGS**

Code: FREARPLUGYYOC5R

- Retail Pack / 10 pairsSoft PU memory foam





FRONTIER P2 DISPOSABLE **FACE MASKS**

Code: FRRESPCUP0000P2

- · Industrial grade & lightweight
- · No staples in bands



FRONTIER P2 DISPOSABLE **FACE MASKS - WITH VALVE**

Code: FRRESPCUP000P2V

- · Industrial grade with vent
- · No staples in bands



SHOP SMART - BUY SMART

CHEM/CASTORS

RICHMOND WHEEL & CASTOR CO

200 SERIES CASTORS

Perfect for all manner of light to medium duty applications

80mm Nylon Wheel Castors

WHEEL DIAMETER:

LOAD 995 CAPACITY: INC GST 125kg P/N: R3601







100mm Nylon Wheel Castors

WHEEL DIAMETER:

LOAD CAPACITY: 200kg



\$2395 INC GST



\$2995 INC GST

HEAVY INDUSTRIAL CASTORS

High capacity castors designed to handle all kinds of heavy duty applications

100mm Poly Tyred Cast Iron Castors

WHEEL DIAMETER: 100mm

> LOAD CAPACITY: 250kg



32⁹⁵ INC GST



3495 INC GST

P/N: \$4400



INC GST P/N: \$4400SLB

150mm Poly Tyred Cast Iron Castors

WHEEL DIAMETER: 150mm

> LOAD CAPACITY: 250kg



95





\$5195 INC GST P/N: S6655SLB

HICHEM ETCH PRIMER



400g Aerosols

HiChem

\$12.95 SEP1 \$24.95 SEPB1 \$24.95 \$79.00 SEPB4 \$79.00

\$12.95

HICHEM STRUCTURAL PRIMER Code



400g Aerosols

HICHEM ENAMEL THINNER

4 Litres	4 lt	E4	524.95
1 Litros			324.93
T LIUCS	20 lt	E20	\$99
Hichen	MMER	HiC	hem

MOTOSPRAY RUST CONVERTER





Motospray Super Glow

Size	Code	Price
4 lt	SG4	\$24.95
20 lt	SG20	\$99

RUST-OLEUM MOTOSPRAY

RUST-OLEUM



WD-40 MULTI-USE PRODUCT **TWIN TRADE PACK 425G** Part No: 61564

When you need to use a lot of WD-40

or work in a trade sometimes one can just isn't enough. That's why WD-40 is available in a twin pack! Cleans & protects chrome

Lubricates chains on machines Penetrates stuck metal parts Releases rusted parts

\$1595 GREAT VALUE!

WD-40 SPRAY APPLICATOR Part No: 61000 \$695

Refillable spout Child safety lock restraints Two ways to spray: stream

GREAT VALUE!

MULTI-USE PRODUCT



WD-40 SPECIALIST SILICONE LUBRICANT Part No: 21001

Prevents parts from sticking Waterproofs & protects against moisture For use on metal, plastic, rubber & wood



WD-40

D-40 MULTI-USE PRODUCT



20 LITRE, P/N: 45020

Designed for use with the WD-40 spray applicator.

\$3695

sometimes a can just isn't enough. That's why WD-40 is available in a bulk liquid varieties.

 Soak parts to clean parts without disassembly. Lubricates and protects industrial equipment. · Cleans and removes residue from moulds.

4 LITRE, P/N: 45040

WD-40




GIFT CARDS AVAILABLE IN SELECTED STORES

CHEMICALS







TAX TIME SAVINGS

LIFTING/RIGGING

BEAVER LIFTING & RIGGING

BEAVER

BEAVER 1T ROUND LIFTING SLING - 1000kg x 2m

Code: MRS1000X2

· High strength, lightweight & easy to use. Manufactured to AS4497.1.1



Also Available

MRS1000X1 MRS1000X3 MRS1000X4

SPECIAL PRICE

BEAVER 2T ROUND LIFTING SLINGS - 2000kg x 1m

Code: MRS2000X1

High strength, lightweight & easy to use. Manufactured to AS4497.1.1



SPECIAL PRICE

Also Available MRS2000X2 MRS2000X3 MRS2000X4

BEAVER 3T ROUND LIFTING SLINGS - 3000kg x 1m

Code: MRS3000X1

• High strength, lightweight & easy to use. Manufactured to AS4497.1.1



SPECIAL PRICE

Also Available MRS3000X2 MRS3000X3 MRS3000X4

BEAVER 3S LEVER BLOCK -250kg x 1.5m Aluminium Gunmetal

Code: 506025

· Heavy duty steel casing

· High quality Grade 80 chain, fitted with guides stop load jumping



Also Available

506050 506080 506160 506320 500kg x 1.5m Al-Gunmetal 800kg x 1.5m White 1.6T x 1.5m - Violet 3.2T x 1.5m - Yellow

BEAVER 1T FLAT LIFTING

SLING - 1000kg x 2m

Code: FS-2-1000X2

• High strength, extremely lightweight all purpose sling. Manufactured to AS1353.1



\$995

Also Available FS-2-1000X1 FS-2-1000X3 FS-2-1000X4

1000kg x 1m 1000kg x 3m 1000kg x 4m

SPECIAL PRICE

Also Available FS-2-2000X2 FS-2-2000X3 FS-2-2000X4

2000kg x 2m 2000kg x 3m 2000kg x 4m

BEAVER 2T FLAT LIFTING SLINGS - 2000kg x 1m

Code: FS-2-2000X1

• High strength, extremely lightweight all purpose sling. Manufactured to AS1353.1



\$895 SPECIAL PRICE

BEAVER 3T FLAT LIFTING SLINGS - 3000kg X 1m

Code: FS-2-3000X1

 High strength, extremely lightweight all purpose sling. Manufactured to AS1353.1



BEAVER 3S INDUSTRIAL CHAIN BLOCKS - 500kg x 3m

Code: 503053

· Heavy duty casing & grade 80 chain

· Superior braking systems



Also Available

503103 503203 1T x 3m - Violet 2T x 3m - Green 3T x 3m - Yellow



BEAVER

BEAVER HAND RATCHET & STRAP - 50mm x 9m

Code: RTD055PL

- LC: 2500kg
- With double pawl action safety locking system
- · Heavy duty webbing and reinforced eyes



RTD055PL-12 50mm x 12m - LC 2500kg \$34.95

MACK CARPENTER ZIP

Code: MKCARPENTHHF

Heat (150°C), water

Steel toe cap

SAFETY BOOTS - HONEY

Sizes: 6-14, Half Sizes 6.5-10.5

BEAVER HAND RATCHET & STRAP - 25mm x 5m

Code: 349025RB

- LC: 500kg
- Includes 2 protective sleeves



349035RB 35mm x 6m - LC 1500kg

BEAVER GRADE 70 TRANSPORT CHAIN KITS - 9m

Code: 145128

- LC: 3800kg
- High tensile strength chain
- · Fitted with grab hooks



HEIGHT SAFETY

BEAVER RATCHET **LOADBINDERS WITH GRAB HOOKS - 8mm**

Code: 344008

LC: 9000kgs · With eye grab hooks



Also Available 10mm LC: 9T 13mm LC: 9T



B-Safe

PREMIUM FOOTWEA

- Sizes: 4-16, Half Sizes 5.5-11.5
- Steel toe cap
- Heat (150°C), water & slip resistant \$8900 SPECIAL PRICE

B-SAFE FALL ARREST HARNESS

Code: BH01120

Lightweight & comfortable

With front & rear attachment points



B-SAFE FALL ARREST HARNESS WITH LANYARD & WAIST STRAP

Code: BH01151

Lightweight & comfortable

2m shock absorbing lanyard, front & rear attachments







& slip resistant SPECIAL PRICE

MACK TRADESMAN SAFETY BOOTS - BLACK

Code: MKOTRADESBBF

\$11900

LE DEAL macnaught MACVALUABL







Battery Operated Pump Starter Kit 20L

BP20S-OLA

- Includes Powerhead (BP20-PH), 1X Battery (BPB-20AH) & Charger (BPC-A)
- On demand flow control
- Lubricant range SAE 0W40 to 75W90
- Adaptors to suit most 20L drums
- Drum size Nominal 15-25L
- Delivery rate Up to 3.5L/min
- Battery 18V 2.0Ah Li-Ion 1hr fast charge











BP20X-ALA

- ATF pump stem, nozzle & 1.5m hose included
- Delivery rate Up to 4.5L/min











Retracta R3 Oxy/Acet reel

OA215B-04

- Hose Size 5mm twin hose x 15m
- Hose Type Oxy/Acet
- Inlet/Outlet Gas Thread/ Gas Thread
- Pressure Rating 175 psi
- Hose Material Reinforced Rubber (AS1335)







Retracta R3 Hot Wash reel

HW420R-01

- Hose Size 1/2"x 20m
- Hose Type Hot Water
- Inlet/Outlet 1/2"/1/2" BSP
- Pressure Rating 150 psi
- Hose Material HT chem resistant PVC







POWERLUBE® Greasing System

P3-01C

- Compatible with 20kg (or similar size) pails
- 50:1 air-operated grease pump
- High Output: up to 460g/min free flow
- Max pump output pressure: 7,500psi (51,700kPa)





MAOP20

- Suitable for oils up to SAE140 / ISO680 viscosity
- Used for engine, gear, transmission, hydraulic oils and pre-mixed engine coolants
- Delivers up to 75ml per stroke, viscosity dependant





• Delivery pressure up to 10,000psi (68,900kPa)

450G Grease Gun

- Flexible 230mm (9") high pressure extension hose
- Up to 0.68g per shot
- Maximum viscosity Up to NLGI 2

\$1,49900





240V Diesel Mini

Bowser 60L

AMB60L

- Suitable for Diesel use only
- Flow rate up to 60LPM
- Inlet/Outlet: 1" BSP(F)
- 30-minute duty cycle
- Built-in nozzle holder with on/ off switch





AFP12M

- Manual nozzle
- Flow rate up to 40LPM
- Suitable for diesel use only
- 12V or 24V options available
- 30min duty cycle
- Inlet and Outlet: 3/4"BSP (F)





AFP12A

- Automatic nozzle
- Flow rate up to 40LPM
- Suitable for diesel use only
- 12V or 24V options available
- 30min duty cycle
- Inlet and Outlet: 3/4"BSP (F)

lubemate 7







L-BLPH-KIT

- Flow rate up to 100LPM
- Suitable for diesel, kerosene and light viscosity oils up to SAE30
- Fits 60 205L containers
- Bonus Macnaught HA-01 Fuel Filter









L-OE6PM

- Capacity 6 Litres
- Max Temp 100°C
- Working Pressure 90psi
- Air Inlet Size 1/4" NPT
- Includes: 3 Tubes

Prices inclusive of GST. Stock Subject to availability. Warranty subject to Macnaught Terms & Conditions. ©Macnaught Pty Ltd, 2020.






























501A **ROTARY ACTION DRUM PUMP**

- Suitable for the transfer of diese petrols, kerosene, lube oil and machine oil
- · Delivery rates of 18L/min or 0.26L per rotation
- 2" BSP bung adaptor
- · Anti static fuel hose
- Length: 1,300mm Delivery tube:
- 31.8mm (1") 0D Hose: 19.05mm
- (3/4") ID x 2.2m Includes 2.2m of farm tank hose, bung adaptor, rubber gasket, a four chamber rotor assembly, spout and spout holster

\$179.00 GREAT VALUE!

801A

STAINLESS STEEL **ROTARY DRUM PUMP**

- Rotary action facilitates quick and effortless fluid transfer
- 2" standard BSPT bung adaptor Suitable for 60L or 205L drums
- . Flow rates of up to 18L/min or 0.3L per rotation
- · Wetted parts of 304 stainless steel, Teflon and Ryton® rotor
- Effortless rotary action operation
- · Suitable for the transfer of ammonia, ethyl acetate, methyl acetate, AdBlue® and nitric acid up to a 50% concentration



G10020N

ALEMLUBE EL SERIES LEVER ACTION GREASE GUN

- Grease pressures of up to 8,000psi (552bar)
- Delivery rates of up to 0.95g per stroke
- Robust die cast head assembly
- Ideal for seasonal or intermittent use
- Heavy duty 4 jaw coupler



GREAT VALUE



424170

SAMOA 20KG GREASE KIT

- . Delivery rates of up to 0.9kg/min
- 55:1 ratio air motor develops grease pressures of up to 7,950psi (548bar)
- · Supplied with a 4m long hose assembly enabling quicker and easier greasing of your plant and equipment
- Will handle high density, tacky greases up to NLGI2
- Easily adjustable bung adaptor enables the kit to be used on a variety of drum sizes and types

.2**79**.00 REAT VALUE!

51039

AUTOMATIC DIESEL NOZZLE

- · Automatically cuts off when a fuel tank is full
- · Can operate with flow rates of up to 120L/min
- 1" RSPT swivel included
- Suitable for applications involving an electric diesel transfer pump



\$309.00 GREAT VALUE!

600A

LEVER ACTION GREASE GUN

- Grease pressures of up to 12,000psi (828bar)
- Delivers up to 1.6g of grease per stroke
- 450g capacity
- Suitable for all grease grades up to NLGI3
- Bulk filling capacity of 500g
- Ever-Flow System enables the use of thick/tacky greases
- 4 jaw coupler & rigid extension
- Large diameter piston with a long lever travel facilitates high volume greasing



GREAT VALUE!

80N2

ADBLUE® TRANSFER ROTARY DRUM PUMP

- Flow rates of 380ml per rotation or up to 38L/min
- · 3-piece downtube suits 20L, 60L and 205L drums Stainless steel, polypropylene with 30%
- fibreglass construction
- Operating temperature from -5°C to +45°C
- 2.5m clear delivery hose complete with stainless steel spout
- Trisure and Mauser drum bung adaptors included
- · Also suitable for dispensing water and antifreeze



HR40030

ALEMLUBE EL SERIES AIR HOSE REEL

- Supplied complete with 20m x 10mm ID PVC hose and 0.9m lead in hose
- Max working pressure of 300psi (20bar)
- 3/8" BSPT inlet/outlet
- Increase safety by reducing rewind speed by up to 80%
- Convenient carry handle facilitates portable use
- Can be wall or ceiling mounted

Also available:

HR40040 as above but with 15m x 12mm ID PVC hose \$199



SJ-300-001

2 DRUM WORKFLOOR & SPILL CONTAINER

- Flexible workfloor system ideal for liquid storage and frequent dispensing
- 100% UV resistant recyclable polyethylene construction
- Excellent chemical resistance
- Sump capacity of 120L
- Dimensions of 800mm (L) x 1,600mm (W) x 150mm (H)
- Weight of 24kg

as above but for 4 Drum \$1.199



alemlube.com.au



*Applies to the vast majority of Alemlube products unless indicated otherwise

WIDE RANGE OF TRAILER PARTS INSTORE





HOT DEALS STOREWIDE!



2500 Twin Tank

- Free Air Delivery: 154 LPM2.5HP Electric motor 10AMP
- 18 Litre Air Receiver Max PSI: 145
- · Warranty: 1 year total unit



Peerless Black 14000 Electric

- Free Air Delivery: 220 LPM
 2.5HP Electric motor 10AMP
- 50 Litre Air Receiver Max PSI: 145
- · Warranty: 1 year total unit



Peerless Black 2500 Direct Drive

- Free Air Delivery: 154 LPM2.5HP Electric motor 10AMP
- 30 Litre Air Receiver Max PSI: 145
- · Warranty: 1 year total unit



17000 Petrol

- Free Air Delivery: 320 LPMGX200 Honda Motor
- 9 Litre Air Reciever Max PSI: 145
- · Warranty: 1 year pump, 3 year Honda





PHP15 Fat Bov High Pressure

- Free Air Delivery @ 150PSI: 300LPM
- 3.5HP Single Phase motor 15AMP
- 110L air receiver
- · Perfect for truck tyre inflation!
- · Warranty: 5 year pump, 1 year motor



10HP Variable Speed Screw Compressor

- Free Air Delivery @ 116PSI: 1000LPM
- 10HP Variable speed motor 415V
- 136L Twin air receiverOnly 1050MM x 700MM x 1360MM
- Schneider electrical components
- · Warranty: 1 year full industrial warranty
- UPGRADE YOUR WORKSHOP AIR COMPRESSOR
- SAVE MONEY & POWER WITH VARIABLE SPEED TECHNOLOGY
- **GREATER AIR EFFICIENCY ON DEMAND WHEN REQUIRED**





AIR COMPRESSOR

- Filter / regulator
- 348 Lt/min Displacement
- 238 Lt/min F.A.D.
- 2 Cylinder cast-iron pump
- 1.65kW / 2.2HP TECO motor
- **240V, 10Amp**
- 60 litre tank

AIR COMPRESSOR

- Filter / regulator 453 Lt/min Displacement
- 328 Lt/min F.A.D.
- 3 Cylinder cast-iron pump
- 2.2kW / 3.0HP TECO motor
- **240V, 15Amp**
- 60 litre tank



MILLAN



HIGH

PRESSURE



C1CL-HP

AIR COMPRESSOR

- High pressure 160p.s.i.
- Filter / regulator
- 410 Lt/min Displacement
- 328 Lt/min F.A.D.
- 2.2kW / 3HP, 240V TECO motor
- 125 litre tank
- Forklift feet
- Ideal for truck tyres



AFP38



Powered By HONDA

- 518 LT/min Displacement
- 400 LT/min F.A.D.
- Auto Idle control
- 60 Lt tank
- 10" Pneumatic wheels
- Removable handle







- Solenoid controlled
- Adjustable timer
- Protective strainer
- 3m lead







WHEN HEAVY DUTY MATTERS!

WORKSHOP



ITM WORKSHOP TOOLS & MACHINERY



MAGNETIC BASE DRILL

Quality, Compact & Robust European Made Machine Lightweight, only 10kg! Ideal for onsite & overhead tasks • Capacity (diameter) 35mm • Capacity (depth)

52mm • Gravity feed coolant system with magnetically attached bottle • Comes complete in plastic carry



(\$**999**.00

Multitool

\$**479**.00 GREAT VALUE

PO362-200



200MM BENCH GRINDER WITH MULTITOOL BELT ATTACHMENT

 Powerful 600W induction motor • Capacitor start for maximum performance • 915mm x 50mm belt • 178mm disc • 25mm wide grinding wheel • Durable cast iron body . Heavy duty tool rest

Also available: 250mm 900w bench grinder with 1220 x 50mm attachment (PO482-250) \$899



PO362

915 X 50MM BELT & DISC **GRINDING ATTACHMENT**

• Suits most bench grinders • Ideal for sharpening, sanding, polishing & more • 178mm sanding disc Also available: 1220 x 50mm attachment (PO482) \$499



PURPOSE FORGED STEEL CLAMPS

• For general purpose clamping applications . Swivel pad

Span x Depth	Clamping Force	Part No.	Price	
160x80mm	300kg	EC-G16CS	\$34.95	
200x100mm	450kg	EC-G20CS	\$44.95	
250x120mm	550kg	EC-G25CS	\$55.00	
300x140mm	670kg	EC-G30CS	\$69.00	
400x175mm	1000kg	EC-G40CS	\$89.00	
600x175mm	1000kg	EC-G60CS	\$108.00	
800x175mm	1000kg	EC-G80CS	\$125.00	



MULTI-PURPOSE BENCH VICE

Jaw width: 135mmJaw opening: 135mmPipe holding capacity : 25mm - 65mm • 18.5kg • Hardened & tempered jaws • 360° Rotation with safety locking nuts • 360° Swivel base • Hardened anvil



Length	Part No.	Price
750mm	TM601-075	\$129
900mm	TM601-090	\$179
1050mm	TM601-105	\$229

EXTRA HEAVY DUTY **BOLT CUTTERS**

- Optimal performance for cutting high tensile material Two stage heat treated, precision machined jaws for
- extended cutting and resilience Adjustable arms
- Solid forged steel handles for durability
 Built in stops





DRILL DOCTOR XP DRILL BIT SHARPENER

 2.5mm to 13mm drill bit capacity • Creates & sharpens split point bits • 118° sharpening angle Adjustable relief angle • 240V motor • 3 year warranty

HIGH-FLEX AIR HOSES Hybrid polymer High-Flex hose • Anti-kink technology, the hose will not kink when under pressure • Superior all

ITM|AIR

weather flexibility -5°C to 65°C • 300PSI maximum working pressure • Hi-visibility for safety

working procedure	i ii violollity	ioi caicty	
Description	Fitting	Part No.	Price
15M 3/8" I.D.	1/4" BSP	TM300-315	\$49
30M 3/8" LD	1/4" RSP	TM300-330	\$79



Air consumption • Magnesium composite body



AIR NEEDLE SCALER

Blows per minute: 5500 BPM • Net weight: 1.3kg

• Needle size : 3 x 123mm (12 per set) • Overall length: 290mm

14	
HIGH	
HIGH-FLEX AIR HOSES - BULK - No fittings or collar	

No fittings or co

•		
Description	Part No.	Price
100M 3/8" I.D.	TM300-3100	\$300
100M 1/2" I.D.	TM300-4100	\$400
100M 3/4" I.D.	TM300-5100	\$650

HEATING/VENTILATION

WALL & PEDESTAL RADIANT HEATER



PRICED FROM.

240V 3 Pin 10A Plug 650/1350/2000W

3 heat settings

Pull cord switch to turn on

Will heat up to 12m²

DESC. PART NO. **INC GST** ICH2W WALL MOUNT \$89.00 ICH2P PEDESTAL \$119.00

ELECTRIC SPACE HEATER



2400W 240v 3 Pin 10A Plug

Suitable for heating or drying

Heats up to 12m²

Adjustable heat & fan settings

Lightweight & portable

INDIRECT FIRED DIESEL **FAN HEATERS** PART NO. MOTOR

NEW PRODUCTS





INDUSTRIAL PORTABLE

FUME COLLECTORS

Welding fumes - fine metal particles produced through welding that can be breathed in - have been classified as carcinogenic. This means employers in mining and other industries where welding takes place must make sure workers are protected, for example by installing welding fume extractors.

PRICED FROM...

50KW 240V 3 Pin 10A Plug

20KW

Diesel or Kerosene

Airflow 166L/s (20kW) 555L/s (50kW)

G-30 Note: Section 1.30 HEPA Filters for Air Purifcation

Portable with castors & brake function

Purification of welding & grinding fumes & dust

VOLTAGE

415V/50HZ

Fume arm 360° rotation

MOTOR

0.75KW

1.5KW

INDUSTRIAL WALL LOUVRED FAN

240V Hardwired Airflow 5000L/s Internal gravity louvres Exhaust or supplies air

Capable of heating up to 200m² (20kW)

& 500m² (50kW)

IDH2-20IN

IDH2-50IN

IPFC-30

PART NO

IPFC-075

\$99900 GREAT VALUE!

PORTABLE ELECTRIC RADIANT HEATER





- Pedestal or wall mounted
- Radiant Quartz Lamp
- Fully adjustable thermostat
- Safety cut off switch

PERH2400



INDUSTRIAL LPG FAN HEATER

20kW 240v 3 Pin 10A Plug


Airflow 139L/s

Portable & Lightweight

Low Gas Consumption

INDUSTRIAL DIESEL RADIANT HEATER 40KW

GREAT VALUE!



- Adjustable temperature
- Diesel or Kerosene
- 38L tank capacity
- Ceramic fibre combustion chamber

HDR40



PORTABLE VENTILATOR WITH SM DUCTING



PRICED FROM

- 240V Hardwired
- Perfect for workshops & garages
- Gravity louvres to stop rain & reverse airflow

PART NO.	DESC.	AIRFLOW	PRICE INC GST
IWEL300	300MM	300L/S	\$139.00
IWEL350	350MM	630L/S	\$159.00
IWEL400	400MM	800L/S	\$199.00



- Aifrlow: 1083L/s
- 520W Motor
- Comes with 5m of ducting



240V 3 Pin 10A MPVIFD300

INDUSTRIAL GALVANISED LOUVRED FAN

415V Hardwired

IWLF6-11-6

- Extracts large volumes of air
- Airflow: 9000L/s (950mm) 12500L/s (1250mm)

PART NO.	DESC.	PRICE INC GST
IGLF950	950MM	\$1,299.00
IGLF1250	1250MM	\$1,699.00





INDUSTRIAL ROOF EXHAUST FAN

- 415V Hardwired
- Steel base & body
- Weather tight hood
- Airflow 1472L/s (400mm) 3600L/s (600mm) 7778L/s (800mm)

PART NO.	DESC.	PRICE INC GST
IHR4-550-4-3	400MM	\$1,099.00
IHR6-11-6-3	600MM	\$1,599.00
IHR8-22-6-3	800MM	\$2,399.00





A number of Australian companies are now changing their stance on PPE for welders after the reclassification of welding fume by the International Agency for research on cancer. Many companies are strengthening their controls by enforcing the use of welding Powered Air Purifying Respirators (PAPR's) to reduce welding fume exposure to "As Low As Reasonably Practicable."



PHIIG

4 PIN 10A

220~240V/50HZ 3 PIN 10A \$3,495.00

INC GST

\$6,995.00

HOT DEALS STORE WIDE

HEATING/WELDING



TradeSmart - MATES RATES!

SIMPLY STRONGER

Vertigo20

- 2030 PSI (140 Bar)
- 6.7 LPM, 400 litres/hour
- Spray lance, vario, plastic Turbo lance
- 8 metre nylon reinforced HP hose
- On board detergent tank
- **Automatic Stop System**
- **Induction motor**

P/N: Vertigo20

Ninja130 PLUS

- 1885PSI
- 7LPM flowrate Max
- Lavor metal alloy pump
- 6 metre nylon reinforced HP hose
- · Fixed spray and turbo spray nozzles
- 1800W universal brush motor (1Ph 10Amp)

P/N: Ninja130 PLUS

PT70SS PLUS Radiant Diesel Heater

Radiant diesel heater (21KW, 70000 BTU)

Heating area capacity 200m2 (approx.)

Non continuous spark for extremely

quiet operation Fuel tank capacity 15lt.

Diesel consumption 1.9 lt./h (Up to 8 hrs capac.)

Thermostat control for maximum efficiency

P/N: PT70SS PIUS







-175 Fan Forced Diesel Heater

- Fan forced diesel heater
- 175,000 BTU (51.3KW) of heat
- Heating area 400sqm
- Fuel tank 49 litres
- **Operating hours 10hrs**
- Thermostat controlled

P/N: FF175

\$849

LINCOLN **ELECTRIC**

Innovative Technology. Comprehensive Welding and Cutting Solutions.



Powercraft® 250C 'Ready to weld'

The 250C is easy to use, with the weld procedure guide attached in the machine set the wire feed speed and voltage for the wire size and plate thickness you are using. Includes many features normally found on larger industrial welders such as; digital volt/amp meter, gas purge, cold wire feed, external polarity selection, 4T/2T trigger latching, adjustable inductance/arc force and VRD. The 250C are compact and lightweight and are supplied with all the accessories so it is ready to weld out of the box. Bonus inclusions: 15kg UltraMag S6 MIG wire 0.9mm and 4.5kg Steelcore gasless wire 71T1 0.9mm. PART NUMBER: K69033-1A



BONUS PACK

PowerMIG® 180C 'Ready-to-Weld'

Compact and reliable with superior arc performance with 30-180 Amp output with wide voltage 'sweet spot'. Extremely low spatter and stepless control voltage for precise adjustments. Light industrial, workshop, site maintenance work, vehicle repairs and agricultural applications.

Bonus Powercraft® 131 'Ready-to-Weld' Stick Welder Ideal forlight to medium duty welding application. It is an ideal choice for maintenance, small repairs and general fabrication.

PART NUMBER: K2668-1BP

Shadow™ Split Leather-Sleeved Jacket Durable split cowhide sleeves, combined with cool flame retardant material on the chest, offer extra protection for MIG or stick welding. A flip up collar is secured by hook and loop and a lined flap on the back snaps closed for extra protection. Two horizontal

hip pockets with hook and loop secured flaps stow your personal items PART NUMBERS: K2986-M, K2986-L,

K2986-XL, K2986-XXXL



\$1495 **PROTECTION**

\$10900 EACH

SAFETY FIRST

Premium Leather MIG / Stick Welding Gloves Durable side split cowhide deliver superior comfort and performance. One size fits all. PART NUMBER: LA120-2

www.lincolnelectric.com.au



SHOP SMART - BUY SMART!



188X

10 Amp

9kva





MST 188X Inverter Welder
 Wide View Welding Helmet
 16" Black & Gold Welding Gloves
 Gasless 11 MIG wire x 0.8mm (4.5kg)



- Generator safe Suits D200/D300 spools Spool gun ready



Peal Units
 200 Amp output
 High frequency arc start
 Fitted 15 Amp plug
 Digital LED display
 Adjustable pulse
 Pre and post gas adjustment
 AC balance adjustment

AC-DC

P/N: 692200F00T

2T / 4T trigger latching
 Lightweight and portable
 IGBT inverter technology

ELECTRONIC WELDING HELMETS

- Wide viewing area 100mm x 67mm
- Shade adjustable from shades 9 - 13
- Grinding mode Switching speed: 1/10000s
- Dual Sensor

APPLICATIONS

- MIG, arc and TIG welding
- Carbon arc gouging











SELF SHIELDING MIG WIRE

- A5.20 E71T-11
 Self Shielded Flux Core wire
 Suitable for Multiple pass applications
 Smooth Arc action DC-

- No Shielding gas required All welding positions

Excellent on Galvanised steel
 General welding and repairs out doors
 Farm repairs and maintenance on heavier structures



CODE	DESCRIPTION	PRICE
200353	Bossweld Gasless 11 MIG x 0.8mm (4.5 Kg Spl)	\$67 . 95 / spl
200355	Bossweld Gasless 11 MIG x 0.9mm (4.5 Kg Spl)	\$64 . 95 / spl

OW FUME LOW SPLATTER



BOSSWELD.COM.AU f ... O TAG US: #weldlikeaboss







www.steelvisiontools.com.au

ARC-TIG 180Amp **INVERTER WELDER**



TECHNICAL DATA

Input Power ieff Amps Rated Output Voltage Output Current Range No Load Voltage Duty Cycle 40°C Protection Class Insulation Class Specifications Dimensions (mm) Weight (Kgs)

PN: SVAT180

240 Volts 15 Amp 20.4V - 28V

MMA/TIG 10 - 180Amps 63 MMA/TIG 15%@180Amps

IP21S IEC-60974-1:2008

365x235x275 6.2

ALSO AVAILABLE AT140 - 140Amp



PN: SVAT140

PLASMA CUT 45Amp **INVERTER PLASMA CUTTER**



TECHNICAL DATA

240 Volts Input Power ieff Amps 15 Amp Rated Output Voltage 15V - 98V Output Current Range 15 - 45Amps Duty Cycle 40°C . 15%@45Amps **Protection Class** IP21S Insulation Class **Cutting Thickness** Clean Cut 15mm Specifications IEC-60974-1:2008 535 x345 410 Dimensions (mm) Weight (kgs) 12.8

ALSO AVAILABLE PLASMA CUT 40 WITH BUILT IN COMPRESSOR

GREAT VALUE! PN: SVTP40C

MIG - MMA 165Amp **INVERTER WELDER** TECHNICAL DATA

240 Volts

10 Amp

15V - 24V

63

IP21S

MIG 30 - 165Amps

MMA 10 - 140Amps

MIG 15%@165Amps

IFC-60974-1:2008

645 x315x485

MMA 15% @ 140Amps

Input Power ieff Amps

Rated Output Voltage Output Current Range

No Load Voltage Duty Cycle 40°C

Protection Class Insulation Class Specifications Dimensions (mm) Weight (kgs)



ALSO AVAILABLE MS200 - 200Amp MIG-STICK INVERTER

\$74900 GREAT VALUE! PN: SVMS200

MAX 000 AUTOMATIC WELDING HELMET

View Colour: True Colour Filter Dimension (mm): 133x114x10 View Area (mm): 100 x 82 Light to Dark Speed: 0.2ms Variable Shade: 5-9 / 9-13 Grind Mode: Yes IR / IV Protection: DIN15 Sensors:

Operating Temperature: -5°C to 55°C 1/1/1/2 Optical Classification: Shade Control: Internal Warranty: 2 Years

Standards: ANSI Z87.1/DIN/CE/CSA



ALSO AVAILABLE ec400



PN: SVP400

FACEBOOK.COM/TRADESMARTINDUSTRIAL

WELDING

Weldclass WeldForce Inverter Welder Range



WeldForce WF-180MST MIG/Stick/TIG **Inverter Welder** WF-06128

Includes: MIG Torch 3m H/Duty BZL 25 / Earth Lead 3m / Stick Lead 3m / Gas Regulator / Drive Rollers for 0.8/0.9 Steel, 0.8/0.9 Gasless

- Takes 1kg or 5kg spools
- Digital Readouts
- 9kg Compact, Robust & Lightweight
- Generator Compatible
- & more!

Super compact!





WeldForce WF-200MST MIG/Stick/TIG **Inverter Welder** WF-06129

Includes: MIG Torch 4m H/Duty BZL 25 / Earth Lead 4m H/Duty / Stick Lead 4m H/Duty / Gas Regulator / Drive Rollers for 0.8/0.9 Steel, 0.8/0.9 Gasless

Features:

- Takes 5kg or 15kg spools
- Digital Readouts
- 13kg Compact, Robust & Lightweight
- Generator Compatible
- Spool Gun Ready
- & more!

Super compact!





WeldForce WF-205MST MIG/Stick/TIG **Inverter Welder** WF-06166

Includes: MIG Torch 4m H/Duty BZL 25 / Earth Lead 4m / Stick Lead 4m / Gas Regulator / Drive Rollers for 0.8/0.9 Steel, 0.8/0.9 Gasless, 1.0/1.2 Aluminium

Features:

- Power Factor Correction for High Duty Cycle + Ideal for Generator Use
- Synergic or Manual Controls
- 20+ Pre-set Programs for different materials
- Job Save store custom settings for up to 20 jobs
- & more !





WeldForce WF-255MST MIG/Stick/TIG **Inverter Welder** WF-06167

Includes: MIG Torch 4m H/Duty BZL 25 / Earth Lead 4m H/Duty / Stick Lead 4m H/Duty / Gas Regulator / Drive Rollers for 0.6/0.8 Steel, 0.9/1.2 Steel, 0.8/0.9

Gasless, 1.0/1.2 Aluminium

- Power Factor Correction for High Duty Cycle + Ideal for Generator Use
- Synergic or Manual Controls
- 20+ Pre-set Programs for different materials
- Job Save store custom settings for up to 20 jobs
- Geared 4-Roll Wire Drive System





WeldForce WF-180ST Stick/TIG (Lift-Arc) **Inverter Welder** WF-06171

Includes: Earth Lead 4m / Stick Lead 4m / Long 3m Power Lead / Carry Bag / Shoulder Strap / Cable Strap

Features:

- 4.5kg Compact, Robust & Lightweight
- Digital Controls
- Adjustable Hot Start & Arc Force
- Optional VRD ON/OFF
- Generator Friendly
- & more!

Digital controls!



CutForce CF-45P **Plasma Cutter** WF-06176

Includes: Plasma Torch 6m / Air Regulator with filter & Nitto air fitting / Earth Lead 4m / Long 3m Power Lead / Carry Bag / Shoulder Strap / Cable Strap

- Powerful Clean Cutting
- Power Factor Correction
- 8kg Compact, Robust & Lightweight
- High Quality Plasma Torch 6m
- Generator Friendly

clean cut up to 20mm steel



Promax 350 **Electronic Welding Helmet**





upgrade to a larger View!





'Fire Metal'

4 sensors uttra-clear vision!



Promax 500 Electronic **Welding Helmet**





'Black Stealth' 85cm2 of Massive view area!



WELDWOLF

85cm2 of Massive view area!



Platinum GL-11 **Gasless Wire**

0.9mm 4.5kg 2-098FM

Have you tried Australia's No. 1 Gasless wire? Here's what our customers say;

"Personally I have tried many different brands and types of gasless wire but the Weldclass Gasless Platinum GL-11 has done it for me... a smooth flowing and low spatter wire." - Matt, NSW

- Ultra-Smoth arc with minimal spatter
- Suitable for All-positional, single and multi-pass
- Vacuum Foil-Sealed spool, for exceptional storage

Australia's No. 1 gastess wire!



All specifications and prices are subject to change at any time without notice. E.&O.E.



18 VOLT CORDLESS LIND KITS

AU68200350

- Brushless 1/2" Impact Wrench 130-400 Nm
- Brushless Ø 125 mm Angle Grinder with Brake & Quick Locking Nut
- 2 x 5.5 Ah LIHD Battery Packs,
- ASC 55 Air-cooled Charger





AU68307040

- Brushless 3 Speed Hammer Drill 120 Nm
- Brushless Compact Angle Grinder
- Brushless Blind Rivet Gun
- 2 x 4.0 Ah LiHD Battery Packs BONUS • ASC 55 Air-cooled Charger
- Small Tool Bag





BL6LB3HD5.5AW

AU68600050

- Brushless Hammer Drill/Screwdriver 120 Nm
- Brushless Rotary Hammer Drill 3 Mode
- Brushless 1/4" Impact Driver Maximum Torque 200 Nm
- Brushless Ø 125 mm Angle Grinder with Brake & Quick Locking Nut
- Brushless Compact Sabre Saw







- Marathon Motor
- MVT Anti Vibration Side Handle
- Rotatable Rear Handle
- Deadman Switch

TWIN PACK

+ W850-125 125mm

603608190



GRINDER 125mm ANGL

W 1100-125 CGD AU60361400

Includes

• Grinder



FREE

Cutting Guard Clip (630352000) Tin of 10 Cutting Discs (616359000)

5.5Ah LiHD Twin Pack

5.5 LiHD Twin Pack

AU32102550

• 2 x 5.5 Ah LiHD Battery Pack











DUC405Z

18Vx2 Brushless Chainsaw 400mm (16")

- Variable speed triggerChain Speed of 1,200m/min







18Vx2 Brushless AWS* 235mm (9-1/4")

- Max cut capacity of 85mm with -1-60 bevel

GREAT VALUE!



DMP180Z

- High visibility digital display screer
 Max. air discharge pressure 121ps





DGA519Z

18V Brushless 125mm X-Lock Angle Grinder





DLX2221S

18V Brushless 2 Piece Combo Kit

GREAT VALUE!




GA5030

125mm (5") Angle Grinder

- 720W* heat resistant motor







- Goulburn Hay Lismore Lithgow Moorebank Muswellbrook Narrabri Penrith Tamworth Tomago Tumut West Wyalong Wetherill Park Young QLD: Bohle Bundaberg
- Charters Towers Clermont Coomera Caloundra Capella Charleville Chinchilla Gladstone Longreach Mareeba Moranbah Mount Isa Proserpine Rockhampton Richmond • Roma • Springsure • Stanthorpe • Toowoomba • Tully SA: • Berri • Edwardtown • Kilburn • Mt Barker • Naracoorte • Newton • Penola TAS: • Invermay • Moonah • Ulverstone
- VIC: Campbellfield Cobram Dandenong Geelong North Horsham Laverton Nth Lilydale Mildura Sale Shepparton Tullamarine WA: Albany Bibra Lake Busselton
- Rockingham Narrogin Kalgoorlie Osborne Park Moora Welshpool Wongan Hills

• ALL PRICES INCLUDE GST • Some products are subject to plus freight costs where applicable • Some advertised products may not be available at all stores & maybe subject to availability. • Prices are valid while stocks last and we reserve the right to correct any errors or omissions without prior notice • Images shown throughout this catalogue are for illustrative purposes only - some items may vary.



FOLLOW US ON FACEBOOK FACEBOOK.COM/TRADESMARTINDUSTRIAL







TradeSma