



1. Identification

Product identifier	Bulb & Connector Di-Electric Grease
Other means of identification Product Code	No. 05107 (Item# 1003724)
Recommended use	Lubricates, protects and insulates electrical connections
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical Assistance	800-521-3168
Customer Service	800-272-4620
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)
Website	www.crcindustries.com
2. Hazard(s) identificatio	n

Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None known.		
Hazard statement	The mixture does not meet the criteria for classification.		
Precautionary statement			
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
amorphous silica		7631-86-9	5 - 10
propylene glycol		57-55-6	5 - 10

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
Ingestion	If swallowed, do NOT induce vomiting. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water spray. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece, vermiculite).
Environmental precautions	Use appropriate containment to avoid environmental contamination.
7. Handling and storage	

Precautions for safe handlingUse care in handling/storage. For product usage instructions, see the product label.Conditions for safe storage,
including any incompatibilitiesStore in a cool, dry place out of direct sunlight. Store in original tightly closed container.

8. Exposure controls/personal protection

Components	Туре	Value	
amorphous silica (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
US. NIOSH: Pocket Guide	e to Chemical Hazards		
Components	Туре	Value	
amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	
US Workplace Environme	ental Exposure Level (WEEL) Guides		
00. WUINPIACE EIIVIIOIIIII			
Components	Туре	Value	Form
	,	Value 10 mg/m3	Form Aerosol.
Components propylene glycol (CAS	Туре	10 mg/m3	-
Components propylene glycol (CAS 57-55-6)	Type TWA	10 mg/m3 r the ingredient(s).	Aerosol.

Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Wear protective gloves such as: Nitrile. Wear suitable protective clothing. Other **Respiratory protection** If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Always observe good personal hygiene measures, such as washing after handling the material **General hygiene** and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations equipment to remove contaminants.

9. Physical and chemical properties

Not available. Not available. bH Neutral. Metting point freezing point -74.2 °F (-59 °C) estimated Initial bolling point and boiling 600 °F (315.6 °C) estimated range 500 °F (> 260 °C) Tag Closed Cup Flammability (solid, gas) Not available. Vapor flammability or variable. Not available. Vapor flammability limit - lower {%} 2.6 % estimated (%) 2.6 % estimated Vapor density > 50 (air = 1) Relative density 1.01 estimated Solubility (water) Not available. Solubility (water) Not available. Partition coefficient (no cofficient (no coffici	Appearance			
ColorOff-white.ColorMild.Odor thresholdNot available.Odor thresholdNot available.Odor threshold-74.2 °F (559 °C) estimatedInitial boiling point and boiling600 °F (315.6 °C) estimatedInitial boiling point and boiling600 °F (315.6 °C) estimatedFlash point> 500 °F (> 260 °C) Tag Closed CupEvaporation rateSlow.Flammability (solid, gas)Not available.Upper/lower flammability or expressInitial boilingflammability limit - lower (%)2.6 % estimated(%)0.1 hPa estimatedVapor pressure0.1 hPa estimatedVapor density> 5 (air = 1)Relative density1.01 estimatedSolubility(water)Not available.Partition coefficient (noctanol/water)Not available.Partition coefficient (boo °F (315.6 °C) estimatedVato-ignition temperature600 °F (315.6 °C) estimatedViscosityNot available.ViscosityNot available.	Physical state	Solid.		
Note Mild. Dodor Mode Not available. Dodor Neutral. Neutral. Melting point/freezing point -74.2 °F (-59 °C) estimated 00 °F (315.6 °C) estimated Initial boiling point and boiling range 600 °F (315.6 °C) estimated Solo °F (> 260 °C) Tag Closed Cup Flash point > 500 °F (> 260 °C) Tag Closed Cup Solow. Flammability (solid, gas) Not available. Not available. Upper/lower flammability or explore to timits Solow. Solow. Flammability limit - lower (%) 2.6 % estimated Solow. Flammability limit - lower (%) 12.6 % estimated Solow. Vapor pressure 0.1 hPa estimated Solow. Relative density 5 (air = 1) Solubility (water) Solubility (water) Solubility (water) Not available. Not available. Solubility (water) Partition coefficient (no coefficient) Not available. Not available. In-octanol/water) Solubility (water) Not available. Viscosity Not available. Not available.	Form			
Odor threshold Not available. bH Neutral. Melting point/freezing point -74.2 °F (-59 °C) estimated initial bolling point and boiling 600 °F (315.6 °C) estimated range 600 °F (> 260 °C) Tag Closed Cup Evaporation rate Slow. Flammability (solid, gas) Not available. Upper/lower flammability or evyporation 2.6 % estimated (%) 2.6 % estimated flammability limit - upper (%) 2.6 % estimated flammability limit - upper (%) 12.6 % estimated vapor density > 5 (ai = 1) Relative density 1.01 estimated Solubility (water) Not available. Solubility (water) Not available. Partition coefficient (nocfficient (nocff	Color	Off-white.		
bH Neutral. Melting point/freezing point -74.2 °F (-59 °C) estimated Initial boiling point and boiling range 600 °F (315.6 °C) estimated Flash point > 500 °F (> 260 °C) Tag Closed Cup Evaporation rate Slow. Evaporation rate Slow. Flammability (solid, gas) Not available. Upper/lower flammability or explored Si estimated flammability limit - lower (%) 2.6 % estimated flammability limit - upper (%) 12.6 % estimated Vapor density 0.1 hPa estimated Vapor density > 5 (air = 1) Relative density 1.0 testimated Solubility (water) Not available. Solubility (water) Not available. Partition coefficient (n-octanol/water) Not available. Auto-lgnition temperature 600 °F (315.6 °C) estimated Viscosity Not available.	Odor	Mild.		
Welting point/freezing point -74.2 ° F (-59 °C) estimated initial boiling point and boiling 600 ° F (315.6 °C) estimated range 600 ° F (315.6 °C) estimated Flash point > 500 ° F (> 260 °C) Tag Closed Cup Evaporation rate Slow. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Flammability limit - lower 2.6 % estimated (%) 12.6 % estimated Yapor pressure 0.1 hPa estimated Vapor density > 5 (air = 1) Relative density 1.01 estimated Solubility(ies) Solubility(water) Partition coefficient Not available. In-octanol/water) 600 ° F (315.6 °C) estimated Auto-ignition temperature 600 ° F (315.6 °C) estimated Viscosity Not available.	Odor threshold	Not available.		
Initial boiling point and boiling range600 °F (315.6 °C) estimatedFlash point> 500 °F (> 260 °C) Tag Closed CupEvaporation rateSlow.Evaporation rateSlow.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)2.6 % estimated (%)Flammability limit - upper (%)12.6 % estimated(%)12.6 % estimatedVapor pressure0.1 hPa estimatedVapor density> 5 (air = 1)Relative density1.01 estimatedSolubility(lies)Solubility (water)Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Viscosity600 °F (315.6 °C) estimatedViscosityNot available.	рН	Neutral.		
Fash point > 500 °F (> 260 °C) Tag Closed Cup Evaporation rate Slow. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Image: Slow. Flammability limit - lower 2.6 % estimated (%) 2.6 % estimated Flammability limit - upper (%) 12.6 % estimated Vapor pressure 0.1 hPa estimated Vapor density > 5 (air = 1) Relative density 1.01 estimated Solubility (water) Not available. Partition coefficient (noctificient (noctificien	Melting point/freezing point	-74.2 °F (-59 °C) estimated		
Evaporation rate Slow. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Image: space spac	Initial boiling point and boiling range	600 °F (315.6 °C) estimated		
Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower 2.6 % estimated (%) 2.6 % estimated Flammability limit - upper 12.6 % estimated (%) 12.6 % estimated Vapor pressure 0.1 hPa estimated Vapor density > 5 (air = 1) Relative density 1.01 estimated Solubility (water) Not available. Partition coefficient Not available. (n-octanol/water) 600 °F (315.6 °C) estimated Auto-ignition temperature 600 °F (315.6 °C) estimated Viscosity Not available.	Flash point	> 500 °F (> 260 °C) Tag Closed Cup		
Upper/lower flammability or explosive limits Flammability limit - lower 2.6 % estimated (%) Flammability limit - upper 12.6 % estimated (%) 12.6 % estimated Vapor pressure 0.1 hPa estimated Vapor density > 5 (air = 1) Relative density 1.01 estimated Solubility(ies) Solubility (water) Not available. Partition coefficient Not available. In-octanol/water) 600 °F (315.6 °C) estimated Auto-ignition temperature 600 °F (305.6 °C) estimated Decomposition temperature Not available. Viscosity Not available.	Evaporation rate	Slow.		
Flammability limit - lower (%)2.6 % estimatedFlammability limit - upper (%)12.6 % estimatedVapor pressure0.1 hPa estimatedVapor density> 5 (air = 1)Relative density1.01 estimatedSolubility(ies)Not available.Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Viscosity600 °F (315.6 °C) estimatedNot available.Not available.	Flammability (solid, gas)	Not available.		
(%)I2.6 % estimatedFlammability limit - upper12.6 % estimated(%)0.1 hPa estimatedVapor pressure0.1 hPa estimatedVapor density> 5 (air = 1)Relative density1.01 estimatedSolubility(ies)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature600 °F (315.6 °C) estimatedDecomposition temperatureNot available.ViscosityNot available.	Upper/lower flammability or exp	losive limits		
(%)Vapor pressure0.1 hPa estimatedVapor density> 5 (air = 1)Relative density1.01 estimatedSolubility(ies)Not available.Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Viscosity600 °F (315.6 °C) estimatedNot available.Not available.Not available.Not available.		2.6 % estimated		
Vapor density > 5 (air = 1) Relative density 1.01 estimated Solubility(ies) Solubility (water) Not available. Not available. Partition coefficient (n-octanol/water) Not available. Auto-ignition temperature 600 °F (315.6 °C) estimated Decomposition temperature Not available. Viscosity Not available.		12.6 % estimated		
Relative density 1.01 estimated Solubility(ies)	Vapor pressure	0.1 hPa estimated		
Solubility(ies) Not available. Solubility (water) Not available. Partition coefficient Not available. (n-octanol/water) 600 °F (315.6 °C) estimated Auto-ignition temperature 600 °F (315.6 °C) estimated Decomposition temperature Not available. Viscosity Not available.	Vapor density	> 5 (air = 1)		
Solubility (water)Not available.Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperature600 °F (315.6 °C) estimatedNot available.Not available.ViscosityNot available.	Relative density	1.01 estimated		
Partition coefficient Not available. (n-octanol/water) 600 °F (315.6 °C) estimated Auto-ignition temperature 600 °F (315.6 °C) estimated Decomposition temperature Not available. Viscosity Not available.	Solubility(ies)			
(n-octanol/water) 600 °F (315.6 °C) estimated Auto-ignition temperature 600 °F (315.6 °C) estimated Decomposition temperature Not available. Viscosity Not available.	Solubility (water)	Not available.		
Decomposition temperature Not available. Viscosity Not available.	Partition coefficient (n-octanol/water)	Not available.		
Viscosity Not available.	Auto-ignition temperature	600 °F (315.6 °C) estimated		
	Decomposition temperature	Not available.		
	Viscosity	Not available.		
Percent volatile Not available.	Percent volatile	Not available.		

10. Stability and reactivity

Reactivity Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids.

Hazardous decomposition products

11. Toxicological information

Information on likely routes of exposure

Inhalation	Viscous nature may block breathing passages if inhaled.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause gastrointestinal irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Acute toxicity			
Components	Species	Test Results	
amorphous silica (CAS 7631-86-9)		
<u>Acute</u>			
Oral			
LD50	Rat > 22500 mg/kg		
propylene glycol (CAS 57-55-6)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	> 20000 mg/kg	
		30 g/kg	
* Estimates for product may b	e based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irrita	tion.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrit	ation.	
Respiratory or skin sensitization	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitiz	ation.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen	by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
amorphous silica (CAS 7 OSHA Specifically Regulate	631-86-9) 3 Not classifiable a ad Substances (29 CFR 1910.1001-1052)	is to carcinogenicity to humans.	
	ogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive	e or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not expected to be an aspiration hazard.		
Further information	This product has no known adverse effect on human health.		
12. Ecological information	on		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the		

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results	
Bulb & Connector Di-Electric	Grease			
Aquatic				
Fish	LC50	Fish	8.9466 mg/l, 96 hours estimated	
Acute				
Crustacea	EC50	Daphnia	76.9231 g/l, 48 hours estimated	
Components		Species	Test Results	
propylene glycol (CAS 57-55	5-6)			
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours	
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	10 g/l, 48 hours	
* Estimates for product may	be based on ac	lditional component data not shown.		
rsistence and degradability	No data is a	vailable on the degradability of this product.		
paccumulative potential				
Partition coefficient n-octa propylene glycol	nol / water (log	g Kow) -0.92		
bility in soil	No data ava	ilable.		
her adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
3. Disposal considerat	ions			
sposal instructions	containers r	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.		
zardous waste code	Not regulate	ed.		
ntaminated packaging		ed containers may retain product residue, fo npty containers should be taken to an appro-		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations		
Other federal regulations	112 Hazardoue Air Bollutante (HABs) List	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.		
u	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
	eauthorization Act of 1986 (SARA)	
Classified hazard categories	Acute toxicity (any route of exposure)	
SARA 302 Extremely hazar Not listed.	dous substance	
SARA 313 (TRI reporting) Not regulated.		
US state regulations		
-	l Community Right-to-Know Act	
propylene glycol (CAS 5 US. Massachusetts RTK - S	7-55-6)	
amorphous silica (CAS 7	631-86-9)	
•	nd Community Right-to-Know Law	
amorphous silica (CAS 7 propylene glycol (CAS 5 US. Rhode Island RTK		
propylene glycol (CAS 5	7-55-6)	
California Proposition 65		
	Water and Toxic Enforcement Act of 2016 (Proposition 65): This material ny chemicals currently listed as carcinogens or reproductive toxins.	
Volatile organic compounds (Vo	OC) regulations	
EPA		
VOC content (40 CFR 51.100(s))	0 %	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	Not regulated	
VOC content (CA)	0 %	
VOC content (OTC)	0 %	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Country(s) or region

United States & Puerto Rico

Inventory name

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

,,	
Issue date	06-04-2015
Revision date	09-14-2018
Prepared by	Allison Yoon
Version #	03
Further information	CRC # 113/1002254
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	Product and Company Identification: Product Uses Composition / Information on Ingredients: Ingredients Composition/information on ingredients: Component information Handling and storage: Precautions for safe handling Exposure controls/personal protection: Hand protection Physical & Chemical Properties: Multiple Properties Physical and chemical properties: Oxidizing properties Physical and chemical properties: Explosive properties Stability and reactivity: Hazardous decomposition products Transport Information: Agency Name, Packaging Type, and Transport Mode Selection Regulatory information: California Proposition 65 Other information, including date of preparation or last revision: Disclaimer Other information, including date of preparation or last revision: Further information GHS: Classification

16. Other information, including date of preparation or last revision