

RENNSTEIG
MADE IN GERMANY

Chisels
Punches
Wrecking Bars
Scrapers
Screw Extractors

EXCLUSIVELY
DISTRIBUTED BY **TRIDON** ▶



STRIKING TOOLS


All versions and styles of the Rennsteig striking tools are made in Germany and comply with the DIN 7255 standard.

Manufactured from hardened chrome vanadium steel, the forged chisels and punches are quenched and tempered as a whole to guarantee a good resiliency and to resist hard working stress, offering a long service life.

Owing to the hardened striking heads according to DIN standard, no splintering and 'mushroom' heads will occur.

Chisel blades are either polished or lacquered. Shanks of all striking tools are dip-coated in gold lacquer. The conical and parallel shanks of the punches are polished.

Work worn cutting edges are regrindable in short intervals. Ensure water cooling during regrinding process.



Crosscut Chisel (Page 4)




Jointing Chisel (Page 4)

PACKAGING

The Rennsteig tools are available loose or are also available with the new user friendly colour coded hang tags, to enable quick and easy product identification. To order chisels and punches with hang tags choose the part number ending with 'C'.

The Rennsteig tool range also includes handy sets and merchandisers.



Flat Cold Chisels



Crosscut Chisels



Pointed Chisels



Mason's Chisels



Electrician's Chisels



Electrician's Slitting



Slitting Chisel



Jointing Chisels



CONTENTS



CHISELS

	PAGE
Flat cold chisels	4
Crosscut chisels	4
Pointed chisels	4
Mason's chisels	4
Electrician's chisels (octagon)	4
Electrician's slitting chisel	5
Slitting chisel	5
Slitting chisel (bent)	5
Jointing chisels	5
Hand protecting grip (chisels)	5

PUNCHES

Centre punches	6
Automatic centre punch	6
Taper punches	6
Parallel pin punches	6
Assembly plugs	6
Hand protecting grip (punches)	6

MERCHANDISERS

7-8

TOOL PACKS

9-10

OTHER TOOLS

Scrapers	11
Screw Extractors	11
Wrecking Bars	11

CHISELS

FLAT COLD CHISELS

DIN 6453



Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
310 100	310 100C	100mm	14 x 9mm	15mm	90g
310 125	310 125C	125mm	17 x 11mm	18mm	150g
310 150	310 150C	150mm	17 x 11mm	18mm	205g
310 175	310 175C	175mm	20 x 12mm	21mm	280g
310 200	310 200C	200mm	23 x 13mm	24mm	370g
310 250	310 250C	250mm	23 x 13mm	25mm	500g
310 300R	310 300C	300mm	23 x 13mm	26mm	600g
310 350R	310 350C	350mm	23 x 13mm	27mm	710g
312 100	312 100C	100mm	8mm	9mm	70g
312 125	312 125C	125mm	10mm	12mm	75g
312 150	312 150C	150mm	10mm	12mm	90g
312 175	312 175C	175mm	14mm	19mm	200g

CROSSCUT CHISELS

DIN 6451



Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
320 150	320 150C	150mm	17 x 11mm	6mm	180g
320 175	320 175C	175mm	17 x 11mm	7mm	210g
320 200	320 200C	200mm	20 x 12mm	8mm	340g
320 250	320 250C	250mm	23 x 13mm	9mm	455g
320 300	320 300C	300mm	23 x 13mm	9mm	600g

POINTED CHISELS

DIN 7256



Part No.	Part No. Hang Tag	Length	Shaft Size	Weight
330 200	330 200C	200mm	16mm	300g
330 250	330 250C	250mm	16mm	365g
330 300	330 300C	300mm	18mm	570g
330 400	330 400C	400mm	20mm	965g

MASON'S CHISELS

DIN 7254 A



Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
Profile material flat oval					
340 200	340 200C	200mm	20 x 12mm	26mm	330g
340 250	340 250C	250mm	20 x 12mm	26mm	410g
340 300	340 300C	300mm	23 x 13mm	29mm	600g
340 400	340 400C	400mm	23 x 13mm	29mm	850g
Profile material octagon					
350 300	350 300C	300mm	18mm	26mm	460g
350 350	350 350C	350mm	18mm	26mm	750g



Mason's Chisel with Hand Guard

ELECTRICIAN'S CHISELS OCTAGON

DIN 7254 A



Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
OCTAGON					
360 202	360 202C	200mm	8mm	10mm	98g
361 202	361 202C	200mm	10mm	12mm	140g
361 252	361 252C	250mm	10mm	12mm	190g
361 302	361 302C	300mm	10mm	12mm	230g
362 252	362 252C	250mm	12mm	14mm	260g

CHISELS

ELECTRICIAN'S SLITTING CHISEL



Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
366 250	366 250C	250mm	23 x 13mm	33mm	490g


SLITTING CHISEL



► For stone and metal cutting

Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
380 240	380 240C	240mm	26 x 7mm	26mm	330g

SLITTING CHISEL BENT



- For easy access underneath objects
- For stone and metal cutting
- Working end bent 25° for better clearance

Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
380 241	380 241C	240mm	26 x 7mm	26mm	330g



JOINTING CHISELS



Part No.	Part No. Hang Tag	Length	Shaft Size	Blade Length	Weight
385 060	385 060C	250mm	26 x 13mm	60mm	570g
385 070	385 070C	250mm	26 x 13mm	70mm	590g

HAND PROTECTING GRIP CHISELS



► Fits all flat profile and octagon tools

Part No.	Length	Shaft Size		Weight
		Octagon	Flat	
395 110	110mm	16-20mm	20 x 12mm to 26 x 13mm	105g

PUNCHES

CENTRE PUNCHES

DIN 7250



Part No.	Part No. Hang Tag	Length	Shaft Size	Punch Size Ø	Weight
430 100	430 100C	100mm	8mm	3mm	30g
430 120	430 120C	120mm	10mm	4mm	70g
431 120	431 120C	120mm	10mm	5mm	75g
432 120	432 120C	120mm	12mm	5mm	105g
434 150	434 150C	150mm	14mm	6mm	180g
435 150	435 150C	150mm	16mm	6mm	200g

AUTOMATIC CENTRE PUNCH



- ▶ Machine steel
- ▶ Rugged self striking mechanism activated by downward pressure
- ▶ Precision design
- ▶ Replaceable hardened pin
- ▶ Impact force adjustable
- ▶ Nickel plated finish



Part No.	Length	Shaft Size	Striking Force	Weight
430 130	125mm	14mm	Min 60N - Max 130N	65g

TAPER PUNCHES

DIN 6458



Part No.	Part No. Hang Tag	Length	Shaft Size	Punch Size Ø	Weight
440 002	440 002C	120mm	10mm	2mm	65g
440 003	440 003C	120mm	10mm	3mm	70g
440 004	440 004C	120mm	10mm	4mm	70g
440 005	440 005C	120mm	10mm	5mm	80g
440 006	440 006C	120mm	10mm	6mm	80g
440 008	440 008C	120mm	10mm	8mm	86g

PARALLEL PIN PUNCHES

DIN 6450



Part No.	Part No. Hang Tag	Length	Shaft Size	Punch Size Ø	Weight
450 002	450 002C	150mm	10mm	2mm	65g
450 025	450 025C	150mm	10mm	2.5mm	65g
450 003	450 003C	150mm	10mm	3mm	70g
450 035	450 035C	150mm	10mm	3.5mm	70g
450 004	450 004C	150mm	10mm	4mm	70g
450 045	450 045C	150mm	10mm	4.5mm	70g
450 005	450 005C	150mm	10mm	5mm	75g
450 006	450 006C	150mm	10mm	6mm	80g
450 007	450 007C	150mm	12mm	7mm	110g
450 008	450 008C	150mm	12mm	8mm	115g
450 009	450 009C	150mm	12mm	9mm	120g
450 010	450 010C	150mm	12mm	10mm	125g
451 012	450 012C	150mm	14mm	12mm	135g

ASSEMBLY PLUGS



- ▶ Special tool steel, hardened, cone polished

Part No.	Length	Shaft Size	Punch Size Ø	Weight
448 031	120mm	11mm	5mm	75g
448 033	150mm	15mm	6mm	165g

HAND PROTECTING GRIP FOR PUNCHES



Part No. 395 120

- ▶ Reduces hand fatigue from vibrations
 - ▶ Protects from miss hit
 - ▶ Stops hands slipping
- Suits:**
 Centre Punches: 430 120 and 431 120
 Taper Punches: 440 002 - 440 008
 Parallel Pin Punches: 450 002 - 450 006

Compact modular wall mounted metal display racks ▶
Contain popular chisel and punch sizes ▶

MERCHANDISERS



CENTRE PUNCH MERCHANDISER

Part No. 0045

- ▶ Contains 30 Rennsteig Centre Punches
- ▶ Size: 29mm (w) x 220mm (h) x 15mm (d)

Part No.	Punch Size Ø	Description	Qty	Part No.	Punch Size Ø	Description	Qty
430 100C	3mm	Centre Punch	5	432 120C	5mm	Centre Punch	5
430 120C	4mm	Centre Punch	5	434 150C	6mm	Centre Punch	5
431 120C	5mm	Centre Punch	5	435 150C	6mm	Centre Punch	5

TAPER PUNCH MERCHANDISER

Part No. 0048

- ▶ Contains 30 Rennsteig Taper Punches
- ▶ Size: 29mm (w) x 190mm (h) x 15mm (d)

Part No.	Punch Size Ø	Description	Qty	Part No.	Punch Size Ø	Description	Qty
440 002C	2mm	Taper Punch	5	440 005C	5mm	Taper Punch	5
440 003C	3mm	Taper Punch	5	440 006C	6mm	Taper Punch	5
440 004C	4mm	Taper Punch	5	440 008C	8mm	Taper Punch	5

PARALLEL PIN PUNCH MERCHANDISER

Part No. 0047

- ▶ Contains 30 Rennsteig Parallel Pin Punches
- ▶ Size: 29mm (w) x 220mm (h) x 15mm (d)

Part No.	Punch Size Ø	Description	Qty	Part No.	Punch Size Ø	Description	Qty
450 002C	2mm	Parallel Pin Punch	5	450 005C	5mm	Parallel Pin Punch	5
450 003C	3mm	Parallel Pin Punch	5	450 006C	6mm	Parallel Pin Punch	5
450 004C	4mm	Parallel Pin Punch	5	450 008C	8mm	Parallel Pin Punch	5


CHISEL MERCHANDISER

Part No. 0046

- ▶ Contains 18 Rennsteig Chisels
- ▶ Size: 29mm (w) x 370mm (h) x 15mm (d)

Part No.	Length	Description	Qty	Part No.	Length	Description	Qty
380 240C	240mm	Slitting Chisel	3	310 200C	200mm	Flat Cold Chisel	3
310 150C	150mm	Flat Cold Chisel	3	310 250C	250mm	Flat Cold Chisel	3
310 175C	175mm	Flat Cold Chisel	3	310 300C	300mm	Flat Cold Chisel	3

MERCHANDISERS



MASTER CHISEL & PUNCH WALL MERCHANDISER

Part No. 0049

- ▶ Contains 108 Rennsteig chisels and punches
- ▶ Compact modular wall mounted metal display racks
- ▶ Versatile modular display can be displayed vertically or horizontally

Part No.	Description	Qty
0045	Centre Punch Merchandiser	1
0048	Taper Punch Merchandiser	1
0047	Parallel Pin Punch Merchandiser	1
0046	Chisel Merchandiser	1



CHISEL & PUNCH COUNTER MERCHANDISER

Part No. 429 201

- ▶ Sturdy display stand made from transparent acrylic glass
- ▶ Contains 90 Rennsteig Chisels and Punches
- ▶ Size: 600 (w) x 230 (h) x 270mm (d)

Part No.	Description	Qty	Part No.	Description	Qty	Part No.	Description	Qty	Part No.	Description	Qty
330 250	Pointed Chisel	5	310 300	Flat Cold Chisel	5	450 003	Parallel Pin Punch	5	440 003	Taper Punch	5
361 202	Electrician's Chisel	5	320 250	Crosscut Chisel	5	450 004	Parallel Pin Punch	5	440 004	Taper Punch	5
361 252	Electrician's Chisel	5	320 200	Crosscut Chisel	5	450 005	Parallel Pin Punch	5	440 005	Taper Punch	5
310 200	Flat Cold Chisel	5	385 060	Jointing Chisel	5	440 002	Taper Punch	5	430 120	Centre Punch	5
310 250	Flat Cold Chisel	5	450 002	Parallel Pin Punch	5						

TOOL PACKS

TAPER PUNCHES

6 Piece

Part No. 424 120

► Set of five taper punches and one centre punch in plastic case

Part No.	Length	Punch Size Ø
440 001	120mm	1mm
440 002	120mm	2mm
440 003	120mm	3mm
440 004	120mm	4mm
440 005	120mm	5mm
430 120	120mm	4mm



PARALLEL PIN PUNCHES

6 Piece

Part No. 425 170

► Set of six parallel pin punches in plastic case

Part No.	Length	Punch Size Ø
450 003	150mm	3mm
450 004	150mm	4mm
450 005	150mm	5mm
450 006	150mm	6mm
450 008	150mm	8mm
450 010	150mm	10mm



TAPER & PARALLEL PIN PUNCH SET

8 Piece



Part No. RTP8

► Set of one taper and seven parallel pin punches in plastic wallet

Part No.	Punch Size Ø	Description	Part No.	Punch Size Ø	Description
450 002	2mm	Parallel Pin Punch	450 006	6mm	Parallel Pin Punch
450 003	3mm	Parallel Pin Punch	450 008	8mm	Parallel Pin Punch
450 004	4mm	Parallel Pin Punch	450 010	10mm	Parallel Pin Punch
450 005	5mm	Parallel Pin Punch	440 003	3mm	Taper Punch

CHISEL & PUNCH TOOL ROLL

11 Piece



Part No. RCP11

► Set of three chisels, seven parallel pin punches and one taper punch in handy tool roll



Part No.	Description	Size	Part No.	Description	Size
310 150	Flat Cold Chisel	150mm	450 005	Parallel Pin Punch	5mm Ø
310 200	Flat Cold Chisel	200mm	450 006	Parallel Pin Punch	6mm Ø
310 250	Flat Cold Chisel	250mm	450 008	Parallel Pin Punch	8mm Ø
450 002	Parallel Pin Punch	2mm Ø	450 010	Parallel Pin Punch	10mm Ø
450 003	Parallel Pin Punch	3mm Ø	440 003	Taper Punch	3mm Ø
450 004	Parallel Pin Punch	4mm Ø			

TOOL PACKS

CHISEL & PUNCH SET

4 Piece

Part No. RCP4

- ▶ Set of three chisels and one centre punch in plastic wallet

Part No.	Length	Description
310 200	200mm	Flat Cold Chisel
310 250	250mm	Flat Cold Chisel
320 175	175mm	Crosscut Chisel
431 120	120mm	Centre Punch



SDS PLUS

3 Piece

Part No. 414 003

- ▶ Set of three SDS chisels in plastic wallet
- ▶ Colour coded chisels

Part No.	Length	Description
415 250	250mm	Bullpoint Chisel
417 250	250mm	Scaling Chisel
414 250	250mm	Flat Chisel



FLAT COLD CHISEL SET

3 Piece

Part No. RCC3

- ▶ Set of three flat cold chisels in plastic wallet

Part No.	Length	Description
310 150	150mm	Flat Cold Chisel
310 200	200mm	Flat Cold Chisel
310 250	250mm	Flat Cold Chisel



FLAT COLD CHISEL SET

OCTAGON 4 Piece

Part No. RCS4

- ▶ Set of four flat cold chisels (octagon) in plastic wallet

Part No.	Length	Description
312 100	100mm	Flat Cold Chisel
312 125	125mm	Flat Cold Chisel
312 150	150mm	Flat Cold Chisel
312 175	175mm	Flat Cold Chisel




Crosscut Chisel



Jointing Chisel

OTHER TOOLS

SCRAPERS




► Alloy tool steel, blade ground, shank lacquered with wooden grip

Part No.	Description	Length	Shaft Size	Weight
460 200	Flat Scraper	200mm	20 x 5mm	170g
460 300	Flat Scraper	300mm	25 x 6mm	420g
462 200	Triangular Hollow Ground Scraper	200mm	16mm	140g
461 200	Triangular Scraper	200mm	10mm	140g
463 200	Spoon Scraper	200mm	8mm	140g

SCREW EXTRACTORS



- For unscrewing ruined screws and bolts without damaging threads
- Manufactured from chrome vanadium steel, hardened and surface burnished
- Available in six or eight piece sets

Part No.	Size	Length	Shaft	Diameter	For Screws		
Part No. 262 000	Part No. 263 000	1	50mm	3.6mm	1.75mm	M3-M6	2.5mm
		2	57mm	5.0mm	2.20mm	M6-M8	3.0mm
		3	64mm	6.5mm	3.30mm	M8-M11	4.5mm
		4	71mm	8.8mm	4.75mm	M11-M14	6.0mm
		5	78mm	11mm	6.35mm	M14-M18	8.0mm
		6	85mm	15mm	9.50mm	M18-M24	11.0mm
		7	92mm	19mm	12.70mm	M24-M33	13.5mm
		8	100mm	24mm	17.50mm	M33-M45	18.5mm



- New oval design, twice as strong (compared to hexagonal)
- Special tool steel, forged, hardened, red powder coated
- Up to 50% higher resistance bending compared to equivalent hex profile tools

WRECKING BARS

FLAT OVAL

Part No.	Length	Shaft Size	Weight
276 400	400mm	20 x 12mm	800g
276 500	500mm	20 x 12mm	1000g
276 600	600mm	23 x 13mm	1400g
276 800	800mm	23 x 13mm	1880g
276 1000	1000mm	23 x 13mm	2650g



TRIDON ▶

RENNSTEIG - Exclusively distributed in Australia and New Zealand by Tridon.

For further information contact Tridon Customer Service:

Australia: Phone: 1300 362 263 Fax: 1300 656 006 Email: sales@tridon.com.au **New Zealand:** Phone: (09) 836 5653 Fax: (09) 836 5521 Email: sales@tridon.co.nz

CAT021 © Copyright TRIDON AUSTRALIA PTY. LTD. 2011

A.C.N. 001 398 698 Reproduction of this catalogue in part or full is not permitted without written approval. Illustrations in this catalogue are for identification purposes only and there may be slight variations between the illustration and actual product. Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of printing, TRIDON AUSTRALIA PTY LTD will not accept responsibility should any inaccuracies be contained herein.