

WEA 17-125 Quick (600534190) Angle Grinders

(220-240 V / 50 - 60 Hz); Cardboard box

- Maximum productivity: first 1,700 Watt angle grinder with the power of a large grinder and the compactness of a small one for quickest material removal for industrial applications
- New, patent-pending Metabo Marathon motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life
- Tacho-Constamatic (TC)-Full wave electronics: fast work progress thanks to constant speed under load
- Now even faster: Metabo Quick System for tool-free disc change at the touch of a button by means of quick flange nut
- Tool-free adjustable guard; twist-proof mounting
- Side handle Metabo VibraTech (MVT) handle vibration damping for convenient continuous operation
- Best anti-vibration system: integrated autobalancer for up to 50% less hand-arm vibrations, longer service life of the machine and up to twice the service life of the grinding discs
- Metabo S-automatic safety clutch: direct mechanical decoupling in case of jamming of the disc minimises kickback - for high safety and swift progress; proven for decades
- Electronic overload protection for long service life
- Electronic soft start for smooth startup
- Restart protection: prevents unintentional startup after power cut
- Gear housing can be mounted turned in 90° steps for left-handed operation or for cutting
- Auto-stop carbon brushes to protect the motor

[Link to Product](#)

Illustration



Product may differ from Image

System Application Images



Characteristics

Grinding wheel Ø	125 mm / 5 "
Rated input power	1700 W
Output power	1040 W
No-Load Speed	11000 /min /min
Revolutions at rated load	11000 /min
Torque	3.7 Nm / 33 in-lbs
Spindle thread	M 14
Weight (without power cable)	2.5 kg / 5.5 lbs
Cable length	4 m / 13 ft

Vibration

Surface grinding	4 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Grinding with sandpaper	3 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	93 dB(A)
Sound power level	104 dB(A)
Uncertainty of measurement K	3 dB(A)