

## WEP 15-125 Quick (600476190) Angle Grinders

(220-240 V / 50 - 60 Hz); Cardboard box

- Highest service life for extreme applications: robust, powerful angle grinder with greatest power density in its class for quick work progress
- New, patent-pending Metabo Marathon motor with up to 50% more torque and up to 20% higher overload capacity for quicker material removal and longer service life
- Tacho-Constamatic (TC)-Full wave electronics: fast work progress thanks to constant speed under load
- Now even faster: Metabo Quick System for tool-free disc change at the touch of a button by means of quick flange nut
- Tool-free adjustable guard; twist-proof mounting
- Side handle Metabo VibraTech (MVT) handle vibration damping for convenient continuous operation
- Paddle switch with dead man function: Safe to operate by means of an ergonomically integrated non-slip switch
- Metabo S-automatic safety clutch: direct mechanical decoupling in case of jamming of the disc minimises kickback - for high safety and swift progress; proven for decades
- Electronic overload protection for long service life
- Electronic soft start for smooth startup
- Restart protection: prevents unintentional startup after power cut
- Gear housing can be mounted turned in 90° steps for left-handed operation or for cutting
- · Auto-stop carbon brushes to protect the motor

## **Link to Product**

## Illustration



Product may differ from Image

## **System Application Images**













**Characteristics** 

Grinding wheel Ø	125 mm / 5 "	
Rated input power	1550 W	
Output power	940 W	
No-Load Speed	11000 /min /min	
Revolutions at rated load	11000 /min	
Torque	3.5 Nm / 31 in-lbs	
Spindle thread	M14	
Weight (without power cable)	2.5 kg / 5.5 lbs	
Cable length	4 m / 13 ft	
Vibration		
Surface grinding	6 m/s²	
Uncertainty of measurement K	1.5 m/s²	
Grinding with sandpaper	3.6 m/s²	
Uncertainty of measurement K	1.5 m/s²	
Noise emission		
Sound pressure level	93 dB(A)	
Sound power level	104 dB(A)	
Uncertainty of measurement K	3 dB(A)	