



## **PRODUCT SPECIFICATIONS**

### **Task Headlamp Model : PH15**

#### **Revision History**

<b>Revision</b>	<b>Date</b>	<b>Initiator</b>	<b>Reason for Change</b>
1.0	7 <sup>th</sup> Feb 2018		First Release

<b>Prepared By</b>	<b>Approved By</b>
Yvonne Ng	Kevin Chan
Date: 5 <sup>th</sup> Feb 2018	Date: 7 <sup>th</sup> Feb 2018

### **GPI International Limited**

7/F, Building 16W, 16 Science Park West Avenue  
Hong Kong Science Park, New Territories, Hong Kong,  
Tel: (852) 2484 3333 Fax: (852) 24805912  
Email: [gpii@goldpeak.com](mailto:gpii@goldpeak.com)  
Website: <http://www.gpbatteries.com>






Member  
Gold Peak Group

Manufacturer reserves the right to alter or amend the design, model and specification without prior notice.

# GP Batteries

## Product Specifications

Model no.: PH15



Product Name	: Task Headlamp
Lumen output*	: 300 / 150 / 5 lm (+/- 15%)
Candela*	: Max 6200 cd (+/- 15%)
Beam Distance*	: Max 157m (+/- 15%)
Runtime*	: 100%: 5H, 50%: 8H, 1.5%: 69H
Battery type	: 3 x AAA (Alkaline / NiMH)
LED chip	: Cree XP-G2
IP rate*	: IPX6
Shock proof*	: Impact resistant, 1m
Sensor function	: Motion sensor (brightness model)

# GP Batteries

---

## Product Specifications

Model no.: PH15

---

Dimensions : 34 x 46 x 56 mm

Weight : 110 g (with batteries)

Accessories Included : 3 x AAA Alkaline batteries (GP24AU)

Safety instruction

Instruction manual

Certification : CE, ROHS

Warranty Period : 24 months from ex-factory date

### Key features:

- Motion sensor to change brightness levels by simply waving hand
- Long beam distance for improved vision
- Optimized performance with Alkaline or NiMH battery
- Advanced optical design for spot and flood beam in one
- Water-resistant design
- Convenient single button operation
- PWM regulation for accurate light output at different levels
- Lockout mode for accidental activation
- Reverse polarity protection
- Light and comfortable to use
- Utilizes Cree LED

\*Per ANSI FL1 Standard