



Nothing but **HEAVY DUTY.**

**REDLITHIUM**

**DRIVEN TO OUTPERFORM.**



M18 SMS216-0

**NEW**

**M18™ CORDLESS 216MM  
SLIDE COMPOUND MITRE SAW**



FUEL™

FUEL™

**M18**

SYSTEM™

FUEL™

FUEL™

FUEL™

**OVER 50 TOOLS, ONE BATTERY.**



## FEATURE RICH CAPABILITIES

### Lock Lever/Handle Over Mold

allows the user to make repeated cuts comfortably and without fatigue

Supplied with Saw Blade (48 Teeth)  
blade spanner and work clamp

Spindle Lock  
for quick and easy blade changes

Integral LED Jobsite Light  
illuminates the work area

Milwaukee® 2-Pole Frameless Motor  
delivers 2700 rpm for fast cutting

Adjustable Laser  
for perfect and quick alignment to cut line

REDLINK™ Overload Protection Electronics  
in tool battery pack deliver best in class system durability

Mitre Release System  
for quick and smooth change of the cutting orientation

Dual Vertical Steel Rails with Linear Bearings  
deliver smooth sliding action and ensure accuracy and durability

Rail Lock  
the saw head locks in the back position automatically

Steel Detent Plate with Preset Angles  
gives repeatable accurate cuts

Heavy Duty Cast Base and Fence  
ensures durability and accuracy

48°/-2° Bevel Capacity

**NO CORD**  
REQUIRED

**LEGENDARY**  
**DURABILITY**

**MORE**  
RUN-TIME



# M18™ CORDLESS 216MM SLIDE COMPOUND MITRE SAW

## LIGHT WEIGHT, WITH HEAVY DUTY PERFORMANCE



CUTLINE VISIBILITY



STEEL DETENT PLATE



ACCURACY



SMOOTH SLIDING ACTION

## SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
<b>MODEL</b>	<b>M18SMS216-0 (Tool-Only)</b>
<b>Voltage</b>	18 V
<b>Bevel Capacity Left</b>	48°
<b>Bevel Capacity Right</b>	-2°
<b>Blade Diameter</b>	216 mm
<b>Bore Size</b>	30 mm
<b>Charger Supplied</b>	-
<b>Battery Type</b>	REDLITHIUM™
<b>Battery Capacity (Ah)</b>	-
<b>No. of Batteries</b>	-
<b>Max. Cutting Capacity 45° Mitre / 45° Bevel</b>	190 x 48 mm
<b>Max. Cutting Capacity 45° Mitre / 90° Bevel</b>	190 x 60 mm
<b>Max. Cutting Capacity 90° Mitre / 90° Bevel</b>	270 x 60 mm
<b>Max. Cutting Capacity 90° Mitre / 45° Bevel</b>	270 x 48 mm
<b>Mitre Capacity Left</b>	50°
<b>Mitre Capacity Right</b>	50°
<b>No Load Speed</b>	2700 rpm
<b>Sound Power Level</b>	101 dB(A)
<b>Sound Power Level Uncertainty</b>	3 dB(A)
<b>Sound Pressure Level</b>	88 dB(A)
<b>Sound Pressure Level Uncertainty</b>	3 dB(A)
<b>Vibration Sawing of Wood</b>	1.9 m/s <sup>2</sup>
<b>Vibration Sawing of Wood Uncertainty</b>	1.5 m/s <sup>2</sup>
<b>Weight with Battery Pack</b>	14.5 kg
<b>Compatible Mitre Saw Stands</b>	MSL 1000 and MSL 3000



### M18™ Cordless 216mm Slide Compound Mitre Saw (Tool-Only) M18SMS216-0

Includes: M18SMS216-0 M18™ Cordless 216mm Slide Compound Mitre Saw, 48T 216mm Wood Cutting Blade. Battery and charger not included.







**FASTEST GROWING 18V  
SYSTEM ON THE MARKET  
50+ TOOLS**



**[milwaukeetools.com.au](http://milwaukeetools.com.au)  
[milwaukeetools.co.nz](http://milwaukeetools.co.nz)**

The range of products shown in this catalogue may vary depending on availability, product and specifications may change without notice. Errors and Emissions & Exceptions disclaimer and copyright.