


HyPerformance® Plasma | HPR® 130/HPR® 260 MILD STEEL



Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-9961	220173-UR	Shield Cap 30-130A	1
1a.	N-10099	1-031B	O-Ring	1
2.	T-9964	220398-UR	Shield Cap 200/260A (130/260A, Bevel)	1
3.	T-10878	220194	Shield 30A	10
4.	T-10882	220555	Shield 50A	10
5.	T-9838	220189	Shield 80A	10
6.	T-9839	220183	Shield 130A	10
7.	T-9965	220356	Shield 200A	1

8.	T-9970	220440-UR	Shield 260A	1
9.	T-10311	220645	Shield 130A, Bevel	1
10.	T-10881	220545	Shield 260A, Bevel	1
11.	T-11146	220313	Inner Retaining Cap 30/50A	1
12.	T-11144	220176	Inner Retaining Cap 80/130A	1
13.	T-11149	220355	Inner Retaining Cap 200A	1
14.	T-11150	220433	Inner Retaining Cap 260A	1
15.	T-11151	220603	Inner Retaining Cap 130A/260A, Bevel	1
16.	T-9834	220193-UR	Nozzle 30A	1
	T-10936	220193	Nozzle 30A	1
17.	T-10313	220554-UR	Nozzle 50A	1
	T-10940	220554	Nozzle 50A	1
18.	T-9835	220188-UR	Nozzle 80A	1
	T-10935	220188	Nozzle 80A	1
19.	T-9836	220182-UR	Nozzle 130A	1
	T-10934	220182	Nozzle 130A	1
NS	T-10248	220510-UR	Nozzle 100A, HD®3070 upgrade	1
NS	T-11265	220510	Nozzle 100A, HD®3070 upgrade	1
20.	T-9967	220354-UR	Nozzle 200A	1
	T-10937	220354	Nozzle 200A	1
21.	T-9972	220439-UR	Nozzle 260A	1
	T-10938	220439	Nozzle 260A	1
22.	T-10310	220646-UR	Nozzle 130A, Bevel	1
	T-10941	220646	Nozzle 130A, Bevel	1
23.	T-10308	220542-UR	Nozzle 260A, Bevel	1
	T-10939	220542	Nozzle 260A, Bevel	1
24.	T-10297	220180	Swirl Ring 30–60A	1
25.	T-10305	220553	Swirl Ring 50A	1
26.	T-10295	220179	Swirl Ring 80/130 (130A, Bevel)	1
27.	T-10296	220353	Swirl Ring 200A	1
28.	T-10271	220436	Swirl Ring 260A (260A, Bevel)	1
29.	T-9894	220192-UR	Electrode 30A	5
(a)30.	T-10306	220552-UR	Electrode 50A	5
(a)31.	T-9895	220187-UR	Electrode 80A	5
(a)32.	T-12064	220187-PRO	Electrode 80A (=420566), Silver PRO	5
(a)33.	T-9920	220181-UR	Electrode 130A	5
(a)34.	T-11203	220181-PRO	Electrode 130A (=220665-PRO), Silver PRO	5
(a)35.	T-9969	220352-UR	Electrode 200A	5
(a)36.	T-11200	220352-PRO	Electrode 200A (=220666-PRO), Silver PRO	5
(a)37.	T-9974	220435-UR	Electrode 260A	5
(a)38.	T-11197	220435-PRO	Electrode 260A (=220668-PRO), Silver PRO	5
(a)39.	T-4927	220187-AG	Electrode 80A, SilverEX-®	5
(a)40.	T-4917	220181-AG	Electrode 130A, SilverEX-®	5
(a)41.	T-4925	220352-AG	Electrode 200A, SilverEX-®	5
(a)42.	T-4926	220435-AG	Electrode 260A, SilverEX-®	5
(a)43.	T-10309	220649-UR	Electrode 130A, Bevel	5
(a)44.	T-10307	220541-UR	Electrode 260A, Bevel	5
(a)45.	T-9882	220340-UR	Cooling Tube 30–260A	1
45a.	T-13016	026009	O-Ring	1
(a)46.	T-10472	220700-UR	Cooling Tube 80–200A, Bevel	1
(a)47.	T-10323	220571-UR	Cooling Tube 400A (260–400A, Bevel)	1

48.	TN-0069	104119-UR	Consumables Removal Tool	1
49.	T-0994	027055	Silicone Lubricant 25ml	1
50.			Torch, cable leads. See following pages for details.	
51.			Consumable Case. Details on the page 153, section Accessories.	
52.			Coolant Liquid. Details on the page 148, section Accessories.	

* – FULLY INTERCHANGEABLE WITH ORIGINAL PARTS, BUT DIFFERS FROM ORIGINAL DESIGN

(a) – THERMACUT ELECTRODES HAS TO BE USED WITH THERMACUT DESIGN COOLING TUBE, OTHERWISE IT DOESN'T FIT TO THE TORCH, THERMACUT COOLING TUBE CAN BE USED FOR THERMACUT DESIGN ELECTRODES AND FOR ORIGINAL DESIGN TOO

** – SHIELD OFFERS BETTER LIFETIME BECAUSE OF IMPROVED DESIGN AND IS FULLY INTERCHANGEABLE AND COMPATIBLE WITH ORIGINAL PARTS

NS – NOT SHOWN IN THE PICTURE

-PRO – SILVER PRO TECHNOLOGY INCREASES ELECTRODE LIFETIME SIGNIFICANTLY COMPARED TO STANDARD COPPER ELECTRODES

SMART SOLUTION – DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

