

PRO 2 PB

COMPACT PIPE BEVELLER

Overview

PRO 2 PB is a compact, handy pipe beveller that mills pipes made of carbon and stainless steel, aluminum alloys, and copper-nickels. The machine can face and bevel pipes from inner diameters (ID) of 22 mm to outer diameters (OD) of 48 mm.

Small pipes from ID 15.5 mm up to OD 30 mm can be beveled with optional small mandrel set. PRO 2 PB is able to mill also larger pipes from ID 42 mm up to OD 60.3 mm by means of an optional extension set.



3 different sources of power to choose from:









Max wall thickness up to 8mm.



ID 22mm - 42mm ID 15.5mm - 22mm (optional) ID 42mm - 58mm (optional)



Facing off



OD bevelling up to 48mm OD bevelling up to 60.3mm (optional)


TECHNICAL SPECIFICATIONS	PRO 2 PB with air motor	PRO 2 PB with electric motor	PRO 2 PB with battery motor
Motor	Pneumatic Motor Air Requirement: 0.6 MPa (87 psi) Air Consumption: 1400 l/min (50 CFM) Power: 800 W Part# WAP-B05/100	Electric Motor Voltage: 1~ 220 - 240 V, 50 - 60 Hz Power: 1100 W Part# WAP-B02/105	Battery Powered Motor Voltage: 18 V DC, 5.2 Ah Part# WAP-B02/108
Connection	CEJN 410 DN 10.4 R 1/2" BSPT fitting for quick-coupling	Electrical plug	Battery connection
Rotational speed without load	210 rpm	10 - 134 rpm (gear 1) 30 - 377 rpm (gear 2)	10 - 60 rpm (gear 1) 30 - 205 rpm (gear 2)
Rotational speed (nominal)	105 rpm	10 - 134 rpm (gear 1) 30 - 377 rpm (gear 2)	10 - 60 rpm (gear 1) 30 - 205 rpm (gear 2)
Pipe diameter	22mm ID - 48mm OD 15.5mm ID - 30mm OD* 42mm ID - 60.3mm OD**	22mm ID - 48mm OD 15.5mm ID - 30mm OD* 42mm ID - 60.3mm OD**	22mm ID - 48mm OD 15.5mm ID - 30mm OD* 42mm ID - 60.3mm OD**
Maximum pipe wall thickness	8mm 3.5mm	8mm 3.5mm	8mm 3.5mm
Weight with motor	7.6kg	7.4kg	6.5kg including battery

* With an optional small mandrel set (WAP-B02/150)


Package Includes

- PRO 2 PB Beveling Machine (Not Including Motor Or Cutting Inserts)
- Standard Self-Centering Expandable Mandrel For Pipe Id Ø 18 − 42 Mm (0.70 − 1.65")
- 2 Sets Of Jaws (No. 4, 5),
- 3 Sets Of Jaw Blocks (No. 6, 7, 8)
- 5 Sets Of Springs (No. 4, 5, 6, 7, 8) For Standard Mandrel
- Tool Bit Holder
- Spring Gauge
- Handle
- Coolant Container With Nozzle
- Set Of Tools
- Operator'S Manual
- In Metal Carry Case


Dimensions



PRO 2 PB with pneumatic motor



PRO 2 PB with electric motor



PRO 2 PB with battery motor

^{**} With an optional extension set (WAP-B02/130)

Optional Accessories





Electric Motor Part# **WAP-B05/105**



Driver for electric motor Part# WAP-B02/112



Battery motor & two 5.2 Ah batteries Part# **WAP-B02/108**



Driver for battery motor Part# WAP-B02/114



52

5.2 Ah battery Part# **AKM-000088**




Battery charger Part# **LDV-000011**




Tool bits:

WAP-B02/F040 for steel	0 degree facing tool bit short	
WAP-B02/F040T for stainless steel	0 degree facing tool bit short*	17 3
WAP-B02/F052 for steel	0 degree facing tool bit long	3
WAP-B02/F052T for stainless steel	0 degree facing tool bit long*	9 9
WAP-B02/B3050 for steel	30 degree bevelling tool bit	900
WAP-B02/B3050T for stainless steel	30 degree bevelling tool bit*	9
WAP-B02/B37553 for steel	37.5 degree bevelling tool bit	37.5
WAP-B02/B37553T for stainless steel	37.5 degree bevelling tool bit*	9
WAP-B02/B4556 for steel	45 degree bevelling tool bit	45'
WAP-B02/B4556T for stainless steel	45 degree bevelling tool bit*	9





Extension set for pipes from ID 42mm to OD 60.3mm Part# WAP-B02/130



^{*} Tool bits for stainless steel feature TiAIN coating



