













Introducing the next generation

- Made in Italy
- Leading 4 Year Warranty*
- Satisfaction Money-Back Guarantee**

60 years of

European technology













Find videos & more at Weldclass.com.au/mywelder



^{*}Standard warranty 2 years, with 2 year extension if registered online.

^{**}Return your machine within 30 days of purchase for a full refund. Applies to Italian-made models only. Terms and conditions apply, see Weldclass.com.au/mbg



Selection Guide

Automotive

click on any machine image to view more info

	<u></u>							
MIG & MU	ILTIFUNCT	TION	76		~	lax MIG	Functions	Typical Application
	155M	ade in Italy		10A 7kVa		5mm		Hobbyist Handy Man
0_ 00	175MST	ade in Italy		10A 7kVa		6mm	/ >	Site & Field Work Light Fabrication Rural Maintenance & Fencing
	210MST	ade in Italy)/15A 7kVa	1	Omm	VRD	Site & Field Work, Professional Light Fabrication, Rural Maintenance & Fencing, Construction, Automotive Repairs
Dentary Co.	250MST	ade in Italy		15A 13kVa	-	l2mm	VRD	Site & Field Work Professional Medium Fabrication, Rural Workshops Automotive Repairs
STI	CK/TIG		₹ @		М	ax Stick	Functions	Typical Applications
	136S	ade in Italy		10A 6kVa	3	5.2mm		Handy Man Site & Field Work
	181S	ade in Italy		15A 8kVa	4	.Omm	<u> </u>	Site & Field Work
0.00	202T AC/DC	ade in Italy)/15A 8kVa		Max ungsten	Pulse VRD	Aluminium Repairs & Fabrication, Professional Fabrication of Sheet, Pipe, Tube, etc.
PLA	SMA	~@/	70	Max Clean C Mild Ste		Max Severanc Mild Stee		Typical Applications
	41PA Made in Italy	15A ≥ 8k\		12mm	ì	18mm	Built-in Compresso	Site & Field Work, Demolition, Medium Fabrication, Rural workshops, Automotive
	43P Made in Italy	15A ≥ 8k\		16mm	า	20mm	Requires Compresso / Air Suppl	Fantication Rilral



Weldforce 155_M

















Made in Italy







Easy-To-Use Synergic* MIG Function *Machine automatically adjusts wire speed and voltage balance.



Inductance Control For precise weld



Generator Friendly *Minimum 7kva



Takes 1kg or 5kg Spools



IP 23
Protection
Superior resistance to moisture & particles.



Compact, Robust & Lightweight











Earth Lead 1.8m



Options:



Trolley



Gas Regulator

*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au **Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-155M	Weldforce 155M Standard Package
WC-06373	Optional T70 Welder Trolley
4-AR1	Optional Gas Regulator

Specifications

Description	Details
Dimensions (incl. handle)	L450 x W235 x H370 mm
Standard	AS 60974.1
Power Supply	240V 1-Phase
Protection Class	IP23
MIG	
Output	20A - 150A
Duty Cycle (40 °C)	115A @ 15% 65A @ 60% 50A @ 100%
Wire Sizes / Capacity	0.6, 0.8, 0.9 (gas/gasless)





Weldclass.com.au /155m \$999

Incl. GST

\$908.18



MIG / Multi-Function

Weldforce 175_{MST}



Gas/Gasless



STICK













□mm STEEL **Max MIG Capacity**







4 Year Warranty*







Generator Friendly





Euro Torch Connection






Takes 1kg or 5kg Spools











Earth Lead 3m



Options:



Stick





*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au **Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-175MST	Weldforce 175MST Standard Package
WC-06231	Optional Stick Lead 4m
WC-00992	Optional TIG Torch #17 4m
WC-06373	Optional T70 Welder Trolley

Specifications

Description	Details
Dimensions (incl. handle)	L450 x W235 x H370 mm
Standard	AS 60974.1
Power Supply	240V 1-Phase
Output Cable Terminals	10-25 (Standard)
Protection Class	IP23
MIG	
Output	20A - 170A
Duty Cycle (40 °C)	140A @ 20% 80A @ 60% 60A @ 100%
Wire Sizes / Capacity	0.6, 0.8, 0.9 (gas & gasless)
Stick (MMA) & TIG	
Output	20A - 150A
Duty Cycle	120A @ 30%
MMA Electrode Size / Capacity	1.6 - 3.2mm
TIG Tungsten Electrode Size/Capacity	1.6mm





Weldclass.com.au /175mst

Incl. GST

\$1,362.73



MIG / Multi-Function

Weldforce 210_{MST}























Made in Italy





30-Day Money-Back Guarantee**



Synergic* or Manual MIG Function
*Enter material type & thickness & machine w set parameters automic



Easy-To-Use



2-in-1 Dual Input 10A or 15A**



Takes 1kg or 5kg Spools



Compact, Robust & Lightweight



Digital Interactive Display







Drive Rollers for 0.6/0.8/0.9 Steel 0.8/0.9/1.2 Gasless













For Safe & Compliant Stick/MMA Welding



H/Duty 250A MIG Torch



Generator Friendly

*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au
**Factory fitted with 10A plug, for use with 10A input mode. For information on correct use of
10A & 15A modes, refer to manual &/or label on power input cable &/or label inside wire feeder
compartment door
***Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-210MST	Weldforce 210MST Standard Package
WC-06231	Optional Stick Lead 4m
WC-00992	Optional TIG Torch #17 4m
WC-06235	Optional T100 Welder Trolley

Specifications

Description	Details	
Dimensions (incl. handle)	L460 x W240 x H360 mm	
Weight (Power Source)	10kg	
Standard	AS 60974.1	
Power Supply	240V 1-Phase	
Output Cable Terminals	10-25 (Standard)	
Protection Class	IP23	
MIG	15A Mode	10A Mode
Output	20A - 210A	20A - 170A
Duty Cycle (40 °C)	180A @ 20% 100A @ 60% 80A @ 100%	
Wire Sizes / Capacity	0.6/0.8/0.9/1.0mm Solid 08/0.9/1.2mm Gasless	
Stick (MMA) & TIG	15A Mode	10A Mode
Output	20A - 150A	20A - 130A
Duty Cycle	150A @ 30%	130A @ 20%
MMA Electrode Size / Capacity	1.6 - 3.2mm	
TIG Tungsten Electrode Size/Capacity	1.6 - 2.4mm	

More info



Incl. GST



MIG / Multi-Function

Weldforce 250_{MST}





STICK









Specifications

Description	Details
Dimensions (incl. handle)	L620 x W260 x H490 mm
Weight (Power Source)	19kg
Standard	AS 60974.1
Power Supply	240V 1-Phase
Output Cable Terminals	35-50 (Large)
Protection Class	IP23
MIG	
Output	20-250A
Duty Cycle (40 °C)	220A @ 20% 130A @ 60% 100A @ 100%
Wire Sizes / Capacity	0.6/0.8/0.9/1.0/1.2mm Solid 08/0.9/1.2 Gasless
Stick (MMA) & TIG	
Output	20-180A
Duty Cycle	180A @ 25%
MMA Electrode Size / Capacity	1.6 - 4.0mm
TIG Tungsten Electrode Size/Capacity	1.6 - 2.4mm



























Digital Interactive Display



Easy-To-Use



Compact, Robust & Lightweight



Advanced Thermal Control





Takes 5kg or 15kg Spools



Generator Friendly

*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au
**Factory fitted with 15A plug for commission purposes only. Refer to manual.
***Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-250MST	Weldforce 250MST Standard Package
WC-06233	Optional Stick Lead 4m
WC-00992	Optional TIG Torch #17 (150A) 4m
WC-01046	Optional TIG Torch #26 (200A) 4m
WC-06235	Optional T100 Welder Trolley

More info



Weldclass.com.au /250mst

\$2,950

Incl. GST

\$2,681.82



Weldforce 136s

















30-Day Money-Back Guarantee**



Compact, Robust & Lightweight



Generator Friendly
*Minimum 6kva
Ideal 7kva+







Includes:



Earth Lead 3m



Stick Lead 3m

 * Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au ** Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-136S	Weldforce 136S Standard Package



Specifications

Description	Details
Dimension (incl. handle)	L380 x W420 x H170 mm
Standard	AS 60974.1
Power Supply	240V 1-Phase
Open Circuit Voltage	72V
Output Cable Terminals	10-25 (Standard)
Protection Class	IP21
Output	10A - 130A
Duty Cycle	125A @ 7% 35A @ 60% 30A @ 100%
Electrode Size / Capacity	1.6 - 3.2mm

More info



Incl. GST

\$453.64



Weldforce 181s































Earth Lead 4m



Stick Lead 4m

*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au
**Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-181S	Weldforce 181S Standard Package



Specifications

Description	Details
Dimension (incl. handle)	L380 x W480 x H170 mm
Standard	AS 60974.1
Power Supply	240V 1-Phase
Open Circuit Voltage	75V
Output Cable Terminals	10-25 (Standard)
Protection Class	IP23
Output	15A - 180A
Duty Cycle (MMA)	170A @ 18% 105A @ 60% 90A @ 100%
Electrode Size / Capacity	1.6 - 4.0mm

More info



Weldclass.com.au /181s ^{\$}799

Incl. GST

\$726.36




Weldforce 202T AC/DC Pulse











Specifications

Description	Details	
Dimension (incl. handle)	L430 x W170 x H	340 mm
Weight (Power Source)	11kg	
Standard	AS 60974.1	
Power Supply	240V 1-Phase	
Output Cable Terminals	35-50 (Large)	
Open Circuit Voltage	78V (VRD off)	
Protection Class	IP23	
Description	15A Mode	10A Mode
Output	5A - 200A TIG 5A - 160A MMA	5A - 180A TIG 5A - 150A MMA
Duty Cycle (40 °C) TIG	200A @ 24% 115A @ 60% 100A @ 100%	180A @ 19% 115A @ 60% 100A @ 100%
TIG Tungsten Electrode Size / Capacity	1.6 - 3.2mm	
MMA Electrode Size / Capacity	1.6 - 4mm	























Easy Pulse











*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au
**Factory fitted with 10A plug for commissioning purposes. For information on correct use with
10A or 15A power supply, refer to manual
***Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-202T	Weldforce 202T Standard Package
WC-06370	Optional Foot Controller
WC-06373	Optional T70 Welder Trolley
WC-06233	Optional Stick Lead 4m



Foot Controller FC2 (optional) WC-06370

More info



\$**4,499**

Incl. GST





Cutforce 41PA + Air Compressor









Specifications

Description	Details	
Dimension (incl. handle)	L470 x W260 x	H378 mm
Standard	AS 60974.1	
Power Supply	240V 1-Phase	
Protection Class	IP23	
Output	10-40A	
Duty Cycle	35A @ 30% 25A @ 60% 20A @ 100%	
Cut Capacity	Quality Cutting Max Recommended	Severance (Low Quality Cut)
Mild Steel	12mm	18mm
Stainless Steel	12mm	16mm
Aluminium	10mm	12mm

















Compact, Robust & Lightweight



High Quality Plasma Torch



Built-in Maintenance Free Air Compressor



Protective Roll-Frame Design




Cuts All Metals Steel, SS, Alu, Gal, Copper,




Generator Friendly









✓ Euro-style quick-connection

*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au
**Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-41PA	Cutforce 41PA Standard Package
WC-06235	Optional T100 Welder Trolley

More info



Incl. GST



Cutforce 43P











Plasma Torch 6m





Earth Lead 3m Requires: Air Compressor Min 120L/min (4.5cfm) Free Air Delivery

Options:





Z-20 Air Filter

Specifications

Description	Details	
Dimension (incl. handle)	L450 x W182 x	H292 mm
Standard	AS 60974.1	
Power Supply	240V 1-Phase	
Protection Class	IP23	
Output	10A - 40A	
Duty Cycle	35A @ 30% 25A @ 60% 20A @ 100%	
Cut Capacity	Quality Cutting Max Recommended	Severance (Low Quality Cut)
Mild Steel	16mm	20mm
Stainless Steel	16mm	18mm
Aluminium	12mm	14mm









Severance











Compact, Robust & Lightweight



High Quality Plasma Torch



Worn Consumables Alert System



Protective Roll-Frame Design





Cuts All Metals Steel, SS, Alu, Gal, Copper,




Generator Friendly

High Quality Plasma Torch The 'make or break' of any plasma machine!







✓ Euro-style quick-connection

*Standard warranty 2 years, with 2 years extension if registered at www.weldclass.com.au
**Terms & conditions apply, see weldclass.com.au/mbg for details

Part No.	Description
WC-43P	Cutforce 43P Standard Package
WC-06255	Optional Z-20 Hi-Performance Air Filter
WC-06373	Optional T70 Welder Trolley

More info



Weldclass.com.au /43p

Recommended Option:

Platinum Z-20 High Performance Air Filter

- ✓ Increases torch parts life Improves cutting performance
- ✓ Long-life filter cartridge (< 6 months)

For more info: Weldclass.com.au/z20

\$1,899

Incl. GST

\$1,726.36





T100 Welding Trolley

Suit up to 250A Welders

- Size of top tray (mm): 700L x 275W
- Overall Size (mm): 1,000L x 720H x 420W (including axle)
- Includes gas bottle tray and retaining chain



Stick Welding Leads

- 4 meter length
- Double-insulated cable



Suits	Description	Part No.	Incl GST
175/180/210MST	200A 4m	WC-06231	\$69.90
250MST, 202T	280A 4m	WC-06233	\$89.90

TIG Torches

Suits	Type	Length	Part No.	Incl GST
175/210/ 250MST	17FV (150A) with valve	4m	WC-00992	\$259
SEOMET	26FV (200A)	4m	WC-01046	\$279
250MST	with valve	8m	WC-01049	\$329

Foot Controller FC2

Suits 202T AC/DC TIG Welder



Argon Regulator

- Suit MIG & TIG welders
- Platinum Series



Type	Part No.	Incl GST
Bobbin Style	4-ABFR25	\$139
Twin Gauge	4-AR1	\$107

Air Filter/Dryer for Plasma Platinum Z-20

- Removes 99.97% of water, dirt, oil particles
- Increases torch parts life
- Improves cutting performance
- Long-life filter cartridge



Part No.	Incl GST
WC-06255	\$369



Platinum GL-11 Gasless Wire



f f Have been welding for 42 years and used many brands of wire. Recently completed a set of Gal Cattle yards and used 21 rolls GL-11. Easiest all positional wire I have ever used and is brilliant on galvanised steel. Great Product.

- David from NSW





Weldclass.com.au/GL11

Promax 500 Welding Helmet





The vision would have to be the best I've ever used, with 30 vears under the helmet I've been through the odd helmet or 3. A big viewing lens is great, I've never had a helmet like this before.

- Shaun from VIC JJ





Veldclass.com.au/pm500



Your Weldclass Distributor:



www.weldclass.com.au