



A NEW FORCE IN CHEMICAL MANUFACTURING

Unit 2, 14-16 Lee Holm Road
St Marys NSW 2760
Australia

Ph: 1300 738 250 (Australia)
Ph: +61 2 9833 9766 (International)
Fax: 02 9623 3670

sales@chemtools.com.au
www.chemtools.com.au

SAFETY DATA SHEET

ISSUED SEPTEMBER 2014 (VALID 5 YEARS FROM DATE OF ISSUE)

R03 WHITE LITHIUM GREASE

SECTION 1 - IDENTIFICATION OF THE MATERIAL

Chemtools Pty Ltd
Unit 2/14-16 Lee Holm Road
St Marys NSW 2760

Phone: 1300 738 250 (business hours)
Fax: 02 9623 3670
www.chemtools.com.au

PRODUCT NAME White Lithium Grease
PRODUCT TYPE Lubricating Grease
PART NUMBER CT-R03
AVAILABLE SIZES 10cc Syringe (CT-R03-10P)
50g (CT-r03-50G)
100g (CT-R03 -100G)

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS #	%	HSIS TWA	HSIS STEL
Petroleum oils	64742-52-5 64742-01-4	60-100	N/A	N/A
Non-hazardous Ingredient Blend	9002-84-0 28629-66-5 1314-13-2 13463-67-7 7620-77-1	10	10mg/m ³ 10mg/m ³	

SECTION 3 - HAZARDS IDENTIFICATION

Hazard Classification: Not classified as a Hazardous Substance according to the criteria of SafeWork Australia

Risk Phrases:

Safety Phrases:

Relevant routes of exposure: Ingestion.

Potential Health Effects

Inhalation: May block breathing passages if inhaled due to viscous nature.

Skin contact: May cause irritation after prolonged use by sensitive people.

Eye contact: May cause irritation.

Ingestion: May cause diarrhoea.

SECTION 4 - FIRST AID MEASURES

Inhalation: Clear air passages. Obtain medical advice if symptoms persist
Skin contact: Wash thoroughly with hand cleanser and soap and water. Dry clean contaminated clothing

If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If symptoms develop and persist seek medical attention. Do NOT induce vomiting. Wash out mouth with water. If symptoms develop and persist, seek medical attention

SECTION 5 - FIRE FIGHTING MEASURES

Flash point: 221°C (DIN-ISO 2592).
Auto ignition temperature: >260°C
Flammable/Explosive limits-lower %: 0.9%
Flammable/Explosive limits-upper %: 7%
Extinguishing media: Foam, dry powder, Carbon dioxide and sand
Special fire fighting procedures: DO NOT USE water jets.
Unusual fire or explosion hazards: None

Hazardous combustion products: Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide, carbon dioxide, oxides of nitrogen, soot and organic substances

Hazchem Code: N/A

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Environmental precautions: Risk of slippery surfaces due to spilled product. Allow spilled material to solidify/remove mechanically. Extinguish or remove all sources of ignition and stop leak if safe to do so. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If large

SECTION 7 - HANDLING AND STORAGE

Handling: No special handling procedures are required. Wash hands thoroughly after handling
Store in a cool, dry well-ventilated area away from heat, oxidising agents and out of direct sunlight
Incompatible products: Refer to Section 10.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

No exposure standards have been established for this material by HSIS. However, as with all chemicals, exposure should be kept to the lowest possible levels
Not normally required.

Skin protection: Gloves are recommended as good industrial practise
Eye/face protection: Safety glasses are recommended as good industrial practise.
See Section 2 for exposure limits.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Semi Solid (Paste).
Colour: White
Odour: None.
pH: N/A

Boiling point/range:	N/A.
Melting point/range:	N/A
Specific gravity:	Approx. 2.2 g/cm ³
Vapour density:	N/A
Evaporation rate:	N/A
Solubility in water:	Insoluble.

SECTION 10 - STABILITY AND REACTIVITY

Stability:	Stable at normal temperatures and conditions.
Hazardous polymerization:	Will not occur.

Hazardous decomposition products:

In case of incomplete combustion and/or thermal decomposition carbon monoxide, carbon dioxide, several hydrocarbons and soot may be formed

Strong oxidising agents.

Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).
-----------------------------	--

SECTION 11 - TOXICOLOGICAL INFORMATION

Product toxicity data:

SECTION 12 - ECOLOGICAL INFORMATION

Ecological information:	The product is not readily biodegradable but inherently biodegradable.
--------------------------------	--

SECTION 13 - DISPOSAL CONSIDERATIONS

Recommended method of disposal:

Recycle if possible. Dispose of according to Federal, State and local governmental regulations.

SECTION 14 - TRANSPORT INFORMATION

Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (6th Edition).

Domestic (Land):

Proper shipping name: No information found

UN No.:

Hazard class or division:

Packing group:

International Air Transportation (ICAO/IATA):

Proper shipping name: No information found

UN No.:

Hazard class or division:

Packing group:

Domestic (Land):

Proper shipping name: No information found
Hazard class or division:
Identification number:
Packing group:

International Air Transportation (ICAO/IATA):

Proper shipping name: No information found
Hazard class or division:
Identification number:
Packing group:

SECTION 15 - REGULATORY INFORMATION

Poisons Schedule (SUSDP): Not Listed.
ADG Code: No information found
NOHSC: Not Listed.

SECTION 16 – OTHER INFORMATION

Abbreviations/Acronyms: ACGIH – American Conference of Government Industrial Hygienists.
ADG – Australian Dangerous Goods.
HSIS - Hazardous Substances Information System.
IARC – International Agency for Research on Cancer.
NIOSH – National Institute of Occupational Health and Safety.
PEL – Permissible Exposure Limit.
STEL – Short Term Exposure Limit.
SUSDP – Standard for the Uniform Scheduling of Drugs and Poisons.
TLV – Threshold Limit Value.
TWA – Time Weighted Average.

DISCLAIMER

The information contained within this MSDS applies only to the Chemtools product to which the sheet relates.

The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either expressed or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way.

They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.